



AWLED/3M



Features

White steel LED exit box sign with legend.

Larger dimensions enables easy retrofit replacement of fluorescent products.

Viewing distance 37 metres.

Comsec Protection Systems.
26 Stadium Business Park, Dublin D11 FY81
Tel: +353 1 8853008 Email: info@comsec.ie WWW.Comsec.ie



General Information

Lamp Type	LED
Colour / Finish	White
Minimum Recharge Period	24 hours
IP Rating	IP20
Class Protection	1
Internal / External	Internal
Surface / Recessed / Suspended	Surface
LED Life	L70 50,000hrs
Warranty (Years)	3
CE Mark	Yes
Width (mm)	375
Height (mm)	185
Depth (mm)	60
Accessories	AG8/L/AD, AG8/L/AR, AG8/L/LAL, AG8/L/AU, ASBP/3

Technical Information

Wattage	3W
Lumens Delivered	25lm (Emergency)
CCT	6000K
Input	230V
Hertz	50/60Hz
Operating Temp	0C° to 40C°

Comsec Protection Systems.
26 Stadium Business Park, Dublin D11 FY81
Tel: +353 (0)853008 Email: info@comsec.ie www.comsec.ie



Technical Data - ETIM - Emergency luminaire (EC001957)

Mounting method Wall surface mounted

Function Escape route signage

With light source Yes

Material housing Steel

Colour housing White

Nominal voltage 230-230 V

Degree of protection (IP) IP20

Protection class I

Max. system power 3 W


Colour temperature 6000-6000 K

Recognition distance 37 m

Width 60 mm

Height/depth 185 mm

Length 375 mm



Comsec Protection Systems.
26 Stadium Business Park, Dublin D11 FY81
Tel +353 1 8853008 Email info@comsec.ie WWW.Comsec.ie

