

# Product data sheet

# Link arm TS 4000 EFS / RFS



**Comsec Protection Systems.**  
26 Stadium Business Park, Dublin D11 FY81  
Tel +353 1 8853008 Email info@comsec.ie WWW.Comsec.ie

with free swing function / free swing

## AREAS OF APPLICATION

- For combination with a TS 4000 EFS/RFS free swing door closer
- Right and left single-action doors

# Link arm TS 4000 EFS / RFS



## PRODUCT FEATURES

→ Can be used up to 70 mm reveal depth with transom installation

## TECHNICAL DATA

Productname	Link arm TS 4000 EFS / RFS
Free swing area	80° - 175°
Hold-open device	No
Integrated smoke switch	No

## VARIANTS / ORDER INFO

Designation	Description	Ident-No.	Colour
Link arms TS 4000 EFS/RFS	with free swing function / free swing	106462	according to RAL
Link arms TS 4000 EFS/RFS	with free swing function / free swing	106460	silver-coloured

## INSTALLATION MATERIAL

### MOUNTING PLATE LINK ARM \*

For TS 4000/TS 2000, with slim frames



Designation	Description	Ident-No.	Colour
Mounting plate link arm	for TS 4000/TS 2000, with slim frames	082506	according to RAL
Mounting plate link arm	for TS 4000/TS 2000, with slim frames	057109	silver-coloured

### MOUNTING PLATE LINK ARM

For TS 4000/TS 2000 for parallel arm installation



# Link arm TS 4000 EFS / RFS



---

Designation	Description	Ident-No.	Colour
Mounting plate link arm	for TS 4000/TS 2000, for parallel arm installation	053319	dark bronze
Mounting plate link arm	for TS 4000/TS 2000, for parallel arm installation	027460	according to RAL
Mounting plate link arm	for TS 4000/TS 2000, for parallel arm installation	053318	silver-coloured

---

\* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.

**Comsec Protection Systems.**  
26 Stadium Business Park, Dublin D11 FY81  
Tel +353 1 8853008 Email info@comsec.ie WWW.Comsec.ie