

12V 250mA Double Gang PSU

Part No. **NC930**



Overview

A compact 12V 250mA double gang power supply unit.

Can provide power to up to two NC944 Four Zone Call Controllers.

Suitable for use in many other applications.

Includes a green power on indicator.

Optional NC941B 12V 0.3Ahr battery back-up kit also available to ensure the NC930 remains operational in the event of Mains failure.

Mounts on a standard UK 25mm double gang flush or surface back box.

Technical Specifications

Mains supply	230V 50/60Hz (36mA max. current). 50Hz frequency.
Internal power supply	12V d.c.
Total output current limited to	250mA.
Max battery size and type	Optional NC941B 12V 0.3Ahr battery back up kit available.
Indicators	Green Supply Present LED.
Controls	N/A.
Connections	+Ve and -Ve out; Batt + and Batt - (for connection to an optional remote NC941B battery back up kit).
Product dimensions (mm)	147 W x 87 H x 34 D mm. Mounts on a standard 25mm UK double gang back box. Protrusion depth in back box is 20mm.
Construction & finish	Plastic.
IP Rating	IP41.
Weight	275g.
Operating conditions/temperature	-5°C to +40°C. Max. relative humidity 95% non-condensing.



Comsec Protection Systems



T 01942 322744 E sales@c-tec.co.uk
F 01942 829867 W www.c-tec.com



C-TEC, Challenge Way, Martland Park, Wigan, WN5 0LD United Kingdom