■ Provided Touchstone Model



Image	Product name	Pitch [mm]	Mating	Remarks
Addition of the second of the	CABLINE®-VS	0.5	Horizontal	 High Speed Transmission

Model Type	Pin assignment	Cable Length (mm)	Cable Zo (Ohm)	AWG	File name
	Harness (Connector and Cable model) All Signal	100	45	36	VS_hns_100mm_45ohm_36.s20p
			50	38	VS_hns_100mm_50ohm_38.s20p
•		300	45	36	VS_hns_300mm_45ohm_36.s20p
			50	38	VS_hns_300mm_50ohm_38.s20p

■ Provided Touchstone list



Connector only model

Connect to PCB Port

Cable only model


Port 1 Cable Port 2

Model Type	Pin assignment	Port Zo (Ohm)	File name
Connector only	All Signal	45	VS_con_45ohm.s20p
		50	VS_con_50ohm.s20p

Model Type	Pin assignment	Cable Length (mm)	Cable Zo (Ohm)	AWG	File name
Cable only -		100	45	36	MCX_100mm_45ohm_36.s2p
			50	38	MCX_100mm_50ohm_38.s2p
	_	300	45	36	MCX_300mm_45ohm_36.s2p
		300	50	38	MCX_300mm_50ohm_38.s2p

■ Simulation Results Example





Simulation conditions


- Frequency : up to 30GHz
- Pin Assign : GSSGSSGSSG
- Differential Port Impedance : 85 Ohm

Used Model


- Connector (VS_con_45ohm.s20p)
- Cable (MCX_100mm_45ohm_36.s2p)

■ S-Parameter (Mixed Mode)


Return Loss




Insertion Loss



Near End Crosstalk



Far End Crosstalk



IER-001-09679 Rev.1

Copyright (C) 2019 DAIICHI SEIKO All Rights Reserved.

■ Circuit simulation Example



 Used software CST Microwave Studio 2019 Differential port (85 Ohm) Analysis data of VS(mirror) Mixed Mode Converter Analysis data of VS Cable Data: touchstone(s2p)


IER-001-09679 Rev.1

Copyright (C) 2019 DAIICHI SEIKO All Rights Reserved.

■ Footprint Example




■ Footprint pattern size : 40p (mm)



For the detail and other pin counts: Please refer to I-PEX web-site.

PCB Stackup				
	Material	Thickness (mm)		
TOP RESIST	Solder Mask	0.02		
TOP LAYER	Copper	0.04		
INSULATOR	Low Dk Material	0.2		
BOTTOM LAYER	Copper	0.04		
BOTTOM RESIST	Solder Mask	0.02		

■ Connector size : 40p (mm)



IER-001-09679 Rev.1 Copyright (C) 2019 DAIICHI SEIKO All Rights Reserved.

■ DISCLAIMER

- 1. This Touchstone model and its content are content (the "Contents") are copyright of DAI-ICHI SEIKO Co., Ltd. All rights reserved. Any redistribution of reproduction of any part of the contents in any form is prohibited without express written permission made by DAIICHI-SEIKO Co., Ltd.
- 2. DAI-ICHI SEIKO Co., Ltd, as licensor (the "Licensor") hereby grants to you, as licensee (the "Licensee"), a non-exclusive, non-transferable license to use the Contents as long as you abide by the terms and conditions of this DISCLAIMER.
- 3. The Licensee is not authorized to sell, loan, rent and redistribute or license the Contents in whole or in part, or in modified form, to anyone.
- 4. The Licensor shall in no way be liable to the Licensee or any third party for any loss or damage (including, but not limited to, lost profits, or other incidental, consequential, or punitive damages), however caused (including through negligence) which may be directly or indirectly suffered from, arising out of, or in connection with, any use of the contents.
- 5. Notwithstanding anything contained in this DISCLAIMER, in no event shall Licensor be liable for any claims, damages or loss which may arise from the modification, combination, operation or use of the Contents with the Licensee's computer programs.
- 6. The Licensor does not warrant that the Contents will function in any environment.
- 7. The Contents may be changed or updated without notice. DAI-ICHI SEIKO Co., Ltd may also make improvements and/or changes in the products, pricing and/or the programs related to the Contents at any time without notice.