

# PIONEER

---

Stereo Components

---



## THE QUALITY STORY OF PIONEER

Quality comes with painstaking experience. And PIONEER has over 30 years of it. Our hundreds of dedicated engineers combine the latest knowledge audio state of the art with the highest quality material and components to provide the ultimate in performance. PIONEER's exhaustive program of quality control is constantly maintained since we produce each single component on our own production lines. Each step along with the way is typical of PIONEER's dedication to quality craftsmanship. The end result: High Fidelity components designed and constructed to provide the pinnacle of sound reproduction combined with the gracious elegance of contemporary design.

ALL SOLID STATE RECEIVERS  
TUNER & AMPLIFIER





# SX-2500

NEX MAIL ORDER ITEM

## 340 WATT STEREO RECEIVER

A powerful solid state unit that features AM/FM auto-tuning, exclusive center-tuning and convenient remote control operatable from distances up to 23 feet. Single touch of the auto tuning button activates the tuning needle along the dial until strong station signal is reached. New servo-mechanism positions needle directly on station signal and "locks" it in for true accuracy.

Receiver provides 340 watts music power output rated at 4 ohms (208 watts total at 8 ohms, IHF rating). Drives any type speaker system with ease, even low-efficiency models.

Tuner uses 5 IC's and 2 crystal filters to provide unusually low sensitivity of  $1.6\mu\text{V}$ . Pulls in weak and very distant stations with distinctive clarity.

Music Power:	340 watts (at 4 ohms), 208 watts (at 8 ohms)
Harmonic Distortion:	Less than 0.5% (at 1KHz, continuous power output)
Frequency Response:	20-70,000Hz $\pm 2\text{dB}$
FM Usable Sensitivity:	$1.6\mu\text{V}$ (IHF)
FM Separation:	40dB (at 1KHz)
Frequency Range:	FM; 87.5-108MHz, AM; 525-1,605KHz
Power Supply:	110, 120, 130, 220, 240V (switchable)
Dimensions:	$19\frac{1}{8}(\text{W}) \times 5\frac{3}{4}(\text{H}) \times 15\frac{1}{8}(\text{D})$ inches
Weight:	33 lb.



# SX-9000

PACEX MAIL ORDER ITEM

NEX MAIL ORDER ITEM

## 240 WATT STEREO RECEIVER

World's first quality AM/FM receiver to include its own reverberation amplifier and stereo microphone mixing. Handles two tape decks, two record players, two headsets and two microphones, offers more versatility and performance than any receiver in its price range.

SX-9000 provides 240 watts of power (at 4 ohms, IHF rating), enough to handle any speaker system made today. Features tone color selector to give "vivid", "bass", "flat", and "soft" colors to the musical program.

IHF sensitivity is  $1.6\mu\text{V}$ , one of the very lowest figures available on any receiver. FM front end uses a FET and a 4-gang variable capacitor. Weak stations are easily picked up and reproduced with full-body.

Music Power:	240 watts (at 4 ohms), 150 watts (at 8 ohms)
Harmonic Distortion:	Less than 0.5% (at 1KHz, continuous power output)
Frequency Response:	10-35,000Hz $\pm 1\text{dB}$
FM Usable Sensitivity:	$1.6\mu\text{V}$ (IHF)
FM Separation:	40dB (at 1KHz)
Frequency Range:	FM: 87.5-108MHz, AM; 525-1,605KHz
Power Supply:	110, 120, 130, 220, 240V (switchable)
Dimensions:	$20\frac{3}{16}(\text{W}) \times 7\frac{5}{8}(\text{H}) \times 13\frac{3}{16}(\text{D})$ inches
Weight:	34 lb. 8 oz.

CODE NO.: 497.543.401



CODE NO.: 497.543.441



CODE NO.: 497.543.421

# SX-1500TD

PACEX MAIL ORDER ITEM

NEX MAIL ORDER ITEM

## 180 WATT STEREO RECEIVER

A big power receiver, beautifully designed, that features advanced circuitry through and through, and includes a dynamic microphone for microphone mixing. Handles up to three different loudspeaker systems, uses silicon transistors for low-noise music power.

Tuner sensitivity is a first-rate  $1.7\mu\text{V}$ , front-end includes an FET and a 4-gang variable capacitor for superb image rejection and signal-to-noise ratio.

Microphone mixing offers unusual flexibility for a receiver in this price range, permits voice announcements even while music plays with a variety of speaker combinations.

Music Power: 180 watts (at 4 ohms), 145 watts (at 8 ohms)  
 Harmonic Distortion: Less than 0.5% (at 1KHz, continuous power output)  
 Frequency Response: 10-100,000Hz  $\pm 3\text{dB}$   
 FM Usable Sensitivity:  $1.7\mu\text{V}$   
 FM Separation: 38dB (at 1KHz)  
 Frequency Range: FM; 87.5-108MHz, AM; 525-1,605KHz  
 Power Supply: 110, 117, 130, 220, 240V (switchable)  
 Dimensions:  $18\frac{1}{16}(\text{W}) \times 5\frac{1}{16}(\text{H}) \times 14\frac{1}{2}(\text{D})$  inches  
 Weight: 25 lb. 2 oz.

# SX-1000TW

PACEX MAIL ORDER ITEM

NEX MAIL ORDER ITEM

## 150 WATT STEREO RECEIVER

A component of quality standards that features 150 watts of music power output (at 4 ohms, IHF rating) and very low distortion. Includes full complement of audio controls, highly advanced circuitry. Powers two speaker systems.

Solid-state FM stereo tuner section uses FET's and integrated circuits to pull in weak, distant signals, gives clarity of reception while rejecting undesirable noise and image signals.

Frequency response of the audio section is  $\pm 1\text{dB}$ , from 20 to 50,000Hz overall, remarkable for a receiver priced as reasonable as the SX-1000TW.

Music Power: 150 watts (at 4 ohms), 130 watts (at 8 ohms)  
 Harmonic Distortion: Less than 0.5% (at 1KHz, continuous output)  
 Frequency Response: 20-50,000Hz  $\pm 1\text{dB}$   
 FM Usable Sensitivity:  $1.7\mu\text{V}$  (IHF)  
 FM Separation: 38dB (at 1KHz)  
 Frequency Range: FM; 87-108MHz, AM; 525-1,605KHz  
 Power Supply: 110, 117, 130, 220, 240V (switchable)  
 Dimensions:  $15\frac{3}{4}(\text{W}) \times 5\frac{1}{2}(\text{H}) \times 13\frac{3}{4}(\text{D})$  inches  
 Weight: 23 lb.



CODE NO.: 497.543.431



## SX-990

PACEX MAIL ORDER ITEM

NEX MAIL ORDER ITEM

### 100 WATT STEREO RECEIVER

A versatile receiver, perfect for any home music installation, that delivers up to 100 watts total music power at 8 ohms (IHF rating). Frequency response is from 10 to 100,000Hz, two tuning meters are included for FM signal strength and station centering.

Receiver is stunningly styled in oiled walnut with brushed chrome front panel. Controls are placed for convenient access.

FM front-end features single-unit monolithic IC. Four IC's and a low noise FET are also included, providing IHF usable sensitivity of 1.7 $\mu$ V.

Music Power:	100 watts (at 8 ohms)
Harmonic Distortion:	Less than 0.5% (at 1KHz, continuous power output)
Frequency Response:	10-100,000Hz $\pm$ 3dB
FM Usable Sensitivity:	1.7 $\mu$ V (IHF)
FM Separation:	42dB (at 1KHz)
Frequency Range:	FM; 87.5-108MHz, AM; 525-1,605KHz
Power Supply:	110, 117, 130, 220, 240V (switchable)
Dimensions:	18 $\frac{1}{8}$ (W) $\times$ 5 $\frac{3}{8}$ (H) $\times$ 14 $\frac{1}{2}$ (D) inches
Weight:	25 lb. 2 oz.

## SX-770

NEX MAIL ORDER ITEM

### 70 WATT STEREO RECEIVER

Low power receiver designed especially for home stereo installations. Produces clean, clear sound, enough to drive most quality loudspeakers systems now on the market.

Stylish black front panel adds to the unit's overall attractiveness. FM tuning needle glides over blue-illuminated tuning scale. Oiled walnut cabinet included.

FM section features low-noise silicon transistors, 2 IC's and FET for high sensitivity and improved signal-to-noise ratio. Other circuitry features are usually found in much more expensive receivers.

Music Power:	70 watts (at 4 ohms), 52 watts (at 8 ohms)
Harmonic Distortion:	Less than 0.8% (at 1KHz, continuous power output)
Frequency Response:	20-40,000Hz $\pm$ 3dB
FM Usable Sensitivity:	1.8 $\mu$ V (IHF)
FM Separation:	40dB (at 1KHz)
Frequency Range:	FM: 87.5-108MHz, AM; 525-1,605KHz
Power Supply:	110, 117, 130, 220, 240V (switchable)
Dimensions:	16 $\frac{3}{8}$ (W) $\times$ 15 $\frac{1}{8}$ (H) $\times$ 13 $\frac{3}{4}$ (D) inches
Weight:	21 lb. 2 oz.



## SX-440 NEX MAIL ORDER ITEM

### 40 WATT STEREO RECEIVER

A budget-priced receiver, with outstanding performance features that makes it perfect for small home stereo installations. Has almost all controls available on more expensive units.

Pioneer's stereo design sensibility dominates this handsome unit, which features a midnight black front panel finished with special acrylic resin. Face illuminates when set is turned on for easy-to-see AM/FM readings.

Delivers 40 watts of music power at 4 ohms. FM section includes a FET and 3-gang variable capacitor. FM sensitivity is  $2.5\mu\text{V}$ , extremely good for a receiver of this low price. All stereo terminal facilities included.

Music Power: 40 watts (at 4 ohms), 33 watts (at 8 ohms)  
 Harmonic Distortion: Less than 1% (at 1KHz, continuous power output)  
 Frequency Response: 20-70,000Hz  $\pm 3\text{dB}$   
 FM Usable Sensitivity:  $2.5\mu\text{V}$  (IHF)  
 FM Separation: 35dB (at 1KHz)  
 Frequency Range: FM: 87-108MHz, AM; 525-1,605KHz  
 Power Supply: 110, 117, 130, 220, 240V (switchable)  
 Dimensions:  $15\frac{5}{16}(\text{W}) \times 5\frac{7}{16}(\text{H}) \times 15(\text{D})$  inches  
 Weight: 17 lb. 10 oz.



## SR-202W PACEX MAIL ORDER ITEM NEX MAIL ORDER ITEM

### REVERBERATION AMPLIFIER


A solid state unit that adds a brilliant "living presence" to all sound reproduced by any stereo system. Adds richness, depth, and audio brilliance to voice, radio, records or tapes.

Uses fully transistorized double scatter system to blend direct signals from original music source. Adds reverberation effects to speakers or to any recorded sounds.

Easily installed, easily operated with use of tape and reverberation mode selectors. Amount of reverberation is visually indicated in front panel window.

R.M.S. Output Voltage: 330mV (at 1KHz, reverberation time; MIN)  
 Harmonic Distortion: Less than 0.2% (at 1KHz, reverberation time; MIN)  
 Frequency Response: 20 - 35,000  $\pm 2\text{dB}$  (reverberation time; MIN)  
 S/N Ratio: 65dB  
 Reverberation Time: 0 - 2.5 sec. (at 1KHz)  
 Power Supply: 110, 120, 130, 220, 240V (switchable)  
 Dimensions:  $13\frac{1}{16}(\text{W}) \times 5\frac{1}{2}(\text{H}) \times 10\frac{3}{8}$  inches  
 Weight: 10 lb. 2 oz.

CODE NO.: 497.541.511



## TX-900 NEX MAIL ORDER ITEM

### AM/FM STEREO TUNER

One of the very few professional-type AM/FM tuners made today, designed for maximum sensitivity and perfect reception even in weak signal areas.

Includes 3 FET's and 2 RF stages in the front-end for improved signal-to-noise ratio and stable reception. Has a pair of crystal filters in the IF section for remarkable selectivity and capture ratio.

FM sensitivity is  $1.7\mu\text{V}$  (IHF). Bright spot indicator lights up at precise station location. Other features include twin tuning meters, selective muting switch and design of brushed chrome and Brazilian rosewood.

FM Usable Sensitivity:	$1.7\mu\text{V}$ (IHF)
Capture Ratio:	1.5dB
FM Separation:	38dB (at 1KHz)
Frequency Range:	FM; 87.5-108MHz, AM; 525-1,605KHz
Power Supply:	110, 117, 130, 220, 240V (switchable)
Dimensions:	$15\frac{15}{16}$ (W) $\times$ $5\frac{1}{2}$ (H) $\times$ 14(D) inches
Weight:	17 lb. 3 oz.

## SA-900 NEX MAIL ORDER ITEM

### 200 WATT PROFESSIONAL AMPLIFIER

A solid state pre/main stereo amplifier, one of Pioneer's most advanced, unparalleled in performance among all quality amps now available today.

Provides 200 watts of music power at 4 ohms (IHF). Uses low-noise silicon transistors and a direct-coupled 3-stage E-E feedback circuit for improved frequency response and extremely low distortion.

Unusual versatility. Pre and main amplifiers may be used independently. Inputs are included for a variety of cartridges and 2 sets of speaker terminals. Accurate 3dB step controls for bass and treble adjustment. Other features include hi-low filters, special muting switch, and adaptability of the unit as channel amplifier.

Music Power:	200 watts (at 4 ohms), 145 watts (at 8 ohms)
Harmonic Distortion:	Less than 0.08% (40 watts, at 1KHz)
Frequency Response:	20-50,000Hz $\pm$ 1dB
Power Bandwidth:	20-50,000Hz (distortion 0.3% IHF)
Audio Input:	PHONO: MM/MC/CER, MIC, TAPE HEAD, TAPE MONI, TUNER, AUX, MAIN IN, DIN jack
Power Supply:	110, 117, 130, 220, 240V (switchable)
Dimensions:	$15\frac{15}{16}$ (W) $\times$ $5\frac{1}{2}$ (H) $\times$ $13\frac{1}{8}$ (D) inches
Weight:	27 lb.

SPEAKER SYSTEMS





CODE NO.: 497.539.661

## CS-63DX

### 4-WAY 6-SPEAKER SYSTEM

A highly advanced loudspeaker system for professional applications, designed to provide a listening experience equivalent to the outstanding capabilities of Pioneer amplifiers and tuners.

Features massive 15-inch woofer, two special mid-range units and three quality horn tweeters for smooth highs. All elements are perfectly balanced for total sound realism.

Handles up to 80 watts of power input, features special tone control to compensate for individual acoustical qualities of all rooms. Crossover network assures that each speaker handles only those frequencies designed for it.

Enclosure Type:	Infinite baffle type
Mounted Speakers:	15-inch woofer, 5-inch mid-range×2, horn tweeter, horn super tweeter×2
Impedance:	8 ohms
Frequency Response:	20-22,000Hz
Maximum Input Power:	80 watts
Dimensions:	18 $\frac{7}{8}$ (W)×28 $\frac{3}{8}$ (H)×13 $\frac{1}{8}$ (D) inches
Weight:	63 lb.

## CS-99

PACEX MAIL ORDER ITEM

NEX MAIL ORDER ITEM

### 5-WAY 6-SPEAKER SYSTEM

Six separate speakers cover all frequency ranges in this professional Pioneer system. Each is perfectly balanced to give natural tone color and magnificent sound realism.

Speakers include a big 15-inch woofer, a unique 5-inch mid-range speaker with special "roll" edge for very low distortion, and four tweeters for "transparent" response up to 22,000Hz. One is a cone-type tweeter, one a horn-type, and two are supersonic dome-type.

System includes tone controls for high and mid-range frequencies, and a crossover network for flawless transition over the full frequency range of 25-22,000Hz. Infinite baffle enclosure is lined with resonance-free sound-absorbing material. Cabinets finished in genuine walnut.

Enclosure Type:	Infinite baffle type
Mounted Speakers:	15-inch woofer, 5-inch mid-range, horn tweeter, cone super tweeter, dome supersonic tweeter×2
Impedance:	8 ohms
Frequency Response:	25-22,000Hz
Maximum Input Power:	80 watts
Dimensions:	16(W)×25(H)×11 $\frac{3}{8}$ (D) inches
Weight:	46 lb.



CODE NO.: 497.551.551



CODE NO.: 497.551.561

## CS-88A

PACEX MAIL ORDER ITEM

NEX MAIL ORDER ITEM

### 4-WAY 6-SPEAKER SYSTEM

A hand-crafted unit for perfectly integrated sound, astounding realism. All six speakers feature Pioneer's new free-beating (FB) cone paper for perfect musical fidelity.

Speakers include a 12-inch woofer, two 5-inch mid-ranges, two 3-inch cone tweeters and a multi-cellular horn type super tweeter. System handles up to 80 watts power input, has tone level control for "shading" speaker tones, printed circuit diving network, fine furniture look.

FB cone paper is new Pioneer process of combining speaker cone papers to produce rich, powerful bass tones, clear mids and highs, better damping, lower distortion and ability to handle high input signals.

Enclosure Type:	Infinite baffle type
Mounted Speakers:	12-inch woofer, 5-inch mid-range×2, 3-inch cone tweeter×2, multi-cellular horn super tweeter
Impedance:	8 ohms
Frequency Response:	25-20,000Hz
Maximum Input Power:	80 watts
Dimensions:	15(W)×26(H)×12 $\frac{1}{2}$ (D) inches
Weight:	47 lb. 5 oz.

## CS-77A

PACEX MAIL ORDER ITEM

NEX MAIL ORDER ITEM

### 4-WAY 4-SPEAKER SYSTEM

A bookshelf type speaker system, perfect for compact quarters, that handles a full 65 watts of music input and can be used with a relatively small power amplifier.

Features a full 12-inch woofer for clean, natural bass, 5-inch mid-range speaker, 3-inch tweeter and a multi-cellular horn tweeter for excellent wide dispersion characteristics. All but the horn tweeter feature Pioneer's FB cone paper for improved tones, improved damping, low distortion and increased ability to handle high input signals.

Enclosure is made of genuine walnut, hand finished. Pleated saran grille cloth and grille gives the distinctive look of fine furniture. Tone level control and printed circuit dividing network included.

Enclosure Type:	Infinite baffle type
Mounted Speakers:	12-inch woofer, 5-inch mid-range, 3-inch cone tweeter, multi-cellular horn super tweeter
Impedance:	8 ohms
Frequency Response:	25-20,000Hz
Maximum Input Power:	65 watts
Dimensions:	14 $\frac{1}{2}$ (W)×25(H)×12 $\frac{1}{2}$ (D) inches
Weight:	37 lb. 6 oz.



CODE NO.: 497.551.571

## CS-66 NEX MAIL ORDER ITEM

### 3-WAY 3-SPEAKER SYSTEM

A bookshelf type system providing a frequency response that belies its size. Perfect for the home stereo installation that must be matched to compact quarters.

Speakers include a 10-inch woofer, 6½-inch high performance mid-range, and 3-inch cone tweeter. Handles up to 40 watts musical input, may be used with either low or high-power amplifiers. Gives smooth, flat, realistic sound performance through entire frequency range.

Enclosure finished in rich, oiled walnut with matching lattice work grille and grille cloth. An attractive furniture addition to any room.

Enclosure Type:	Infinite baffle type
Mounted Speakers:	10-inch woofer, 6½-inch mid-range, 3-inch cone tweeter
Impedance:	8 ohms
Frequency Response:	35-20,000Hz
Maximum Input Power:	40 watts
Dimensions:	12 <sup>3</sup> / <sub>16</sub> (W) × 22(H) × 11 <sup>7</sup> / <sub>16</sub> (D) inches
Weight:	29 lb.

## CS-33A PACEX MAIL ORDER ITEM NEX MAIL ORDER ITEM


### 2-WAY 2-SPEAKER SYSTEM

A compact, powerful, bookshelf type speaker system that handles up to 35 watts total music input. A perfect system for the small home stereo system.

Includes 8-inch woofer and 4-inch tweeter as mounted speakers, both using Pioneer's newly developed FB special process cone paper for outstanding musical fidelity, wider frequency response and low harmonic distortion.

Hand-crafted finish and lattice grill lends a distinctive touch to the speaker system. Includes normal input jack and convenient tape recorder jack.

Enclosure Type:	Bass reflex type
Mounted Speakers:	8-inch woofer, 4-inch cone tweeter
Impedance:	8 ohms
Frequency Response:	40-20,000Hz
Maximum Input Power:	35 watts
Dimensions:	12 <sup>1</sup> / <sub>2</sub> (W) × 21 <sup>1</sup> / <sub>2</sub> (H) × 8 <sup>1</sup> / <sub>16</sub> (D) inches
Weight:	16 lb. 15 oz.



## CS-24 NEX MAIL ORDER ITEM

### SLIMLINE 2-WAY SPEAKER SYSTEM

A natural for the small home stereo system, these slim little speakers provide unusual clarity and definition of sound. Perfect for system application or for auxiliary music reproduction.

Each enclosure features an 8-inch dual cone speaker, and each unit weighs just 7½ pounds.

Slimline set is decorator-styled for use in living room, den or kitchen, and may be bookshelf or wall-mounted. Grille is attractive black metal, framed in matched grain wood cabinet.

Enclosure Type:	Open-back type
Mounted Speakers:	8-inch woofer, dual-cone tweeter
Impedance:	8 ohms
Frequency Response:	70-15,000Hz
Maximum Input Power:	10 watts
Dimensions:	16½(W) × 10⅝(H) × 4¾(D) inches
Weight:	7 lb. 8 oz.



## CS-05 NEX MAIL ORDER ITEM

### OMNIDIRECTIONAL 2-WAY 4-SPEAKER SYSTEM

Pioneer's breakthrough in 360° sound dispersion, these speakers permit full-bodied stereo sound no matter where one sits in a room. Columnar unit may be placed most anywhere, still disperses realistic stereo.

Speakers include an 8-inch woofer and three tweeters, all made of Pioneer's unique FB cone paper for natural, clearer sound over the full frequency range.

Unlimited versatility of placement makes this system perfect for both home entertainment systems or for use in public places. Enclosure is finished in quality walnut, features handcrafted grillework and lustrous, inlaid top.

Enclosure Type:	Omnidirectional bass reflex type
Mounted Speakers:	8-inch woofer, 3-inch cone tweeter × 3
Impedance:	8 ohms
Frequency Response:	60-20,000Hz
Maximum Input Power:	40 watts
Dimensions:	14¼(φ) × 20⅞(H) inches
Weight:	27 lb. 8 oz.

TURNTABLES & TAPE DECKS





CODE NO.: 497.546.571



## PL-50 PACEX MAIL ORDER ITEM

NEX MAIL ORDER ITEM

### BELT-DRIVE TURNTABLE

A professional-quality stereo turntable with a variety of advanced features. Belt-driven by 4-pole synchronous motor to offer incredibly low distortion with a better than 50dB signal-to-noise ratio.

Other key features include precise stylus alignment, 12-inch aluminum alloy turntable, low-mass tone-arm with high-compliance cartridge, precise anti-skating device and lateral balancer. Quality diamond stylus (0.5 mil) is included for distortion free highs.

Unit has a fully automatic precision return mechanism, which returns tone-arm to its rest and shuts off power. Cueing works in both automatic and manual modes. Turntable is professionally shock-mounted in handsome oiled walnut cabinet.

Motor:	4-pole synchronous motor
Turntable Platter:	12-inch aluminum alloy die-cast
Speed:	33 $\frac{1}{3}$ , 45 rpm
Wow and Flutter:	Less than 0.08% (WRMS)
Frequency Response:	10-25,000Hz
Cartridge Type:	Induced Magnet type (PC-35)
Stylus Type:	0.5 mil diamond (PN-35)
Power Supply:	110-130, 220-240V (switchable)
Dimensions:	19 $\frac{9}{16}$ (W) x 7 $\frac{3}{4}$ (H) x 16 $\frac{1}{8}$ (D) inches
Weight:	22 lb.

## PL-31D NEX MAIL ORDER ITEM

NEX MAIL ORDER ITEM

### BELT-DRIVE TURNTABLE

A quality turntable that has a host of important features for low distortion, smooth, quiet operation. Perfect for any first-rate home stereo installation.

Features outer rotor hysteresis synchronous motor, 12-inch aluminum alloy turntable, tonearm with anti-skating device and lateral balancer. Speed selector is button-operated for more convenience.

Unit includes induced magnet cartridge tipped with quality diamond stylus, operated by smooth-action tonearm elevator. Oil-finished walnut cabinet with special acryl dust cover also included.

Motor:	4-pole outer rotor hysteresis synchronous motor
Turntable Platter:	12-inch aluminum alloy die-cast
Speed:	33 $\frac{1}{3}$ , 45 rpm
Wow and Flutter:	Less than 0.1% (WRMS)
Frequency Response:	10-25,000Hz
Cartridge Type:	Induced Magnet type (PC-35)
Stylus Type:	0.5 mil diamond (PN-35)
Power Supply:	110, 117, 130, 220, 240V (switchable)
Dimensions:	18 $\frac{7}{8}$ (W) x 7 $\frac{3}{8}$ (D) x 15 $\frac{3}{8}$ (D) inches
Weight:	18 lb. 11 oz.



## PL-A25 NEX MAIL ORDER ITEM

### BELT-DRIVE TURNTABLE

A quality, budget-priced turntable for home stereo installations that includes a full range of automatic controls. Features auto-return device, auto-cutoff switch, tonearm elevation device and automatic motor switch.

Unit employs a outer rotor hysteresis synchronous motor to belt-drive the 12-inch aluminum alloy turntable. Result is high signal-to-noise ratio, almost inaudible wow and flutter.

Tonearm is provided with lateral balancer, is easily lowered and raised by oil-damped arm lift. Induced magnet type cartridge with diamond stylus also included. Finish is walnut, with smoked acryl dust cover included.

Motor:	4-pole outer rotor hysteresis synchronous motor
Turntable Platter:	12-inch aluminum alloy die-cast
Speed:	33 $\frac{1}{3}$ , 45 rpm
Wow and Flutter:	Less than 0.1% (WRMS)
Frequency Response:	10-25,000Hz
Cartridge Type:	Induced Magnet type (PC-35)
Stylus Type:	0.5 mil diamond (PN-35)
Power Supply:	110, 117, 130, 220, 240V (switchable)
Dimensions:	17 $\frac{5}{16}$ (W) $\times$ 6 $\frac{1}{16}$ (H) $\times$ 13 $\frac{3}{4}$ (D) inches
Weight:	16 lb. 8 oz.



## PC-35 PACEX MAIL ORDER ITEM

### INDUCED MAGNET TYPE CARTRIDGE

A quality stereo cartridge for use with professional home stereo turntables.

Complete with 0.5 mil diamond stylus to give clear, rich sound with wide frequency response of 10 to 25,000Hz.

Easily mounted in most tonearms.


Cartridge Type:	Induced Magnet type
Frequency Response:	10-25,000Hz
Channel Separation:	Better than 25dB (at 1KHz)
Output Voltage:	3.5mV (at 1KHz, 50mm/sec.)
Load Impedance:	30-100 K ohms
Stylus:	0.5 mil diamond (PN-35)
Stylus Pressure:	2 to 3 grams

## PN-35 PACEX MAIL ORDER ITEM

### STYLUS

0.5 mil diamond

CODE NO.: 497.599.611  
CODE NO.: 497.599.621



## T-8800 NEX MAIL ORDER ITEM

### AUTO REVERSE STEREO TAPE DECK

A professional-quality, 4-track machine with a variety of unique features for the discriminating audiophile, including recording bias selector switch, automatic reverse, track indicator, and Pioneer's exclusive easy-load.

Natural hi-fi reproduction is assured at all times with twin-motor high performance amplifier and wide dynamic range.

Deck comes with optional remote control system that makes operation possible from up to 16 feet away. Design in truly modern for placement in any room in the home.

Track System:	4-track 2-channel stereo 4-track 1-channel mono
Tape Head:	4-track 2-channel erasing/recording combination head × 2, 4-track 2-channel playback head × 2
Tape Speed:	7½, 3¾ ips
Wow and Flutter:	Less than 0.08% (7½ ips), Less than 0.15% (3¾ ips)
Frequency Response:	30-20,000Hz (7½ ips), 30-15,000Hz (3¾ ips)
Signal-to-Noise Ratio:	Better than 55dB
Power Supply:	110, 117, 130, 220, 240V (switchable)
Dimensions:	21¾(W) × 9¾(H) × 16½(D) inches
Weight:	50lb. 10 oz.

## T-6600 NEX MAIL ORDER ITEM

### AUTO REVERSE STEREO TAPE DECK


A versatile, professional 4-track stereo tape deck that features a unique auto reverse mechanism for recording and playback which does not interfere with music reproduction.

Includes Pioneer's exclusive swing-in, swing-out pinch roller for easy, fast tape loading. No mounting or threading of tape is necessary.

Other features include hysteresis synchronous motor, built-in preamplifier, and a host of easy operation features.

Track System:	4-track 2-channel stereo, 4-track 1-channel mono
Tape Head:	4-track 2-channel recording and playback head × 2, 4-track 2-channel erasing head × 2
Tape Speed:	7½, 3¾ ips
Wow and Flutter:	Less than 0.12% (7½ ips), Less than 0.20% (3¾ ips)
Frequency Response:	30-20,000Hz (7½ ips), 30-13,000Hz (3¾ ips)
Signal-to-Noise Ratio:	More than 55dB
Power Supply:	110, 117, 130, 220 240V (switchable)
Dimensions:	17¾(W) × 7½(H) × 17(D) inches
Weight:	28 lb. 9 oz.

STEREO SYSTEM  
& STEREO HEADPHONES





## C-5600A

### MULTI-AMPLIFIER HOME STEREO SYSTEM

A compact stereo unit in one attractive package, designed for the serious music listener. Offers a multi-amplifier system with professional-quality AM/FM tuner, record player and speakers. Gives total power for both channels of 60 watts.

Turntable is automatically-operated, includes magnetic type cartridge and quality diamond stylus. AM/FM tuner has latest FET circuitry for fine selectivity and sensitivity.

Added to the distinctiveness of the whole unit is its deluxe furniture styling and control accessibility. It fits perfectly into most rooms, or the interior design of a room may easily be built around it.

### CENTRAL CONTROL UNIT

Frequency Range:	FM; 87.5 - 108MHz, AM; 525 - 1,605KHz
FM Separation:	More than 35dB (at 1KHz)
Music Power:	60 watts total (at 8 ohms, IHF)
Operating Controls:	Tone controles (bass, treble), Loudness contour switch, DIN jack, Stereo headphone jack
Turntable:	Automatic turntable (auto lead-in, auto-return, auto-cut, auto-repeat, arm elevation), 33 $\frac{1}{3}$ , 45 rpm. Included induced magnet type cartridge with 0.5 mil diamond stylus, Stylus pressure 2 to 3 grams.
Dimensions:	21 $\frac{1}{8}$ (W) x 8 $\frac{1}{8}$ (H) x 14 $\frac{3}{8}$ (D) inches
Weight:	33 lb.

### SPEAKER SYSTEM UNIT

Speakers:	8-inch speaker for medium and lower ranges, 2 $\frac{1}{2}$ -inch cone tweeter
Dimensions:	12 $\frac{3}{8}$ (W) x 22(H) x 9 $\frac{3}{4}$ (D) inches
Weight:	18 lb. 14 oz. (each)



CODE NO.: 497.530.521



## SE-50 PACEX MAIL ORDER ITEM

NEX MAIL ORDER ITEM

### 2-WAY STEREO HEADPHONES

A high-quality stereo headphone set, complete with volume and tone controls for each earpiece. Pioneer's finest headphone set, designed for true stereo home listening.

Each earpiece contains 3-inch cone-type element for rich dynamic bass and a horn-type element for subtle, clean highs. Volume controls provide perfect right and left channel balance.

Set is designed for maximum comfort, lightweight, cushioned for long-wearing without fatigue.

Matching Impedance: 8 ohms  
Frequency Response: 20-20,000Hz  
Power Handling  
Capacity: 0.5 watts (each channel)  
Weight: 1 lb. 6 oz. (without cord)

## SE-30A NEX MAIL ORDER ITEM

### STEREO HEADPHONES

Excellent stability and an extremely wide frequency response range are the features of this attractively-priced headphone set.

Tonal quality is soft and free of harsh, strident peaks. Each earpiece assembly contains a cone type high fidelity loudspeaker unit designed for headphone use.

Headbands are adjustable for perfect, fatigue-free fit. Unit is handsomely designed for maximum use.

Matching Impedance: 4 to 16 ohms  
Frequency Response: 20-20,000Hz  
Power Handling  
Capacity: 0.5 watts (each channel)  
Weight: 14.4 oz. (without cord)



CODE NO.: 497.530.531

# SE-20A PACEX MAIL ORDER ITEM

## STEREO HEADPHONES

A budget-priced headphone set that gives virtually distortion free sound—probably the finest value among all headphones on the marketplace today.

Gives volumes the equal of fine concert hall sound with very low amplifier or receiver power. Frequency response is wide, sound is natural and perfectly balanced.

Styling and shape of this set reflects the finest of Pioneer's human engineering—its light weight permits long hours of musical enjoyment without fatigue.

Matching Impedance: 4 to 16 ohms

Frequency Response: 20-18,000Hz

Power Handling

Capacity: 0.5 watts (each channel)

Weight: 13 oz. (without cord)



JB-21

JB-22

JB-23

# JB-21

## JUNCTION BOX

For stereo system not equipped with a headphone jack, Pioneer makes this convenient attachment that allows the use of any stereo headphone set. Connects easily to amplifier or receiver, and gives a choice of using headphones only, loudspeakers only or simultaneous operation of both.

# JB-22

## JUNCTION CORD

This handy accessory permits the simultaneous operation of two stereophonic headsets. Its inputs jack fits Pioneer Model JB-21 junction box.

# JB-23

## JUNCTION CORD EXTENSION

This 15 feet extension cord allows complete freedom of movement for headphone listening. It fits Pioneer Model JB-22 junction cord or Model JB-21 junction box.

CAR STEREO  
& STEREO CARTRIDGE  
PLAYER SYSTEM





## 3123

### 8-TRACK CAR CARTRIDGE STEREO TAPE PLAYER

A fully-transistorized tape unit, with free-standing design mounts for floor or console installation. Plays all presently-available 8-track stereo cartridges, with fully automatic program switching and manual program change front-panel button

Easy operation insures convenience and safety. Eject button permits easy cartridge removal, "power-off" automatic cartridge release prevents possible damage to cartridge pinch rollers.

Sound quality is excellent, output power provides ample volume even in convertibles. Battery drain is very low. Includes theft-resistant installation with unique magnetic lock.

Playback System:	8-track 2-channel stereo playback
Tape Speed:	3 $\frac{3}{4}$ ips
Wow and Flutter:	Less than 0.3% (WRMS)
Power Output:	7 watts (3.5 watts per channel)
Frequency Response:	50-10,000Hz
Power Supply:	13.8V (11 to 16V allowable)
Dimensions:	6 $\frac{29}{64}$ (W) $\times$ 8 $\frac{3}{8}$ (H) $\times$ 9 $\frac{11}{64}$ (D) inches
Weight:	7 lb. 11 oz.



## 3122

PACEX MAIL ORDER ITEM

NEX MAIL ORDER ITEM

### 8-TRACK CAR CARTRIDGE STEREO TAPE PLAYER/FM RADIO


A high performance unit that combines 8-track stereo tape player and FM stereo radio. A highly versatile system for the discriminating listener.

Features all-automatic operation features, including electro-magnetic EJECT/MODE release button. FM tuner automatic changes over to tape player when cartridge is inserted. Unit is easily installed with two-piece universal mounting brackets.

Sound is rich and clear with only minimum battery drain.

Playback System:	8-track 2-channel stereo playback
Tape Speed:	3 $\frac{3}{4}$ ips
Wow and Flutter:	Less than 0.35% (WRMS)
FM Sensitivity:	5 $\mu$ V
FM Frequency Range:	88-108MHz
FM Separation:	More than 20dB (at 1KHz)
Power Output:	7 watts (3.5 watts per channel)
Frequency Response:	100-10,000Hz
Power Supply:	13.8V (11 to 16V allowable)
Dimensions:	6 $\frac{7}{8}$ (W) $\times$ 2 $\frac{7}{8}$ (H) $\times$ 9 $\frac{3}{8}$ (D) inches
Weight:	7 lb. 3 oz.

CODE NO.: 497.443.401



CODE NO.: 497.397.481

## 3121 NEX MAIL ORDER ITEM

### 8-TRACK CAR CARTRIDGE STEREO TAPE PLAYER

A small, easily-installed auto tape player with important automatic features. Includes combination lighted program indicator and change button, automatic program change, recessed "thumb-wheel" controls.

Gives dynamic sound when used with Pioneer car stereo speakers, with excellent frequency response and low wow and flutter.

Playback System:	8-track 2-channel stereo playback
Tape Speed:	3 $\frac{3}{4}$ ips
Wow and Flutter:	Less than 0.3% (WRMS)
Power Output:	7 watts (3.5 watts per channel)
Frequency Response:	50-10,000Hz
Power Supply:	13.8V (11 to 16V allowable)
Dimensions:	6 $\frac{7}{8}$ (W) x 2 $\frac{7}{8}$ (H) x 8 $\frac{5}{64}$ (D) inches
Weight:	5 lb. 8 oz.

## 3302 PACEX MAIL ORDER ITEM

### HOME STEREO TAPE CARTRIDGE PLAYER

A home cartridge sound center, complete with stereo amplifier and controls. Records from any signal source—radio, tapes, records or microphone. Uses all sizes of 8-track tape cartridges.

Includes all solid-state electronics circuitry, other features like "instant-on" response, illuminated track indicators, push-button selector, and automatic stop.

Track System:	Uni-directional 8-track stereo recording and playback
Tape Speed:	3 $\frac{3}{4}$ ips
Wow and Flutter:	Less than 0.25% (WRMS)
Frequency Response:	50-10,000Hz
Power Supply:	117V
Dimensions:	9 $\frac{7}{8}$ (W) x 11 $\frac{5}{8}$ (H) x 4(D) inches
Weight:	11 lb. 10 oz.



CODE NO.: 497.730.311



## 9411

PACEX MAIL ORDER ITEM

NEX MAIL ORDER ITEM

### CAR STEREO SPEAKER SYSTEM

Uses a 6½-inch loudspeaker with barium ferrite magnet specifically designed for car stereo use. Provides outstanding sound reproduction.

Handsomely designed, easily installed. May be used in car, boat, or as an extra speaker system for home stereo units.

Mounted Speaker: 6½-inch cone type  
Impedance: 4 ohms  
Frequency Response: 250-10,000Hz  
Maximum Input Power: 8 watts  
Dimensions: 7¼(W) × 3¾(H) × 8(D) inches  
Weight: 3 lb.

## 9405

NEX MAIL ORDER ITEM

### CAR STEREO SPEAKER SYSTEM

A space-saving speaker system that flush mounts in opening cut in the door panels. Gives superb stereo effects, great stereo balance from cone-type speaker.

Chrome-plated metal grill housing is highly attractive when installed.

Mounted Speaker: 6½-inch cone type  
Impedance: 4 ohms  
Frequency Response: 100-6,000Hz  
Maximum Input Power: 8 watts  
Dimensions: 6<sup>19</sup>/<sub>64</sub>(Ø) × 2<sup>11</sup>/<sub>64</sub>(H) inches  
Weight: 1 lb. 8 oz.

## RECOMMENDED COMBINATION OF PIONEER AUDIO COMPONENTS

RECEIVER	SPEAKER SYSTEM	TURNTABLE	TAPE DECK	HEADPHONES
SX-2500 SX-9000	CS-63DX CS-99 CS-88A	PL-50	T-8800	SE-50
SX-1500TD	CS-99 CS-88A	PL-50	T-8800	SE-50 SE-30A
SX-1000TW	CS-88A CS-77A	PL-50	T-6600	SE-30A SE-20A
SX-990	CS-77A CS-66	PL-31D PL-A25	T-6600	SE-30A SE-20A
SX-770	CS-77A CS-66 CS-33A	PL-A25	T-6600	SE-20A
SX-440	CS-66 CS-33A	PL-A25	T-6600	SE-20A

Reverberation amplifier, SR-202W, can be connected with every PIONEER receiver.

### ORDERING INSTRUCTIONS

1. PRINT (do not write) all information required.
2. If you wish to send items to several addresses, a separate order blank must be filled out for each address.
3. Enter your name, rank or grade, serial number together with your complete return mailing address.  
This information is essential in order to notify you when shipment has been made and to send you any refund due.
4. List the item you wish to order making sure that the code number, price, weight, packing charge (if necessary), insurance and parcel post fee exactly shown on the catalog.
5. Under the section titled "SHIP THIS ORDER TO", enter the name and address of the person to whom the order is to be shipped.
6. In case of PACEX mail order, send order forms IN DUPLICATE to the address shown below, together with Check or Money Order made payable to "JAPAN REGIONAL EXCHANGE-PACEX."

PACEX MAIL ORDER  
JAPAN REGIONAL EXCHANGE-PACEX  
APO San Francisco 96323

In case of Navy Exchange mail order, send order forms in TRIPLICATE to the address shown below, together with Check or Money Order made payable to "NAVY EXCHANGE #260-010".

NAVY EXCHANGE #260-010  
CODE 700  
FPO Seattle 98762


7. Merchandise can be mailed through PACEX MAIL ORDER or NAVY EXCHANGE MAIL ORDER to the U.S., its territories, or any APO and FPO.

### MAILING INSTRUCTIONS

#### HOW TO USE THE PARCEL POST ZONE MAP

1. The mailing zones start from San Francisco. All APO's and FPO's of San Francisco, California are branches the San Francisco Post Office.
2. This map is NOT to be used for computing charges for Air Mail parcel post. Air mail is about eighty cents per pound (plus 8 cents per package) depending on destination.
3. The number appearing within each area on the map is the postal zone.
4. Where a zone is on the borderline, the next higher zone should be used. The correct determination will be made by the Mail Order Service. Any excess postage will be refund but receipt of too little postage may cause your order to be delayed.

## PARCEL POST ZONE MAP



All APO's and FPO's in the Pacific Area are in the Local Zone. All states, territories, and possessions of the United States which are outside the continental limits of the United States are in Mailing Zone 8. These include Hawaii, Puerto Rico and Alaska.

★ WASHINGTON, D.C.  
 ○ CAPITAL OF STATE  
 ○ MAJOR CITY

## WARRANTY POLICY

The fame of PIONEER products and the reputation of the company have grown over the years because of leadership in design and engineering bolstered by meticulous craftsmanship. This has resulted in a steady, healthy growth of the company where today it is the largest manufacturer of loudspeakers in the world (production capacity of more than three million units a month) and a leading producer of such Hi-Fi components as amplifiers and receivers. PIONEER Speaker Systems, Turntables and complete Stereo Systems have repeatedly won governmental citations for excellence in design. Their performance will meet or exceed your most exacting standards, too.

Pioneer products are warranted under normal installation and use against any and all manufacturing defects from the date of sale to the original purchaser for the period indicated below. We agree to repair or replace without charge to the purchaser, any part proved to be defective, within the warranty period in U.S.A. or Far East Area, provided that the Warranty Card has been completed and registered within 10 days after original purchase or receipt, from U.S. Military Exchanges in the Far East. This warranty excludes appearance items and cabinetry which must be assumed to be the responsibility of the purchaser at the time of original purchase. This further excludes delivery charges to or from authorized point of service. This warranty will be null and void on any product subjected to misuse, negligence, accident, unauthorized service or repair or alternations made in any way.

ONE (1) YEAR FOR STEREO RECEIVERS, STEREO HEADPHONES AND TURNTABLES excluding Cartridges & Styli.  
 THREE (3) YEARS FOR LOUDSPEAKER SYSTEMS.

HOW TO FILL OUT PACEX MAIL ORDER BLANK


<b>PACEX MAIL ORDER</b> JAPAN REGIONAL EXCHANGE-PACEX APO 96323	DATE <b>18 October 1970</b>	LOCATION OF ASSIGNMENT (COUNTRY)
	MAILING INSTRUCTIONS CHECK ONE <input checked="" type="checkbox"/> INSURED PARCEL POST <input type="checkbox"/> AIRMAIL INSURED	

SHIP THIS ORDER TO: (TYPE OR PRINT IN INK) NAME <b>Mrs. William R. Rousseau</b> STREET OR ORGANIZATION <b>3055 Hadley Ave.</b> CITY APO <b>Youngs Town</b> STATE AND ZIP CODE <b>Ohio 44050</b>	YOUR NAME & ORGANIZATION: (TYPE OR PRINT IN INK) NAME <b>William R. Rousseau</b> RANK AND SN <b>Captain 05227679</b> ORGANIZATION <b>8th Field Hospital</b> APO <b>96240</b>
---	--

CODE NO.	QTY.	DESCRIPTION	PATTERN NO.	UNIT PRICE	TOTAL PRICE
497.543.401	1	SX-9000		228.00	228.00
497.539.661	2	CS-99		96.00	192.00
497.546.571	1	PL-50		96.00	96.00

I, _____ hereby designate and appoint the Japan Regional Exchange Pacex, or any employee or representative designated by it, as my Agent with regard to the Mail Order prepared and submitted this date for the purchase of above listed merchandise and for the purpose of depositing such merchandise in the United States Mail to the addressee designated on my Mail Order and in accordance therewith. It is understood and agreed that my said Agent in depositing or placing the merchandise in question in the custody or possession of the United States Postal Authorities is acting on my behalf and is, thereby, fulfilling all the requirements of this agency appointment. It is further agreed that such action also shall constitute a delivery to me and I shall not thereafter look to my said Agent for further services and do hereby waive any claim against my said Agent with regard to any loss or damage to the merchandise while it is in the custody or possession of the United States Postal Authorities.  SIGNATURE <u>William Rousseau</u> DATE <u>18 Oct. 70</u>	516.00	COST OF MERCHANDISE	<input type="checkbox"/> SUBSTITUTION-OK <input checked="" type="checkbox"/> SUBSTITUTION-NOT OK <input checked="" type="checkbox"/> A BONA-FIDE GIFT <input type="checkbox"/> MY PERSONAL USE
	43.55	POSTAGE & INSURANCE	
	559.55	<b>TOTAL AMOUNT</b>	
		AMOUNT RECEIVED FROM CUSTOMER	

**IMPORTANT**  
**READ BEFORE SEALING**



- DO NOT SEAL THIS ENVELOPE UNTIL YOU CHECK BELOW: (DO NOT WRITE IN THIS PORTION.)**
1. Did you complete and sign the POWER OF ATTORNEY-WAIVER OF CLAIMS section above?
  2. Did you complete and enclose the Customs Declaration Forms and Address Labels?
  3. Did you complete the "Ship This Order to" column to include Full Name, Address, and Zip Code?
  4. Did you compute the Cost of Merchandise, Postage and Insurance and enter in "Total Amount" column? (See reverse side.)
  5. Did you enclose money order or personal check payable to: Japan Regional Exchange-PACEX in the amount noted in the "Total Amount" block?
  6. Did you remove the first copy (Customer Copy) for your file?
- SEE REVERSE SIDE FOR NEW PARCEL POST RATES, EFFECTIVE 19, OCTOBER 1968.

HOW TO FILL OUT NEX MAIL ORDER BLANK

**NAVY EXCHANGE 260-010**

Code 700 (MOD)

FPO Seattle 98762



Your Order No. \_\_\_\_\_

Date 18 October 1970

"When writing concerning your Mail Order, please give Your Order Number"

**MAIL ORDER BLANK**

Please Print Clearly

Mailing Instructions:

Parcel Post Insured     Air Mail Insured

Ship this order to:

Name Mrs. John S. Doe

Address 123 Kennedy Ave.  
New York, N.Y. 11001

Substitution:

Acceptable     Not Acceptable

Item or prices in Catalog are subject to change without notice.

Name Lt. John S. Doe  
RANK/RATE    FIRST    INITIAL    LAST  
Address USS Krishna (ARL-38)  
FPO, San Francisco Calif.  
96601

Notification of Shipment to be Mailed to:

RECEIVER     SENDER

STOCK NO	DEPT	NAME OF ITEM	QTY	UNIT PRICE	TOTAL PRICE	SHIPPING WT	PACKING CHARGE	DATE SHIPPED & INS. NO.	POSTAGE
SX-9000	B-2	PIONEER 240W receiver	1	228.00	228.00	46			
CS-99	B-2	PIONEER 5-way speaker system	2	96.00	192.00	69 ea.			
PL-50	B-2	PIONEER turntable	1	96.00	96.00	43			

I certify that the merchandise listed hereon is not for resale and is for  Bona Fide Gift     My Personal Use

CERTIFICATE OF PURCHASE OF COMMODITIES  
TAX-EXEMPT FOR ULTIMATE EXPORT

I certify that the number and description of commodity as shown above are purchased by me for my personal use for ultimate export from Japan and will not be disposed of in Japan.

Signature: John S. Doe

Total	\$ 516.00	\$	ACTUAL CHARGE
Cost of Merchandise	\$ 516.00	\$	
Packing Charges			
Postage & Insurance	43.55		
Total Amount	\$ 559.55	\$	
Amount Received From Customer		\$	
NET	Refund Enclosed	\$	
DIFFERENCE	Balance Due	\$	

**SEND ORDER IN TRIPLICATE**

**PIONEER**  
**AUTHORIZED SERVICE STATIONS**

**IN THE FAR EAST**

**JAPAN**

**PIONEER ELECTRONIC CORPORATION**  
15-5, 4-chome, Ohmori-nishi,  
Ohtaku, Tokyo, Japan Tel. 763-2111

**KOREA**

**PIONEER SERVICE STATION**  
KOREA REGIONAL EXCHANGE-  
PACEX  
I & R UNIT, Inchon, Korea  
APO San Francisco 96571

**VIETNAM**

**RADIO REPAIR SHOP**  
Vietnam Regional Exchange-PACEX,  
Saigon, Vietnam  
APO San Francisco 96243

**THAILAND**

**RADIO REPAIR SHOP**  
Thailand Regional Exchange-PACEX,  
Bangkok  
APO San Francisco 96468

**PHILIPPINES**

**NAVY EXCHANGE 240-010**  
U.S. Naval Station, Subic Bay,  
Philippines  
FPO San Francisco 96651

**TAIWAN (FORMOSA)**

**NAVY EXCHANGE 240-030**  
Headquarters Support Activity, Box  
17, Taipei, Taiwan  
APO San Francisco 96263

**OKINAWA**

**SOUND OF PIONEER**  
Highway 1./Ohyama, Ginowan City,  
Okinawa. Tel. (09) 7-2016

**GUAM**

**ACE INTERNATIONAL CORPORATION, GUAM BRANCH**  
P.O. Box 891, Agana, Guam  
Tel. 772-6906

**HONG KONG**

**WO KEE ENGINEERING LTD**  
HONG KONG MANSION "T"  
Causeway Bay, Hong Kong  
Tel. 771446

**IN U.S.A. As of September 1970**

**ALABAMA**

**LIKIS STEREO CENTER**  
2018 11th Avenue So. Birmingham  
35200 (201) 328-3845

**ARIZONA**

**ELECTRONIC ENGINEERING SERVICE**

766 West Main Street, Suite "F"  
Mesa 85211 (602) 964-2741

**THE SOUND SHOP, INC.**

4659 East Broadway Tucson 85711  
(602) EA7-4568

**CALIFORNIA**

**WESTERN ELECTRONICS**

1247 Solano Avenue Albany 94706  
(415) 527-6026

**AUDIO CLINIC**

2985 College Avenue Berkeley  
94705 (415) 549-0206

**SOUND SERVICE CENTER**

21525 Sherman Way Canoga Park  
91303 (213) 883-8884

**PACIFIC ELECTRONICS**

6601 Bay Street Emeryville 94608  
(415) 843-8005

**U.S. PIONEER ELECTRONICS CORP.**

1335 W. 134th Street Gardena 90247  
(213) 323-2374

**RADIO LAB**

806 Central Glendale 91204  
(213) 246-1605

**CONSUMER WARRANTY SERVICE**

10703 White Oak Avenue Granada  
Hills 91344 (213) 363-3311

**WILSHIRE ELECTRONICS**

7161 Beverly Blvd. Los Angeles  
90036 (213) WE7-1164

**AUDIO & TV SERVICE CENTER**

1712 North Tustin Orange 92667  
(714) 637-4540

**E.T.S. ELECTRO TECH SERVICE**

651 North Main Street Orange 92667  
(714) 538-5145

**HANDY ANDY TV SERVICE & APPLIANCES**

2620 Fulton Avenue Sacramento  
95721 (916) 483-6451

**PHOTO ELECTRONICS**

1243 University Avenue San Diego  
95821 (714) 298-6651

**CALIFORNIA SOUND ENGINEERS**

475 Barneveld Avenue San Francisco  
94124 (415) 647-9223

**C & H ELECTRONICS**

5901 Mission Street San Francisco  
94124 (415) 586-7510

**TOKYO ELECTRONICS**

1766 Buchanan Street San Francisco  
94115 (415) 567-1213

**ASH RADIO & TELEVISION**

3046 Story Road San Jose 95128  
(408) 251-9477

**JAYMAC, CREATIVE SOUND SYSTEMS**

1375 Saratoga Sunnyvale Road San  
Jose 95129 (408) 257-3000

**ONE STOP TV & HI FI**

303 South Winchester Boulevard  
San Jose 95128 (408) 243-5100

**ACO-AUDIORAMA**

8513 1/2 Santa Monica Boulevard  
West Hollywood 90069  
(213) 652-4414

**COLORADO**

**ASPEN STEREO CENTER**

P.O. Box 3425 Aspen 81611  
(303) 925-2299

**NIX'S ELECTRONICS**

412 South Tejon Street Colorado  
Springs 80902 (303) 634-6939

**ELECTRONICS LABORATORIES**

563 S. Broadway Denver 80209  
(303) 744-6217

**EMPIRE AUDIO EXCHANGE & STEREO**

1100 Broadway Denver 83203  
(303) 255-4819

**CONNECTICUT**

**HERBERT ELECTRONICS**

1081 Capitol Avenue Hartford 06105  
(203) 247-0042

**HAIG AUDIO ASSOCIATES**

501 Gracey Avenue Meriden 06450  
(203) 238-3281

**KELLER AUDIO SERVICE**

520 West Avenue, Rm. 203 Norwalk  
06850 (203) 847-3676

**DELAWARE**

**DELAWARE MUSIC HOUSE**

132 E. Main Street Newark 19711  
(302) 368-2588

**FLORIDA**

**BELL HOME ENTERTAINMENT CENTER**

854 E. Oakland Park Boulevard Ft.  
Lauderdale 33308 (305) 563-7207

**HI FI CENTER**

25 W. 12th Street Jacksonville 32206  
(904) 354-0491

**SWIFT'S CAMERA & STEREO, INC.**

607 Dunot Street Key West 33040  
(305) 296-8576

**STEREO OMNIBUS**

754 Northlake Boulevard Lake Park  
33403 (305) 842-7035

**STEREOTRONIX AUDIO VIDEO SERVICE**

545 N. Courtney Parkway Merritt  
Island 32952 (305) 452-6272

**JOHNNY'S HI FI & STEREO**

8261 S.W. 124th Street Miami 33156  
(305) 238-9368

**PUBLIC SOUND**

9385 Bird Road Miami 33165  
(305) 221-3031

**SOUTHERN AUTHORIZED FACTORY SERVICE**

62 Northwest 27th Avenue Miami  
33125 (305) 642-2822

**SUNCOAST ELECTRONICS**

3412 S. Dale Mabry Tampa 33609  
(813) 839-2945

**GEORGIA**

**NORMAN'S ELECTRONICS**

4029 Peachtree Road Atlanta 30319  
(404) 237-3349

**HIGH FIDELITY S.S.S.**

322 E. Paces Ferry Road, N.E.  
Atlanta 30305 (404) 237-6336

**HAWAII**

**EDWARD D. SULTAN CO.**

P.O. Box 301 939 Kapiolani  
Boulevard Honolulu (808) 515-2111

**IDAHO**

**AUDIO VISION**

546 North Fourth Avenue Pocatello  
83201 (208) 647-3985

**ILLINOIS**

**AUDIO & TAPE RECORDER SPECIALISTS**

1511 Paula Drive Champaign 61820  
(217) 356-8818

**ELECTRONICS ENGINEERS, INC.**

1639 W. Evergreen Avenue Chicago,  
60622 (312) 227-6200

**CHICAGO HEIGHTS RADIO & TV**

206 W. 15th Street Chicago Heights  
60411 (312) 755-3450

**MIKE REDINGTON AUDIO SERVICE**

R.R. #1, Oak Ridge Addl. Metamora  
61548 (309) 367-2402

**MID CENTRAL ELECTRONICS**

520 E. Ogden Naperville 60540  
(312) 355-1671

**ALLAN AUDIO SERVICE**

8141 N. Milwaukee Niles 60648  
(312) 955-0272

**REPAIRONICS**

6332 Roosevelt Road Oak Park  
60304 (312) 383-1193

**SCHNULLE'S HI FI SHOP INC.**

1413 N. Main Street Rockford 61103  
(815) 964-4886

**AUTO SOUND CO.**

8337 Skokie Boulevard Skokie 60076  
(312) 677-9690

**IOWA****COMMUNICATIONS EQUIPMENT SERVICE**

2728 Avenue G Council Bluffs  
51501 (712) 328-3410

**TELEDYNE PACKARD BELL SERVICE**

2215 Forest Des Moines 50311  
(515) 274-3595

**KANSAS****ACCENT SOUND**

6104 Johnson Drive Mission 66202  
(913) C02-2026

**DURBIN & BOOKER'S TV**

3205 S. Walnut Wichita 67217  
(316) 591-1381

**ELECTRONICS**

337 N. Waco Wichita 67202  
(316) 264-4590

**KENTUCKY****SOUND SERVICE**

4761 Dixie Highway Louisville 40216  
(502) 447-7327

**WILDER ELECTRONICS**

143 Breckenridge Lane Louisville  
40216 (507) 893-2811

**LOUISIANA****AUDIO & INSTRUMENT ASSOCIATES, INC.**

5511 Sussex Street Shreveport 71108  
(318) 868-9577

**MAINE****STROMBOLI ENTERPRISES**

180 Lisbon Street Lewiston 04011  
(207) 782-7331

**MARYLAND****CLAYTON ELECTRONICS INC.**

1705 E. Joppa Road, E. Baltimore  
21234 (301) 661-6030

**SERV-A-TRONICS, INC.**

146 S. Azar Avenue Glen Burnie  
31061 (301) 761-8774

**RECORD PLAYER SERVICE**

901 Silver Spring Avenue Silver  
Spring 20910

**MASSACHUSETTS****AUDIONICS, INC.**

159 Massachusetts Avenue  
Arlington 02174 (617) 648-2419

**JED INSTRUMENT LABORATORY, INC.**

151 Hallet Street Dorchester 02124  
(517) 282-3055

**MELODY CORNER**

186 Main Street Northampton 01060  
(413) 584-8539

**COMEAU'S ELECTRONIC SERVICE**

17 Pleasant Street Reading 01867  
(617) 944-4843

**MICHIGAN****INTERCITY ELECTRONICS**

9915 Whittier Detroit 48235  
(313) 372-4114

**SOUND ROOM**

1228 S. Burdick Street Kalamazoo  
49001

**MARSHALL MUSIC**

402 South Washington Lansing  
48933 (517) 372-9600

**MINNESOTA****ROOKER'S TV**

508 9th Street International Falls  
56649 (218) 283-4021

**TWIN CITY ELECTRONICS**

160 W. 79th Street Minneapolis  
55420 (612) 884-3296

**MISSISSIPPI****WALTERS ELECTRONICS**

5720 Barkwood Street Jackson 39211  
(601) 956-2307

**MISSOURI****RANCO INC.**

807 Rolla Street Rolla 65401  
(314) 364-4332

**CUSTOM MUSIC CORP**

1201 Research Boulevard St. Louis  
63132 (314) 997-0016

**NEVADA****HOSKIN'S ELECTRONICS**

1155 S. Las Vegas Boulevard Las  
Vegas 89104 (702) 384-7857

**BOYKIN ELECTRONICS**

P.O. Box 5191 1445 E. 4th Street  
Reno 89502 (702) 329-3838

**NEW HAMPSHIRE****MGF INC. MELODY SHOP**

102 Main Street Keene 03431  
(603) 352-9200

**NEW JERSEY****DEAL TV**

169 Main Street Ft. Lee 07024  
(201) 944-4949

**THE AUDIO LAB**

146 French Street New Brunswick  
08901 (201) 249-9191

**SOUND ARTS CO.**

1635 Highway 35 Oakhurst 07755  
(201) 531-8980

**NEW MEXICO****ED'S TV & HI FI**

301 Maple, N.E. Albuquerque 87106  
(505) 247-2218

**NEW YORK****AUTHORIZED PHONO TAPE SERVICE**

1797 Jerome Avenue Bronx 10453  
(212) TR8-0297

**HI-PHONICS LIMITED**

1955 Coney Island Avenue Brooklyn  
11223 (212) DE9-8111

**CK-TELE AUDIO**

95 Main Street Ellenville 12428  
(914) 647-9491

**JAMAICA HIGH FIDELITY**

165-21 Hillside Avenue Jamaica  
11432 (212) 291-8599

**AUDIO SERVICENTER, INC.**

408 Post Road Larchmont 10538  
(914) 834-8600

**AUTHORIZED FACTORY SERVICE**

97 Reade Street New York 10013  
(212) W04-0973

**MAX WERFEL**

25 Warren Street New York 10007  
(212) 962-4278

**S.M. AUDIO VIDEO SERVICE HYDE PARK SHOPPING CENTER**

Albany Post Road Hyde Park 12538  
(914) 229-5221

**BRIGHTON SOUND CO.**

66 Brighton Street Rochester 14607  
(716) 271-0906

**ROBERT L. REIFSTECK**

81 Bonita Drive Rochester 14616  
(716) 865-5570

**RADIO & ELECTRONICS SERVICE**

401 N. Townsend at E. Willow  
Syracuse 13203 (315) 422-5707

**ASTRO T.V. & ELECTRONICS**

50 Main Street Tonawanda 14150  
(716) 5988

**MISHLANIE'S ELECTRONICS**

709 W. Cooper Street Utica 13502  
(315) 732-3743

**NORTH CAROLINA****FREEMAC STEREO CENTER**

2443 Battleground Avenue  
Greensboro 27408 (919) 288-4549

**AUDIO CENTER, INC.**

3532 Wade Avenue Raleigh 27607  
(919) 833-1344

**OHIO****PIONEER AUDIO DIVISION PIONEER STANDARD ELECTRONICS**

5403 Prospect Cleveland 44103  
(216) 432-0010

**CARLIN AUDIO**

323 Salem Dayton 45406  
(513) 228-5196

**DAVIS TV**

North Main Street Hollansburg  
45332 (513) 997-3301

**OKLAHOMA****SOUND UNLIMITED**

3745 South Peoria Tulsa 74105  
(918) R13-4404

**OREGON****AUDIO SERVICE CO.**

10020 S.W. Canyon Road Portland  
97005 (503) 292-6633

**PENNSYLVANIA****S & S ASSOCIATES, INC.**

Boro Line Road King of Prussia  
19406 (215) 265-3450

**DIETZ STREIT ELECTRONIC SERVICE**

431 West Chew Avenue  
Philadelphia 19120 (215) L18-5255

**ELECTRONIC SERVICE CENTER**

13 South 21st Street Philadelphia  
19103 (215) 567-4028

**RHODE ISLAND****READ & HASKINS**

5 Aborn Street Cranston 02905  
(401) 781-5955

**TENNESSEE****ENGLAND ELECTRONICS**

1141 7th Street, N.E. Knoxville 37919  
(615) 524-1516

**MUSIC LAND**

5911 Kingston Pike Knoxville 37919  
(615) 584-6156

**AUDIOPHILE COMPANY**

778 Madison Square Madison 37115  
(615) 865-4076

**OPUS 2 ASSOCIATION**

4294 Summer Avenue Memphis  
38122 (901) 681-0117

**TEXAS****JEPSCO, INC.**

5201 Cedar P.O. Box 940 Bellaire  
77401 (713) 666-3221

**DALLAS TAPE DECK**

5462 Lemmon Avenue Dallas 75209  
(214) 526-6822

**ELECTROMECH**

2727 Irving Boulevard Dallas 75207  
(214) 637-2771

**THE CEARLEY CO.**

517 Pennsylvania Ft. Worth 76104  
(817) ED5-4747

**VIDEO SERVICES**

5734 Green Ash Houston 77036  
(713) 666-0874

**HIGHLAND PARK TV**

1007 Highland Park Drive Mission  
78572 (512) 585-3945

**DALLAS TAPE DECK**

630 South Central Expressway  
Richardson 75080 (214) 231-7274

**AUDIOMEDIA, INC.**

8015 Webbles San Antonio 78218  
(512) 653-1120, 1121

**GERMAN ELECTRONICS**

7112 Blanco Road San Antonio  
78216 (512) DI4-7711

**THE AUDIO CLINIC**

1019 Cornelia Avenue Iowa Park  
76367 (817) 592-5654

**UTAH****ANGELL RADIO TV**

3834 South Main Salt Lake City  
84115 (801) 266-4562

**PROFESSIONAL ELECTRONICS**

6274 Cobble Crest Road Salt Lake  
City 84115 (801) 277-0200

**T.V. SPECIALISTS**

170 East 21st South Salt Lake City  
84115 (801) 486-7116

**VIRGINIA****DUMAS ELECTRONIC CO.**

4510 Lee Highway Arlington 22207  
(703) 524-6224

**AUDIO COMPONENTS**

4811 Forest Hill Avenue Richmond  
23225 (701) 232-5515

**WASHINGTON****COM-TRONICS, INC.**

221 Westlake Avenue, North Seattle  
98109 (206) 623-7395

**LAFAYETTE RADIO &  
ELECTRONICS ASSOCIATE STORE  
OF SEATTLE**

2418 1st Avenue, South Seattle 98134  
(206) MA4-6141

**HUPPINS HI FI**

419-421 W. Main Spokane 99201  
(509) 747-6486

**LOREN RICE CO.**

8012 So. Tacoma way Tacoma 98499  
(206) JU8-3995

**WISCONSIN****MISTER TV, INC.**

5407 West Center Street Milwaukee  
53210 (414) 873-2415

**IMPORTANT MESSAGE**

- Names and addresses of the authorized service stations are subject to change without notice.
- If you cannot present your purchase record slip, please contact U.S. Pioneer Electronics Corporation  
New Jersey Office: 178 Commerce Road, Carlstadt New Jersey 07072  
Tel: (201) 935-4300  
Los Angeles Office: 1335 W. 134 St. Gardena, Calif. 90247  
Tel: (213) 323-2374
- If service is not available in your vicinity, please contact the above offices.

Pioneer Electronic corporation  
Head Office and Main Plant:  
15-5, 4-chome, Ohmori-nishi, Ota-ku, Tokyo, Japan  
Telephone: Tokyo 763-2111

U.S. Pioneer Electronics Corporation  
178 Commerce Road, Carlstadt,  
New Jersey 07072, U.S.A.

Pioneer Electronic (Europe) N.V.  
Noorderlaan 83, 2030 Antwerp, Belgium



**PIONEER ELECTRONIC CORPORATION**

---