


Uniview Bracket & Mount Assortment

Dated 4-20-2017


BOX CAMERA




TR-WM06-C-IN	TR-UM06-A-IN	HS-108-IN	HS-215S-IN	HS-215SHB-IN	HS-215SHB-IR-UV
2115C041	2115C03B	2118C00B	2118C00C	2118C00A	0231C08P
Indoor Wall mount	Indoor Wall /Pendent mount	Housing (Indoor)	Housing(Outdoor -20 °C~60 °C)	Housing(Outdoor , -40 °C~60 °C)	Housing(Outdoor, -40 °C~60 °C, Built-in IR LED)
193mmx60mmx77mm(7.6" x 2.4"x 3.0")	Φ105mmx154.5mm(Φ4.1" x6.1")	305mmx115.4mmx92mm (12.0" x 4.5"x 3.6")	435.5mmx170.6mmx106mm (17.1" x 6.7"x 4.2")	435.5mmx170.6mmx106mm (17.1" x 6.7"x 4.2")	435.5mmx170.6mmx106mm(17.1" x 6.7"x 4.2")
0.2kg(0.44lb)	0.2kg(0.44lb)	0.8kg(1.8lb)	1.5kg(3.3lb)	2.08KG(4.6lb)	2.5kg(5.5lb)

TR-UV06-A-IN	TR-UP06-IN	TR-CM06-IN	TR-WM06-A-IN	TR-SM06-IN
2115C02X	2115C02R	2115C02T	2115C02S	2115C02V
Horizontal Pole mount for housing	Pole mount (Need TR-WM06-A-IN or TR-UV06-A-IN)	Pendent mount for housing	Wall mount for housing	Corridor mode installation
115mmx103mmx100mm(4.5" x 4.1"x 3.9")	120mmx120mmx53.4mm(4.7" x 4.7"x 2.1")	491mmx239mmx100mm(19.3" x9.4" x3.9")	300mmx80mmx133.2mm(11.8" x 3.1"x 5.2")	70mmx52mmx52mm (2.8"x2.0"x2.0")
0.8kg(1.76lb)	0.45kg(0.99lb)	0.61kg(1.3lb)	0.41kg(0.9lb)	0.1kg(0.22lb)

FIXED DOME





TR-UF45-F-IN	TR-CE45-IN	TR-FM152-IN	TR-WM04-IN	TR-JB07/WM04-IN	TR-JB07/WM04-A-IN	TR-UP06-IN	TR-JB04-A-IN
2115C04C	2115C038	2115C02L	2115C043	2115C047	2115C07D	2115C02R	2115C04R
Indoor pendent mount adapter	Indoor pendent mount (Need TR-UF45-F-IN)	In-ceiling mount	Wall mount	Wall mount	Wall mount(Extra back outlet for cable)	Pole mount(Need TR-WM04-IN or TR-JB07/WM04-IN or TR-JB07/WM04-A-IN)	Junction box
Φ145mmx44mm(Φ5.7" x1.7")	Φ116.5mmx239mm	Φ235mmx58.4mm(Φ9.3" x2.3")	208mmx125mmx125mm (8.2" x4.9" x4.9")	253mmx125mmx125mm (10" x4.9" x4.9")	253mmx125mmx125mm (10" x4.9" x4.9")	120mmx120mmx53.4mm(4.7" x 4.7"x 2.1")	Φ149mmx40mm (5.9" x1.6")
0.21kg(0.46lb)	0.67kg(1.5lb)	0.43kg(0.95lb)	0.48kg(1.1lb)	0.96kg(2.1lb)	0.92kg(2.03lb)	0.45kg(0.99lb)	0.28kg(0.6lb)







TR-UF45-E-IN	TR-CE45-IN	TR-FM152-A-IN	TR-WM04-IN	TR-JB07/WM04-I	TR-JB07/WM04-A-IN	TR-UP06-IN	TR-JB04-IN	TR-SM04-IN	TR-A01-IN
2115C04G	2115C038	2115C04F	2115C043	2115C047	2115C07D	2115C02R	2115C04T	2115C04P	2160C00D
Indoor pendent mount adapter	Indoor pendent mount (Need TR-UF45-E-IN)	In-ceiling mount	Wall mount	Wall mount	Wall mount(Extra back outlet for cable)	Pole mount(Need TR-WM04-IN or TR-JB07/WM04-IN or TR-JB07/WM04-A-IN)	Junction box	Electric-box Transfer plate	NPT 3/4" Plastic Waterproof joint
Φ149mmx44mm(Φ5.9" x1.7")	Φ116.5mmx239mm(Φ4.6" x9.4")	Φ235mmx63mm(Φ9.3" x2.5")	208mmx125mmx125mm (8.2" x4.9" x4.9")	253mmx125mmx125mm (10" x4.9" x4.9")	253mmx125mmx125mm (10" x4.9" x4.9")	120mmx120mmx53.4mm(4.7" x 4.7"x 2.1")	Φ145mmx40mm (5.7" x1.6")	Φ145mmx13mm (5.7" x0.5")	NPT 3/4"
0.2kg (0.44lb)	0.67kg(1.5lb)	0.49kg(1.1 lb)	0.48kg(1.1lb)	0.96kg(2.1lb)	0.92kg(2.03lb)	0.45kg(0.99lb)	0.24kg(0.5lb)	0.13kg(0.29lb)	0.025kg(0.055lb)



Uniview Bracket & Mount Assortment

Dated 4-20-2017



										
	TR-UF45-D-IN 2115C02N	TR-CE45-IN 2115C038	TR-UM06-B-IN 2115C03N	TR-WM03-A-IN 2115C06E	TR-JB07/WM03-A-IN 2115C06F	TR-JB07/WM03-B-IN 2115C07C	TR-UP06-IN 2115C02R	TR-JB03-D-IN 2115C078	TR-A01-IN 2160C00D	
	Indoor pendent mount adapter	Indoor pendent mount (Need TR-UF45-D-IN)	Tilted mounting	Wall mount	Wall mount	Wall mount (Extra back outlet for cable)	Pole mount(Need TR-WM03-A-IN or TR-JB07/WM03-A-IN or TR-JB07/WM03-B-IN)		Junction box	NPT 3/4" Plastic Waterproof joint
	Φ100mmx35mm(Φ3.9" x1.4")	Φ116.5mmx239mm(Φ4.6" x9.4")	Φ108.5mmx20mm(4.3" x 0.8")	188mmx126mmx126mm(7.4" x5" x5")	233mmx126mmx126mm(9.2" x5" x5")	233mmx126mmx126mm(9.2" x5" x5")	120mmx120mmx53.4mm(4.7" x 4.7" x 2.1")	Φ109mmx36mm(4.3" x1.4")	NPT 3/4"	
0.3kg(0.66lb)	0.67kg(1.5lb)	0.06kg(0.13lb)	0.44kg(0.97lb)	0.92kg(2.0lb)	0.9kg(1.98lb)	0.45kg(0.99lb)	0.18kg(0.40lb)	0.025kg(0.055lb)		

							
	TR-WM03-A-IN 2115C06E	TR-JB07/WM03-A-IN 2115C06F	TR-JB07/WM03-B-IN 2115C07C	TR-UP06-IN 2115C02R	TR-JB03-C-IN 2115C06D	TR-A01-IN 2160C00D	
	Wall mount	Wall mount	Wall mount (Extra back outlet for cable)	Pole mount(Need TR-WM03-A-IN or TR-JB07/WM03-A-IN or TR-JB07/WM03-B-IN)		Junction box	NPT 3/4" Plastic Waterproof joint
	188mmx126mmx126mm(7.4" x5" x5")	233mmx126mmx126mm(9.2" x5" x5")	233mmx126mmx126mm(9.2" x5" x5")	120mmx120mmx53.4mm(4.7" x 4.7" x 2.1")	Φ126mmx36mm(5.0" x1.4")	NPT 3/4"	
0.44kg(0.97lb)	0.92kg(2.0lb)	0.9kg(1.98lb)	0.45kg(0.99lb)	0.18kg(0.4lb)	0.025kg(0.055lb)		

		
	TR-JB03-D-IN 2115C078	TR-A01-IN 2160C00D
	Junction box	NPT 3/4" Plastic Waterproof joint
	Φ109mmx36mm(4.3" x1.4")	NPT 3/4"
0.18kg(0.40lb)	0.025kg(0.055lb)	

					
	TR-UF45-F-IN 2115C04C	TR-CE45-IN 2115C038	TR-UM06-C-IN 2115C052	TR-JB04-A-IN 2115C04R	TR-A01-IN 2160C00D
	Indoor pendent mount adapter	Indoor pendent mount (Need TR-UF45-D-IN)	Tilted mounting	Junction box	NPT 3/4" Plastic Waterproof joint
	Φ145mmx44mm(Φ5.7" x1.7")	Φ116.5mmx239mm(Φ4.6" x9.4")	Φ149mmx44mm(5.9" x 1.7")	Φ149mmx40mm(5.9" x1.6")	NPT 3/4"
0.21kg(0.46lb)	0.67kg(1.5lb)	0.22kg(0.49lb)	0.28kg(0.6lb)	0.025kg(0.055lb)	





BULLET CAMERA

					
	TR-UP06-A-IN 2115C02Q	TR-JB07-IN 2115C03K	TR-UP06-IN 2115C02R	TR-JB07-A-IN 2115C06M	TR-A01-IN 2160C00D
	Pole mount	Junction Box	Pole mount(Need TR-JB07-IN)	Junction box (Extra back outlet for cable)	NPT 3/4" Plastic Waterproof joint
	99mmx90mmx38mm(3.9" x 3.5" x 1.5")	126mmx125mmx55mm(5" x4.9" x2.2")	120mmx120mmx53.4mm(4.7" x 4.7" x 2.1")	125mmx125mmx55mm(4.8" x4.8" x2.2")	NPT 3/4"
0.2kg(0.44lb)	0.72kg(1.6lb)	0.45kg(0.99lb)	0.75kg(1.65lb)	0.025kg(0.055lb)	







Uniview Bracket & Mount Assortment

Dated 4-20-2017

 <p>IPC21xx series IPC22xx series</p>			
	<p>TR-JB05-IN 2115C075</p>	<p>TR-UP06-A-IN 2115C02Q</p>	<p>TR-A01-IN 2160C00D</p>
<p>Junction box (Extra back outlet for cable) Pole mount NPT 3/4" Plastic Waterproof joint</p>			
<p>93mmX93mmX39mm(3.7" x3.7" x1.5") 99mmx90mmx38mm(3.9" x 3.5" x 1.5") NPT 3/4"</p>			
<p>0.2kg(0.44lb) 0.2kg(0.44lb) 0.025kg(0.055lb)</p>			

 <p>IPC22xx series</p>			
	<p>TR-UM06-A-IN 2115C03B</p>	<p>TR-WM06-C-IN 2115C041</p>	<p>TR-UP06-A-IN 2115C02Q</p>
<p>Indoor pendent mount Wall mount Pole mount (Need TR-WM06-C-IN)</p>			
<p>Φ105mmx154.5mm (Φ4.1" x6.1") 193mmx60mmx7mm(7.6" x 2.4" x 3.0") 99mmx90mmx38mm(3.9" x 3.5" x 1.5")</p>			
<p>0.2kg(0.44lb) 0.2kg(0.44lb) 0.2kg(0.44lb)</p>			

PTZ DOME

 <p>IPC64x Series IPC62xx Series</p>							
	<p>TR-UF45-A-IN 2115C033</p>	<p>TR-CE45-IN 2115C038</p>	<p>TR-SE45-IN 2115C035</p>	<p>TR-SE45-A-IN 2115C036</p>			
<p>Pendent mount adaptor Pendent mount (200 mm) Pendent mount (200 mm ,need TR-UF45-A-IN & TR-CE45-IN) Ceiling mount (500 mm ,need TR-UF45-A-IN & TR-CE45-IN)</p>							
<p>Φ116mmx30.5mm (Φ4.6" x1.2") Φ116.5mmx239mm (Φ4.6" x9.4") Φ59mmx226mm(Φ2.3" x8.9") Φ59mmx526mm(Φ2.3" x20.7")</p>							
<p>0.3kg(0.66lb) 0.67kg(1.5lb) 0.42kg(0.9lb) 0.93kg(2.1lb)</p>							
							
<p>TR-WE45-IN 2115C037</p>	<p>TR-WE45-A-IN 2115C04J</p>	<p>TR-WE45-B-IN 2115C077</p>	<p>TR-JB12-IN 2115C04U</p>	<p>TR-UP08-A-IN(Steel) 2115C039</p>	<p>TR-UC08-A-IN(Steel) 2115C03A</p>	<p>TR-UP08-B-IN(AI AI) 2115C054</p>	<p>TR-UC08-B-IN(AI AI) 2115C053</p>
<p>Wall mont Wall mount Wall mount Junction box Vertical Pole mount (Need TR-WE45-IN) Corner mount (Need TR-WE45-IN) Vertical Pole mount (Need TR-WE45-IN) Corner mount (Need TR-WE45-IN)</p>							
<p>230.3mmx141mm x201.5mm(9.1" x 5.6" x 7.9") 216mmx141mmx 314mm(8.5" x 5.6" x 12.4") 296mmx244mmx 127mm (11.7" x9.6" x5") 215mmx170mmx 52mm(4.7" x 4.7" x 2.1") 215mmx210mmx122mm(8.5" x 8.3" x 4.8") 215mmx170mmx 52mm(4.7" x 4.7" x 2.1") 215mmx210mmx 122mm(8.5" x 8.3" x 4.8")</p>							
<p>0.79kg(1.74lb) 1.0kg(2.2lb) 4.2kg(9.26lb) 2.5kg(5.5lb) 1.47kg(3.2lb) 1.87kg(4.1lb) 1.47kg(3.2lb) 1.87kg(4.1lb)</p>							

Uniview Bracket & Mount Assortment

Dated 4-20-2017



TR-UF45-A-IN	TR-CE45-IN	TR-SE45-IN	TR-SE45-A-IN
2115C033	2115C038	2115C035	2115C036
Pendent mount adaptor	Pendent mount (200 mm)	Pendent mount (200 mm ,need TR-UF45-A-IN & TR-CE45-IN)	Ceiling mount (500 mm ,need TR-UF45-A-IN & TR-CE45-IN)
Φ116mmx30.5mm(Φ4.6" x1.2")	Φ116.5mmx239mm(Φ4.6" x9.4")	Φ59mmx226mm(Φ2.3" x8.9")	Φ59mmx526mm(Φ2.3" x20.7")
0.3kg(0.66lb)	0.67kg(1.5lb)	0.42kg(0.9lb)	0.93kg(2.1lb)

TR-WE45-A-IN	TR-WE45-B-IN	TR-JB12-IN	TR-UP08-A-IN(Steel)	TR-UC08-A-IN(Steel)	TR-UP08-B-IN(Al Alloy)	TR-UC08-B-IN(Al Alloy)
2115C04J	2115C077	2115C04U	2115C039	2115C03A	2115C054	2115C053
Wall mount	Wall mount	Junction box	Vertical Pole mount (Need TR-WE45-IN)	Corner mount (Need TR-WE45-IN)	Vertical Pole mount (Need TR-WE45-IN)	Corner mount (Need TR-WE45-IN)
216mmx141mmx314mm(8.5" x 5.6" x 12.4")		296mmx244mmx127mm (11.7" x9.6" x5")	215mmx170mmx52mm(4.7" x 4.7" x 2.1")	215mmx210mmx122mm(8.5" x 8.3" x 4.8")	215mmx170mmx52mm(4.7" x 4.7" x 2.1")	215mmx210mmx122mm(8.5" x 8.3" x 4.8")
1.0kg(2.2lb)	4.2kg(9.26lb)	2.5kg(5.5lb)	1.47kg(3.2lb)	1.87kg(4.1lb)	1.47kg(3.2lb)	1.87kg(4.1lb)



TR-UF45-C-IN	TR-CE45-IN	TR-WE45-IN	TR-WE45-A-IN	TR-WE45-B-IN	TR-FM200-IN
2115C02M	2115C038	2115C037	2115C04J	2115C077	2115C02P
Adaptor	Indoor pendent mount (200 mm,Need TR-UF45-C-IN)	Wall mont(Need TR-UF45-C-IN)	Wall mount	Wall mount	In-ceiling mount
Φ149mmx37mm(Φ5.9" x1.5")	Φ116.5mmx239mm(Φ4.6" x9.4")	230.3mmx141mm x201.5mm(9.1" x 5.6" x 7.9")	216mmx141mmx314mm(8.5" x 5.6" x 12.4")		Φ280mmx172.4mm(Φ11" x6.8")
0.6kg(1.3lb)	0.67kg(1.5lb)	0.79kg(1.74lb)	1.0kg(2.2lb)	4.2kg(9.26lb)	2kg(4.4lb)