according to Regulation (EC) No. 1907/2006 (REACH) Trade name: Lithofin Abra-CLEAN Revision date: 30.01.2019 Version (Revision): 4.0.2 (Print date: 13.02.2019 Version (Revision): 4.0.2 (Print date: 14.1 (Print Print P		fety Data She				(EN / D
wision date :: 30.01.2019 Version (Revision) :: 40.2 (int date :: 13.02.2019 Version (Revision) :: 40.2 (int date :: 13.02.2019 Version (Revision) :: 40.2 (int date :: 13.02.2019 Version (Revision) :: 40.2 (int date :: 13.02.2019 Version (Revision) :: 40.2 (int date :: 13.02.2019 Version (Revision) :: 40.2 (int date :: 13.02.2019 Version (Revision) :: 40.2 (int date :: 13.02.2019 Version (Revision) :: 40.2 (int date :: 13.02.2019 Version (Revision) :: 40.2 (int date :: Version (Revision) :: 40.2 (Version (Revision) :: 40.2 (int date :: Version (Revision) :: Version (Revision) :: 40.2 (Version (Revision) :: 40.2 (istributor :: Contart :: Contart :: Contart :: Version (Revision) :: 40.1 (Version (Revision) :: 40.2 (40.2 (Version (Revision) :: 40.2 (40.2 (Version (Revision) :: 40.2 (Version (Revision) :: 40.2 (40.2 (ICC	ording to Regulat	tion (EC) No. 1	907/2006 (REACH)		
 1.1 Product identifier Lithofin Abra-CLEAN 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Mixture Washing and cleaning products, contains: organic solvents alkaline 1.3 Supplier (manufacturer/importer/only representative/downstream user/distribut Distributor: Supplier (manufacturer/importer/only representative/downstream user/distribut Distributor: Castron Enterprises Ltd. Street : Wood End, Prospect Road Postal code/city : GB- New Alresford, Hants SO 24 9QF Telephone : +44 1962 732126 Telefax : Contact : Technical Department Ermail: sales@lithofin.co.uk Energency telephone number: 0196 2732126 (Only available during office hours) Supplier : Lithofin AG Street : Heinrich-Otto-Str. 36 Postal code/city : Telephone : +49 (0)7024 9403-0 Telefax : Contact : Technical Department Ermail: info@lithofin.de Contact : Technical Department Ermail: info@lithofin.de Energency telephone number: +49 (0)7024 9403-0 (Only available during office hours) Contact : Technical Department Ermail: info@lithofin.de Energency telephone number: +49 (0)7024 9403-0 (Only available during office hours) Contact : Technical Department Ermergency telephone number: +49 (0)7024 9403-0 (Only available during office hours) Classification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Femark and EUH-phrases: see section 16. 21 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] 	Revi	sion date :	30.01.2019	Abra-CLEAN	Version (Revision) :	4.0.2 (4.0.1)
 1.1 Product identifier Lithofin Abra-CLEAN 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Mixture Washing and cleaning products, contains: organic solvents alkaline 1.3 Supplier (manufacturer/importer/only representative/downstream user/distribut Distributor: Supplier (manufacturer/importer/only representative/downstream user/distribut Distributor: Castron Enterprises Ltd. Street : Wood End, Prospect Road Postal code/city : GB- New Alresford, Hants SO 24 9QF Telephone : +44 1962 732126 Telefax : Contact : Technical Department Ermail: sales@lithofin.co.uk Energency telephone number: 0196 2732126 (Only available during office hours) Supplier : Lithofin AG Street : Heinrich-Otto-Str. 36 Postal code/city : Telephone : +49 (0)7024 9403-0 Telefax : Contact : Technical Department Ermail: info@lithofin.de Contact : Technical Department Ermail: info@lithofin.de Energency telephone number: +49 (0)7024 9403-0 (Only available during office hours) Contact : Technical Department Ermail: info@lithofin.de Energency telephone number: +49 (0)7024 9403-0 (Only available during office hours) Contact : Technical Department Ermergency telephone number: +49 (0)7024 9403-0 (Only available during office hours) Classification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Femark and EUH-phrases: see section 16. 21 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] 	SFC	TION 1: Identific	ation of the su	hstance/mixture ar	nd of the company/ ur	dertaking
Lithofin Abra-CLEAN Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Mixture Washing and cleaning products, contains: organic solvents alkaline Supplier (manufacturer/importer/only representative/downstream user/distribut Distributor : Casdron Enterprises Ltd. Street : Wood End, Prospect Road Postal code/city : GB- New Alresford, Hants SO 24 9QF Telephone : +44 1962 732126 Telefax : Contact : Emergency telephone number: Ol96 2732126 (Only available during office hours) Supplier : Lithofin AG Street : Heinrich-Otto-Str. 36 Postal code/city : Telephone : +49 (0)7024 9403-0 Telefax : Contact : Emergency telephone number: +49 (0)7024 9403-40 Contact : Emergency telephone number: +49 (0)7024 9403-40 (Only available during office hours) Fermal: info@lithofin.de Emergency telephone number: +49 (0)7024 9403-40 (Only available during office hours) Fermal: info@lithofin.de Emergency telephone number: +49 (0)7024 9403-40 (Only available during office hours) Castification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Fey Dam. 1; H318 - Serious eye damage/eye irritation : Category 1; Causes serious eye damage. Skin Intt. 2; H315 - Skin corresion/irritation : Category 1; Causes serious eye damage. Skin Intt. 2; H315 - Skin corresion/irritation : Category 1; Causes serious eye damage. Skin Intt. 2; H315 - Skin corresion/irritation : Category 2; Causes skin irritation. Additional information The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP] Exel Dam. 1; H318 - Serious eye damage/eye irritation : Category 2; Causes skin irritation. Additional information The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP] Exel Dam. 1; H318 - Serious eye damage/eye irritation : Category 2; Causes skin irritation. Additional information The mi					ia of the company, a	
Relevant identified uses Mixture Washing and cleaning products, contains: organic solvents alkaline 1.3 Supplier (manufacturer/importer/only representative/downstream user/distribut Distributor : Casdron Enterprises Ltd. Street : Wood End, Prospect Road Postal code/city : GB- New Alresford, Hants SO 24 9QF Telephone : +44 1962 733126 Telefax : +44 1962 733123 Contact : Technical Department E-mail: sale@lithofin.co.uk Emergency telephone number: 0196 2732126 (Only available during office hours) Uing Cr3212 Supplier : Lithofin AG Street : Heinrich-Otto-Str. 36 Postal code/city : 73240 Wendlingen Telefax : +49 (0)7024 9403-0 Telefax : +49 (0)7024 9403-0 Telefax : +49 (0)7024 9403-0 Contact : Technical Department E-mail: info@lithofin.de Emergency telephone number: +49 (0)7024 9403-0 (Only available during office hours) Contact : E-mergency telephone number: +49 (0)7024 9403-0 (Contact : Technical Department E-se section 1.3 SECTION 2: Hazards identification <t< td=""><td></td><td>Lithofin Abra-CLEAN</td><td></td><td></td><td></td><td></td></t<>		Lithofin Abra-CLEAN				
Mixture Washing and cleaning products, contains: organic solvents alkaline Supplier (manufacturer/importer/only representative/downstream user/distribut Distributor : Casdron Enterprises Ltd. Street : Wood End, Prospect Road Postal code/city : GB- New Alresford, Hants SO 24 9QF Telephone : +44 1962 732126 Telefax : - +44 1962 732126 Telefax : - +44 1962 73373 Contact : Echnical Department E-mail: sales@lithofin.co.uk Emergency telephone number: 0196 2732126 (Only available during office hours) Supplier : Lithofin AG Street : Heinrich-Otto-Str. 36 Postal code/city : 73240 Wendlingen Telephone : +49 (0)7024 9403-0 Telefax : - +49 (0)7024 9403-0 Telefax : - +49 (0)7024 9403-0 Telefax : - +49 (0)7024 9403-0 (Only available during office hours) L4 Emergency telephone number see section 1.3 SECTION 2: Hazards identification Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Eye Dam. 1; H318 - Serious eye damage/eye irritation : Category 1; Causes serious eye damage. Skin Inft. 2; H315 - Skin corrosion/Irritation : Category 2; Causes skin irritation. Additional information The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Remark Full text of H- and EUH-phrases: see section 16. Labelling according to Regulation (EC) No. 1272/2008 [CLP]	L.2	Relevant identif	ied uses of the	substance or mixtu	ire and uses advised a	gainst
 L3 Supplier (manufacturer/importer/only representative/downstream user/distribut Distributor : Castron Enterprises Ltd. Street : Wood End, Prospect Road Postal code/city : GB. New Aresford, Hants SO 24 9QF Telephone : +44 1962 735373 Contact : Technical Department E-mail: sales@ilthofin.co.uk Emergency telephone number: 0196 2732126 (Only available during office hours) Supplier : Lithofin AG Street : Heinrich-Otto-Str. 36 Postal code/city : 73240 Wendlingen Telephone : +49 (0)7024 9403-0 Telefax : 49 (0)7024 9403-0 Telefax : +49 (0)7024 9403-0 Telefax : +49 (0)7024 9403-0 Contact : Technical Department E-mail: info@ilthofin.de Emergency telephone number: +49 (0)7024 9403-0 Contact : Technical Department E-mail: info@ilthofin.de Emergency telephone number: +49 (0)7024 9403-0 (My available during office hours) 14 Emergency telephone number: see section 1.3 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Eye Dam. 1; H318 - Serious eye damage/eye irritation : Category 1; Causes serious eye damage. Skin Irrit. 2; H315 - Skin corrosion/irritation : Category 2; Causes skin irritation. Additional information The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Remark Full text of H- and EUH-phrases: see section 16. 2.1 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP]		Relevant identi	fied uses			
Distributor : Casdron Enterprises Ltd. Street : Wood End, Prospect Road Postal code/city : GB Telephone : +44 1962 732126 Telefax : +44 1962 73373 Contact : Technical Department Error Telephone number: Olifo 2732126 (Only available during office hours) Street : Heinrich-Otto-Str. 36 Postal code/city : 73240 Wendlingen Telephone : +49 (0)7024 9403-40 Contact : Technical Department Error Technical Department Error Telephone number: see section 1.3 Technical Department Ereror Cassification according to						
Street : Wood End, Prospect Road Postal code/city : GB- New Alresford, Hants SO 24 9QF Telephone : +44 1962 732126 Telefax : +44 1962 735373 Contact : Technical Department E-mail: sales@lithofin.co.uk Emergency telephone number: 0196 2732126 (Only available during office hours) Ithorich-Otto-Str. 36 Street : Heinrich-Otto-Str. 36 Postal code/city : 73240 Wendlingen Telephone : +49 (0)7024 9403-0 Telephone : +49 (0)7024 9403-0 Telefax : +49 (0)7024 9403-0 Contact : Technical Department E-mergency telephone number: +49 (0)7024 9403-0 Telefax : +49 (0)7024 9403-0 Contact : Technical Department E-mergency telephone number: +49 (0)7024 9403-0 (Only available during office hours) (Only available during office hours) SECTION 2: Hazards identification Cassification according to Regulation (EC) No 1272/2008 [CLP] See section 1.3 Emergency telephone number: see section 1.3 Section according to Regulation (EC) No 1272/2008 [CLP] Eye Dam. 1, H318 - Serious eye damage/eye irritation :	3	•••	acturer/impor	ter/only representa	tive/downstream use	r/distributor)
Postal code/city : GB-New Alresford, Hants SO 24 9QF Telephone : +44 1962 732126 Telefax : +44 1962 735373 Contact : Technical Department E-mail: sales@illthofin.co.uk Emergency telephone number: Dig6 2732126 (Only available during office hours) Supplier : Lithofin AG Street : Heinrich-Otto-Str. 36 Postal code/city : 73240 Wendlingen Telephone : +49 (0)7024 9403-0 Telefax : +49 (0)7024 9403-0 Contact : Technical Department E-mail: indigithofin.de Emergency telephone number: +49 (0)7024 9403-0 (Only available during office hours) L4 Emergency telephone number: +49 (0)7024 9403-0 (Only available during office hours) L4 Emergency telephone number: *49 (0)7024 9403-0 (Only available during office hours) L4 Emergency telephone number: *49 (0)7024 9403-0 (Only available during office hours) L4 Emergency telephone number: *49 (0)7024 9403-0 (Only available during office hours) L4 Emergency telephone number:		Distributor :		•		
 Heightone: H44 1962 732126 Telefax: Contact: Technical Department E-mail: sales@lithofin.co.uk Ernergency telephone number: Contact: Contact: Telefax: Contact: Technical Department E-mail: sales@lithofin.co.uk Ernergency telephone number: Contact: Contact: Telephone: Heinrich-Otto-Str. 36 Postal code/city : 73240 Wendlingen Telephone: H49 (0)7024 9403-0 Telefax: H49 (0)7024 9403-0 Telefax: H49 (0)7024 9403-0 Contact: Technical Department E-mail: info@lithofin.de Emergency telephone number: H49 (0)7024 9403-0 Contact: Technical Department E-mail: info@lithofin.de Emergency telephone number: H49 (0)7024 9403-0 Contact: Technical Department E-mail: info@lithofin.de Emergency telephone number: H49 (0)7024 9403-0 (Only available during office hours) Cantact: Temagency telephone number: H49 (0)7024 9403-0 (Only available during office hours) Emergency telephone number: H49 (0)7024 9403-0 (Only available during office hours) Emergency telephone number: H49 (0)7024 9403-0 (Only available during office hours) Example: Emergency telephone number: H49 (0)7024 9403-0 (Only available during office hours) Example: Emergency telephone number: H49 (0)7024 9403-0 (Only available during office hours) Example: Emergency telephone number: H49 (0)7024 9403-0 (Only available during office hours) Example: Emergency telephone number: H49 (0)7024 9403-0 (O						
Telefax : +44 1962 735373 Contact : Technical Department E-mail: sales@lithofin.co.uk Emergency telephone number: 0196 2732126 (Only available during office hours) Supplier : Lithofin AG Street : Heinrich-Otto-Str. 36 Postal code/city : 73240 Telefax : +49 (0)7024 9403-0 Telefax : +49 (0)7024 9403-0 Contact : Technical Department E-mail: info@lithofin.de Emergency telephone number: E-mail: info@lithofin.de Emergency telephone number: #49 (0)7024 9403-0 (Only available during office hours) Contact : Technical Department E-mail: info@lithofin.de Emergency telephone number: #49 (0)7024 9403-0 (Only available during office hours) C4 Emergency telephone number: see section 1.3 SECTION 2: Hazards identification Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Eye Dam. 1; H318 - Skin corrosion/irritation : Category 2; Causes serious eye damage. skin Irrit. 2; H315 - Skin corrosion/irritation : Category 2; Causes serious eye damage. S		Postal code/city :		GB- New Alresfor	rd, Hants SO 24 9QF	
Contact : Technical Department E-mail: sales@lithofin.co.uk Emergency telephone number: 0196 2732126 (Only available during office hours) Supplier : Lithofin AG Street : Heinrich-Otto-Str. 36 Postal code/city : 73240 Telephone : +49 (0)7024 9403-0 Telefax : +49 (0)7024 9403-0 Contact : Technical Department E-mail: info@lithofin.de Contact : Technical Department E-mail: info@lithofin.de Emergency telephone number: +49 (0)7024 9403-0 (Only available during office hours) Cantact : Technical Department E-mail: info@lithofin.de Emergency telephone number: +49 (0)7024 9403-0 (Only available during office hours) Cantact : Technical Department E-mail: info@lithofin.de Emergency telephone number: see section 1.3 Emergency telephone number: +49 (0)7024 9403-0 (Only available during office hours) C4 Emergency telephone number: see section 1.3 Emergency telephone number: +49 (0)7024 9403-0 (Only available during office hours) C4 Emergency telephone number: see section 1.3 Emergency telephone number: +49 (0)7024 9403-0 (Only available during office hours) C4 Emergency telephone or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Eye Dam. 1; H318 - Skin co		Telephone :		+44 1962 732126		
E-mail: sales@lithofin.co.uk E-mail: sales@lithofin.co.uk Emergency telephone number: 0196 2732126 (Only available during office hours) Supplier : Lithofin AG Street : Postal code/city : 73240 Wendlingen Telephone : +49 (0)7024 9403-0 Telefax : -449 (0)7024 9403-0 Contact : Technical Department E-mail: info@lithofin.de Emergency telephone number: +49 (0)7024 9403-0 (Only available during office hours) L4 Emergency telephone number see section 1.3 SECTION 2: Hazards identification 2:1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Eye Dam. 1; H318 - Serious eye damage/eye irritation : Category 1; Causes serious eye damage. Skin Irrit. 2; H315 - Skin corrosion/irritation : Category 2; Causes skin irritation. Additional information The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Remark Full text of H- and EUH-phrases: see section 16. 21 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP]		Telefax :		+44 1962 735373		
 Supplier : Lithofin AG Street : Heinrich-Otto-Str. 36 Postal code/city : 73240 Wendlingen Telephone : +49 (0)7024 9403-0 Telefax : +49 (0)7024 9403-40 Contact : Technical Department E-mail: info@lithofin.de Emergency telephone number: +49 (0)7024 9403-0 (Only available during office hours) 45 (Only available during office hours) 46 (Only available during office hours) 5.4 Emergency telephone number see section 1.3 5ECTION 2: Hazards identification 5.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Eye Dam. 1; H318 - Serious eye damage/eye irritation : Category 1; Causes serious eye damage. Skin Irrit. 2; H315 - Skin corrosion/irritation : Category 2; Causes skin irritation. Additional information The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Remark Full text of H- and EUH-phrases: see section 16. 21 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP]		Contact :				
Street : Heinrich-Otto-Str. 36 Postal code/city : 73240 Wendlingen Telephone : +49 (0)7024 9403-0 Telefax : +49 (0)7024 9403-40 Contact : Technical Department E-mail: info@lithofin.de Emergency telephone number: E-49 (0)7024 9403-0 (Only available during office hours) Contact : #49 (0)7024 9403-0 (Only available during office hours) Emergency telephone number: #49 (0)7024 9403-0 (Only available during office hours) Contact : #49 (0)7024 9403-0 (Only available during office hours) Emergency telephone number: #49 (0)7024 9403-0 (Only available during office hours) Contact : #49 (0)7024 9403-0 (Only available during office hours) Contact : #49 (0)7024 9403-0 (Only available during office hours) Contact : #49 (0)7024 9403-0 (Only available during office hours) Contact : #49 (0)7024 9403-0 (Only available during office hours) Emergency telephone number: #49 (0)7024 9403-0 (Only available during office hours) Emergency telephone number: #49 (0)7024 9403-0 (Only available during office hours) Emergency telephone number: #10 Extension according to Regulation (EC) No 1272/2008 [CLP]. Emergency telephone number: #11 Ext of H-				0196 2732126		
Street : Heinrich-Otto-Str. 36 Postal code/city : 73240 Wendlingen Telephone : +49 (0)7024 9403-0 Telefax : +49 (0)7024 9403-40 Contact : Technical Department E-mail: info@lithofin.de Emergency telephone number: E-49 (0)7024 9403-0 (Only available during office hours) Emergency telephone number: *49 (0)7024 9403-0 (Only available during office hours) Emergency telephone number: *49 (0)7024 9403-0 (Only available during office hours) Emergency telephone number: *49 (0)7024 9403-0 (Only available during office hours) Emergency telephone number: *49 (0)7024 9403-0 (Only available during office hours) Emergency telephone number: *49 (0)7024 9403-0 (Only available during office hours) Emergency telephone number: *49 (0)7024 9403-0 (Only available during office hours) Emergency telephone number: *49 (0)7024 9403-0 (Only available during office hours) Emergency telephone number: *49 (0)7024 9403-0 (Only available during office hours) Emergency telephone number: *49 (D)7024 9403-0 (Only available during office hours) Emergency telephone number: *10 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP]. Rem						
Postal code/city : 73240 Wendlingen Telephone : +49 (0)7024 9403-0 Telefax : +49 (0)7024 9403-40 Contact : Technical Department E-mail: info@lithofin.de Emergency telephone number: +49 (0)7024 9403-0 (Only available during office hours) 4 Emergency telephone number see section 1.3 ECTION 2: Hazards identification 1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Eye Dam. 1; H318 - Serious eye damage/eye irritation : Category 1; Causes serious eye damage. Skin Irrit. 2; H315 - Skin corrosion/irritation : Category 2; Causes skin irritation. Additional information The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Remark Full text of H- and EUH-phrases: see section 16. 12 Label elements Label ling according to Regulation (EC) No. 1272/2008 [CLP]						
Telephone : +49 (0)7024 9403-0 Telefax : +49 (0)7024 9403-40 Contact : Technical Department E-mail: info@lithofin.de Emergency telephone number: +49 (0)7024 9403-0 (Only available during office hours) .4 Emergency telephone number: see section 1.3 : SECTION 2: Hazards identification .1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage. Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation. Additional information The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Remark Full text of H- and EUH-phrases: see section 16. .2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP]						
 Telefax : +49 (0)7024 9403-40 Contact : Technical Department E-mail: info@lithofin.de Emergency telephone number: +49 (0)7024 9403-0 (Only available during office hours) Emergency telephone number see section 1.3 ECTION 2: Hazards identification 1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage. Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation. Additional information The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Remark Full text of H- and EUH-phrases: see section 16. 2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] 				-		
Contact : Technical Department E-mail: info@lithofin.de Emergency telephone number: +49 (0)7024 9403-0 (Only available during office hours) .4 Emergency telephone number see section 1.3 ECTION 2: Hazards identification Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage. Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation. Additional information The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Remark Full text of H- and EUH-phrases: see section 16. 22 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP]		•				
E-mail: info@lithofin.de E-mail: info@lithofin.de Emergency telephone number: +49 (0)7024 9403-0 (Only available during office hours) EECTION 2: Hazards identification EECTION 2: Hazards ECTION 2: Hazards identification EECTION 2: Hazards ECTION 2: Hazards identification E the substance or mixture E damage/eye irritation : Category 1 ; Causes serious eye damage. Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation. Additional information The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Remark Full text of H- and EUH-phrases: see section 16. E:2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP]						
 +49 (0)7024 9403-0 (Only available during office hours) 4 Emergency telephone number see section 1.3 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage. Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation. Additional information The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Remark Full text of H- and EUH-phrases: see section 16. 1.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] 		Contact :				
 A Emergency telephone number see section 1.3 SECTION 2: Hazards identification Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage. Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation. Additional information The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Remark Full text of H- and EUH-phrases: see section 16. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] 				+49 (0)7024 9403	3-0	
see section 1.3 SECTION 2: Hazards identification Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Eye Dam. 1; H318 - Serious eye damage/eye irritation : Category 1; Causes serious eye damage. Skin Irrit. 2; H315 - Skin corrosion/irritation : Category 2; Causes skin irritation. Additional information The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Remark Full text of H- and EUH-phrases: see section 16. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP]				(Only available du	ring office hours)	
 SECTION 2: Hazards identification Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage. Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation. Additional information The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Remark Full text of H- and EUH-phrases: see section 16. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] 	.4		phone number			
 1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage. Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation. Additional information The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Remark Full text of H- and EUH-phrases: see section 16. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] 		see section 1.3				
 1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage. Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation. Additional information 	FC	TION 2. Hazards	identification			
Classification according to Regulation (EC) No 1272/2008 [CLP] Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage. Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation. Additional information The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Remark Full text of H- and EUH-phrases: see section 16. 2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP]			lucification			
Additional information The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Remark Full text of H- and EUH-phrases: see section 16. 2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP]	.1	Classification a Eye Dam. 1 ; H318	ccording to Reg	gulation (EC) No 12 e/eye irritation : Category 1	; Causes serious eye damage.	
Remark Full text of H- and EUH-phrases: see section 16. 2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP]		Additional info	rmation			
Full text of H- and EUH-phrases: see section 16. 2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP]			neu as nazardous ac	Containing to regulation (EC) N	NU 12/2/2008 [ULY].	
² Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP]			UH-phrases: see sect	tion 16.		
Labelling according to Regulation (EC) No. 1272/2008 [CLP]	2.2			-		
		Labelling accor		tion (EC) No. 1272/	2008 [CLP]	

	fety Data She ording to Regulati	et on (EC) No. 1907/20	006 (REACH)	(EN / D
	ade name :	Lithofin Abra-		
	sion date : date :	30.01.2019 13.02.2019	Version (Revision) :	4.0.2 (4.0.1)
	^			
	L.S.			
	Corrosion (GHS05) Signal word			
	Danger			
	Hazard component 2-AMINOETHANOL ;	-		
	Hazard statements			
	H318	Causes serious eye damag	ge.	
	H315	Causes skin irritation.		
	Precautionary stat			
	P102 P280	Keep out of reach of child Wear protective gloves ar		
	P337+P313		Get medical advice/attention.	
	P305+P351+P338		isly with water for several minutes. Remove cont	tact lenses, if preser
	P501	,	ainer in accordance with local and national regula	ations.
	Other labelling			
2.3	Other hazards			
		health effects and sy		
		<i>,</i>	e skin and eyes cannot be ruled out.	
2.4	Additional inform			
	The substances in the	mixture do not meet the PBT	/vPvB criteria according to REACH, annex XIII.	
SEC	TION 3: Composit	ion/information on i	ingredients	
.2	Mixtures			
	Hazardous ingredie	nts		
	EC No. : 921-050-8; C	AS No. : (64742-47-8)	s, < 2% aromatics ; REACH registration No. : 01-2	2119485032-45-xxxx
	Weight fraction : Classification 1272/20	$\geq 20 - < 25\%$		
		,		141 42 5
	2-AMINOETHANOL ; R Weight fraction :	EACH registration No. : 01-211 $\geq 3 - < 5 \%$.9486455-28-xxxx ; EC No. : 205-483-3; CAS No. : 1	C-C+-TL
	Classification 1272/20	008 [CLP] : Skin Corr. 1B	; H314 Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 A ; H332 STOT SE 3 ; H335 Aquatic Chronic 3 ; H41	,
	Alcohols, C12-14, etho CAS No. : 68891-38-3	xylated, sulfates, sodium salts	; REACH registration No. : 01-2119488639-16-xxxx	; EC No. : 500-234-8
	Weight fraction :	≥ 1 - < 5 %		_
	Classification 1272/20		H318 Skin Irrit. 2 ; H315 Aquatic Chronic 3 ; H412	
			o. : 01-2119487984-16-xxxx ; EC No. : 500-213-3;	CAS No. : 68439-50-
	Weight fraction :	≥ 1 - < 2,5 %	0	
	Classification 1272/20		1; H400 Aquatic Chronic 3; H412	

All ingredients of this mixture are (pre)registered according to REACH regulation. Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Trade name :

Revision date : Print date :

Lithofin Abra-CLEAN

30.01.2019 13.02.2019

Version (Revision) :

4.0.2 (4.0.1)

General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. In case of respiratory tract irritation, consult a physician.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. Do not wash with: Cleaning agent, acidic Cleaning agent, alkaline Solvents/Thinner

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

After ingestion

Call a physician immediately. Keep at rest. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed Notes for the doctor

Treat symptomatically.

Special treatment

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray ABC-powder Foam

Unsuitable extinguishing media

Full water jet Strong water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide Carbon dioxide (CO2)

5.3 Advice for firefighters

Use suitable breathing apparatus.

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Use water spray jet to protect personnel and to cool endangered containers. Do not allow run-off from fire-fighting to enter drains or water courses. Do not inhale explosion and combustion gases. The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8). Provide adequate ventilation. Remove persons to safety.

6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Trade name :

Revision date : Print date :

Lithofin Abra-CLEAN

30.01.2019 13.02.2019

Version (Revision) :

4.0.2 (4.0.1)

For cleaning up

Suitable material for taking up: Universal binder Clean contaminated articles and floor according to the environmental legislation. Retain contaminated washing water and dispose it. Dispose of waste according to applicable legislation.

6.4 Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

When using do not eat, drink, smoke, sniff.

Protective measures

All work processes must always be designed so that the following is excluded: Inhalation of vapours or spray/mists Skin contact Eye contact Wear personal protection equipment (refer to section 8). Always close containers tightly after the removal of product. Do not breathe gas/fumes/vapour/spray. Use only in well-ventilated areas. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

Measures to prevent fire

The product is not: Flammable Usual measures for fire prevention.

R

Fire class :

Shake well before use nein

Advices on general occupational hygiene

P362+P364 - Take off contaminated clothing and wash it before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container. The floor should be leak tight, jointless and not absorbent. Ensure adequate ventilation of the storage area.

Hints on joint storage

Storage class (TRGS 510): 10

Protect from frost nein

Recommended storage temperature 5 - 25 °C

Further information on storage conditions

Keep locked up and out of reach of children. Keep container tightly closed in a cool, well-ventilated place.

7.3 Specific end use(s)

Recommendation

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

2-AMINOETHANOL ; CAS No. : 141-43-5

Limit value type (country of origin) :	TRGS 900 (D)
Limit value :	0,2 ppm / 0,5 mg/m ³
Peak limitation :	1(I)
Remark :	H, Sh, Y
Version :	01.03.2018
Limit value type (country of origin) :	STEL (EC)
Limit value :	3 ppm / 7,6 mg/m ³
Remark :	Н
Version :	31.01.2018

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Trade name :

Revision date : Print date :

Lithofin Abra-CLEAN

30.01.2019 13.02.2019 Version (Revision) :

4.0.2 (4.0.1)

Limit value type (country of origin): TWA (EC) Limit value: 1 ppm / 2,5 mg/m³ Remark: H Version: 31.01.2018

8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation of the storage area.

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Personal protection equipment

Eye/face protection

Suitable eye protection

Eye glasses with side protection goggles

Required properties

DIN EN 166

Skin protection

Hand protection

Suitable gloves type : Gloves with long cuffs

Suitable material : NBR (Nitrile rubber), 0,4mm, >8h; Butyl caoutchouc, 0,5mm, >8h; FKM (fluoro rubber), 0,7mm, >8h;

Recommended glove articles : Manufacturer KCL GmbH/Eichenzell-Germany; Ansell/Yarra City-Australia Or comparable articles from other companies.

Additional hand protection measures : Check leak tightness/impermeability prior to use.

Remark : Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams are not substitutes for body protection.

Body protection

Protective clothing.

Suitable protective clothing : Chemical protection clothing Chemical resistant safety shoes

Required properties : alkali-resistant.

Protective clothing. : DIN EN ISO 20345 DIN EN 13034 DIN EN 14605 footwear : DIN EN 14404

Remark : Barrier creams are not substitutes for body protection.

Respiratory protection

Usually no personal respirative protection necessary. Respiratory protection necessary at: insufficient ventilation aerosol or mist formation. high concentrations spray application

Suitable respiratory protection apparatus

Combination filtering device (EN 14387) Half-face mask (DIN EN 140) ABEK-P1

Remark

Use only respiratory protection equipment with CE-symbol including four digit test number. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

General health and safety measures

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. When using do not eat, drink, smoke, sniff. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Wash contaminated clothing prior to reuse. Wash hands before breaks and after work. Apply skin care products after work. Do not breathe gas/fumes/vapour/spray.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: viscous Colour: beige

Safety Data Sheet		No. 1907/20	06 (REACH))		(EN / D
evision date : 3	_itho 0.01.2019 3.02.2019	fin Abra-(CLEAN	Version (Rev	ision) :	4.0.2 (4.0.1)
Odour : fruit	v					
Safety relevant ba	, sis dat	ta				
Melting point/melting ra		(1013 hPa)	<	-20	°C	
Initial boiling point and	boiling	(1013 hPa)	>	100	°C	
range : Decomposition temperat	ure :	(1013 hPa)		not determined		
Flash point :		. ,	>	100	°C	closed cup
Ignition temperature :				not determined		(EN ISO 3679)
Sustaining combustion				No		UN Test L2:Sustained
Lower explosion limit : Upper explosion limit :				not determined not determined		combustibility test
Vapour pressure :		(50 °C)	<	3000	hPa	
Density :		(20 °C)		1,3	g/cm ³	Pyknometer (DIN EN ISO 2811-1)
Solvent separation test :		(20 °C)	<	3	%	Test L1: Solvent separation test (UN)
Water solubility		(20 °C)		emulsifiable		
pH :			approx.	10		DIN 19268
log P O/W :		(not determined		(Mixture) ISO cup 4 mm
Flow time :		(23 °C)	>	1437	S	(DIN EN ISO 2431)
Odour threshold : Vapourisation rate :				not determined not determined		
VOC content-EC			approx.	23,2	Wt %	*
VOC-France				not applicable		Décret no 2011-321 d 23 mars 2011

(* VOC-EC = "Volatile organic compound (VOC)" means any organic compound having an initial boiling point less than or equal to 250° C measured at a standard pressure of 101,3 kPa; VOC-value in g/L)

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Stable under recommended storage and handling conditions.

10.5 Incompatible materials

The product develops hydrogen in an aqueous solution in contact with metals.

10.6 Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects

There are no data available on the preparation/mixture itself. Data apply to the main component. **Acute oral toxicity**

fety Data She		1007/2006 (DEACH)	,	(EN / I	
cording to Regulation (EC) No. 1907/2006 (REACH)					
ade name :	Lithofi	n Abra-CLEAN			
sion date :	30.01.2019		Version (Revision) :	4.0.2 (4.0.1	
t date :	13.02.2019				
Parameter :		LD50 (2-AMINOETHANOL ; CA	S No. • 141-43-5)		
Exposure route :		Oral	5110.1111155)		
Species :		Rat			
Effective dose :		2100 mg/kg			
Parameter :		LD50 (Alcohols, C12-14, ethoxy	ylated, sulfates, sodium salts ; CAS	No.: 68891-38-3	
Exposure route :		Oral			
Species :		Rat			
Effective dose :		4100 mg/kg			
Parameter :		LD50 (Hydrocarbons, C13-C18,	, n-alkanes, isoalkanes, cyclics, <	2% aromatics ; C/	
		No. : (64742-47-8))			
Exposure route :		Oral			
Species :		Rat			
Effective dose :		> 5000 mg/kg			
Acute dermal toxi	city				
Parameter :		LD50 (Alcohols, C12-14, ethoxy	ylated, sulfates, sodium salts ; CAS	No.: 68891-38-3	
Exposure route :		Dermal			
Species :		Rat			
Effective dose :		> 2000 mg/kg			
Parameter :		LD50 (Hydrocarbons, C13-C18, No. : (64742-47-8))	, n-alkanes, isoalkanes, cyclics, <	2% aromatics ; C/	
Exposure route :		Dermal			
Species :		Rabbit			
Effective dose :		> 2000 mg/kg			
Parameter :		LD50 (2-AMINOETHANOL ; CA	S No. : 141-43-5)		
Exposure route :		Dermal			
Species :		Rabbit			
Effective dose :		1000 mg/kg			
Specific sympto	oms in anin	nal studies			
		preparation/mixture itself.			
Irritant and cor		• •			
Assessment/class					
Causes serious eye	damage. Cause	es severe burns.			
Sensitisation					
There are no data av	ailable on the _l	preparation/mixture itself.			
Repeated dose	toxicity (sı	ıbacute, subchronic, c	hronic)		
-		preparation/mixture itself.	2		
			toxicity for reproductio	n)	
-	liciliogenie	icy, matagementy and	toxicity for reproductio	,	
Carcinogenicity	wailabla on the	proparation (mixture itself			
		preparation/mixture itself.			
Other informatio					
No indication of h		nicity.			
Germ cell mutage	-				
		preparation/mixture itself.			
No indications of hu	uman germ cell	mutagenicity exist.			
Reproductive toxi	city				
There are no data a	available on the	preparation/mixture itself.			
Other informatio	n				
No indications of I	numan reprodu	ctive toxicity exist.			
Overall Assessme					
	-	-	cation as CMR category 1A or 1B	according to CLF	
STOT-single ex					
See SECTION 2.1 (cl					
STOT-repeated	-				
See SECTION 2.1 (cl	assification).				
Aspiration haza	rd				
•					
		$\mathbf{D}_{\mathbf{D}}_{\mathbf{D}_{\mathbf{D}_{\mathbf{D}}_{\mathbf{D}_{\mathbf{D}_{\mathbf{D}}_{\mathbf{D}_{\mathbf{D}}}}}}}}}}$			
		Page : 7 / 12			
				(EN / I	

according to Regulation (EC) No. 1907/2006 (REACH)						
Trade name : Revision date : Print date :	Lithofin Abra-CLEAN 30.01.2019 13.02.2019	Version (Revision) :	4.0.2 (4.0.1)			
See SECTION 2.1 (cl	assification).					
SECTION 12: Ecologi	cal information					
Aquatic toxicity	n component. There are no data available , n) daphnia toxicity	on the preparation/mixture itself.				
Parameter : Species : Effective dose : Exposure time :		thoxylated, sulfates, sodium salts ; CAS	No. : 68891-38-3)			
Acute (short-term) algae toxicity					
Parameter : Species : Effective dose : Exposure time :	EC50 (Alcohols, C12-14, et Daphnia 7,2 mg/l 48 h	hoxylated, sulfates, sodium salts ; CAS	No.:68891-38-3)			

Effects in sewage plants

Observe local regulations concerning effluent treatment. Before discharge into sewage plants the product normally needs to be neutralised.

12.2 Persistence and degradability

There are no data available on the preparation/mixture itself.

Biodegradation

Safety Data Sheet

The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3 Bioaccumulative potential

There are no data available on the preparation/mixture itself.

12.4 Mobility in soil

There are no data available on the preparation/mixture itself.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Other adverse effects

There are no data available on the preparation/mixture itself.

12.7 Additional ecotoxicological information

Additional information

The product has not been tested.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose according to legislation.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

Waste code (EWC/AVV): 07 06 04*

Waste code packaging

Waste code packaging: 15 01 10*

Waste treatment options

29/35 - Do not empty into drains; dispose of this material and its container in a safe way. Delivery to an approved waste disposal company.

(EN/D)

Safety Data Sheet	
according to Regulation (EC) No. 1907/2006 (REACH))

Trade name :

Revision date : Print date : Lithofin Abra-CLEAN

30.01.2019 13.02.2019 Version (Revision) :

4.0.2 (4.0.1)

Appropriate disposal / Package

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of.

13.2 Additional information

These codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code not required.

SECTION 15: Regulatory information

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (clp) Directive 2008/98/EC of the European Parliament and of the Council on waste (2000/532/EC) EN 2:1992 (DIN EN 2:2005-01)

Authorisations and/or restrictions on use

Restrictions on use

Use restriction according to REACH annex XVII, no. : None, if handled according to order.

Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Other regulations (EU)

Regulation (EC) No. 648/2004 (Detergents regulation)

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work. (Directive 2000/39/EC, Directive 2006/15/EC, Directive 2009/161/EC)

REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the export and import of hazardous chemicals [PIC-Regulation]

REGULATION (EU) No 98/2013 on the marketing and use of explosives precursors: Not applicable.

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer Not applicable.

Contains the following substances that deplete the ozone layer: -

Regulation (EC) No 850/2004 [POP-Regulation]

Not applicable.

Name of the persistent organic pollutant (POP): -

National regulations

Safety Data She	e t tion (EC) No. 1907/2006 (F		(EN / [
	1011 (EC) NO. 1907/2008 (F	(EACH)	
Frade name :	Lithofin Abra-CLE	AN	
Revision date :	30.01.2019	Version (Revision) :	4.0.2 (4.0.1)
rint date :	13.02.2019		
Observe in addition	any national regulations!		
Germany:			
TRGS 400 (Risk asse TRGS 500 (Protectiv	essment for activities involving hazard e measures)	ous substances)	
TRGS 510 Storage	of hazardous substances in non-statio		
	instruction and information for worked	rs)	
Water hazard clas		anding to Auch	
,	azardous to water) Classification acc , restrictions and prohibition regu	÷	
Switzerland	restrictions and promblion regu		
VOCV-Regulation	n		
Maximum VOC c	ontent (Switzerland) : < 3 Wt %	according to VOCV	
5.2 Chemical safety	assessment		
	xture a chemical safety assessment ha	as not been carried out.	
5.3 Additional inform	nation		
SECTION 16: Other i	nformation		
6.1 Indication of cha	anges		
07. Hints on joint stor	-		
6.2 Abbreviations a	nd acronyms		
ABC-Pulver	Extinguishing powder for fire clas	ss A, B and C	
ABEK-P1	combination filter	,	
ADR	European Agreement concerning	the International Carriage of Dangerous	Goods by Road
AVV	Abfallverzeichnis-Verordnung (W		
AWSV		ndling of substances hazardous to water	
BGR	BG rules and regulations	-	
ca.	circa		
CAS	Chemical Abstract Service		
CLP	classification, labelling and packa	iging	
CMR	Carcinogen, mutagen or toxic for	reproduction	
DIN	German Institute for Standardiza	tion	
DNEL	Derived No-Effect Level		
EAK/EWC/EAC/CWR/	CER European Waste Catalogue		
	Effective Concentration E00/		
EC50 / CE50	Effective Concentration 50%		
EG / EC / CE	European Community		
EG / EC / CE	European Community	of the european union	
EG / EC / CE EN	European Community European Standard		
EG / EC / CE EN EUH	European Community European Standard supplemental hazard statement o		
EG / EC / CE EN EUH GefStoffV	European Community European Standard supplemental hazard statement o Gefahrstoffverordnung (Hazardo		
EG / EC / CE EN EUH GefStoffV GHS / SGH	European Community European Standard supplemental hazard statement of Gefahrstoffverordnung (Hazardon Globally Harmonised System hazard statements		
EG / EC / CE EN EUH GefStoffV GHS / SGH H-Sätze	European Community European Standard supplemental hazard statement of Gefahrstoffverordnung (Hazardon Globally Harmonised System hazard statements International Air Transport Assoc	us Substances Ordinance)	Dangerous
EG / EC / CE EN EUH GefStoffV GHS / SGH H-Sätze IATA-DGR	European Community European Standard supplemental hazard statement of Gefahrstoffverordnung (Hazardou Globally Harmonised System hazard statements International Air Transport Assoc International Code for the Constr	us Substances Ordinance) iation-Dangerous Goods Regulations ruction and Equipment of Ships carrying D	angerous
EG / EC / CE EN EUH GefStoffV GHS / SGH H-Sätze IATA-DGR IBC-Code	European Community European Standard supplemental hazard statement of Gefahrstoffverordnung (Hazardon Globally Harmonised System hazard statements International Air Transport Assoc International Code for the Constr Chemicals in Bulk	us Substances Ordinance) iation-Dangerous Goods Regulations ruction and Equipment of Ships carrying D ization-Technical Instructions	Dangerous
EG / EC / CE EN EUH GefStoffV GHS / SGH H-Sätze IATA-DGR IBC-Code ICAO-TI	European Community European Standard supplemental hazard statement of Gefahrstoffverordnung (Hazardon Globally Harmonised System hazard statements International Air Transport Assoc International Code for the Constr Chemicals in Bulk International Civil Aviation Organ	us Substances Ordinance) iation-Dangerous Goods Regulations ruction and Equipment of Ships carrying D ization-Technical Instructions s Goods Code	Dangerous
EG / EC / CE EN EUH GefStoffV GHS / SGH H-Sätze IATA-DGR IBC-Code ICAO-TI IMDG-Code	European Community European Standard supplemental hazard statement of Gefahrstoffverordnung (Hazardon Globally Harmonised System hazard statements International Air Transport Assoc International Code for the Constr Chemicals in Bulk International Civil Aviation Organ International Maritime Dangerou	us Substances Ordinance) iation-Dangerous Goods Regulations ruction and Equipment of Ships carrying D ization-Technical Instructions s Goods Code)angerous
EG / EC / CE EN EUH GefStoffV GHS / SGH H-Sätze IATA-DGR IBC-Code ICAO-TI IMDG-Code ISO	European Community European Standard supplemental hazard statement of Gefahrstoffverordnung (Hazardou Globally Harmonised System hazard statements International Air Transport Assoc International Code for the Constr Chemicals in Bulk International Civil Aviation Organ International Maritime Dangerous International Organization for Sta	us Substances Ordinance) iation-Dangerous Goods Regulations ruction and Equipment of Ships carrying D ization-Technical Instructions s Goods Code)angerous

rade name : evision date : int date :	Lithofin Abra-CLEAN Version (Revision): 4.0.2 (4.0) 30.01.2019 Version (Revision): 4.0.2 (4.0)
MARPOL	International Convention for the Prevention of Pollution from Ships (marine pollution)
NOAEL (DSET)	No observed adverse effect level
NOEC (CSEO)	No observed effect concentration
Nr.	Number
OECD	Organisation for Economic Co-operation and Development
PBT	persistent, bioaccumulative and toxic
pH	Potentia hydrogenii
PIC	prior informed consent
PNEC	Predicted No-Effect Concentration
POP	Persistent organic pollutants
P-Sätze	precautionary statements
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	International Carriage of Dangerous Goods by Rail
STEL / LECT	short-term exposure limit
TRGS	Technische Regeln für Gefahrstoffe (Technical Rules for Hazardous Substances)
TWA / MPT	time-weighted average
UN/ONU	United Nations
VOC/COV/VOS/LZO	Volatile Organic Compound
VOCV	Ordinance on the Incentive Tax on Volatile Organic Compounds (SR 814.018)
vPvB	very persistent and very bioaccumulative
WGK	Wassergefährdungsklasse (Water hazard class)

Regulation (EC) No 1272/2008 (GHS)

ECHA: Registered substances (https://echa.europa.eu/information-on-chemicals/registered-substances) REACH Art. 59: -Candidate List of substances of very high concern for Authorisation (https://www.echa.europa.eu/candidate-list-table)

Classification for mixtures and used evaluation method according to regulation (EC) 16.4 No 1272/2008 [CLP]

Hazard statements for physical hazards : On basis of test data. Hazard statements for health hazards : Calculation method. Hazard statements for environmental hazards : Calculation method.

16.5 Relevant H- and EUH-phrases (Number and full text)

H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H332 Harmful if inhaled. H335 May cause respiratory irritation. Very toxic to aquatic life. H400 H412 Harmful to aquatic life with long lasting effects.

16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day

Safety Data Sheet (EN/ according to Regulation (EC) No. 1907/2006 (REACH)					
Lithofin Abra-CL	.EAN				
30.01.2019 13.02.2019	Version (Revision) :	4.0.2 (4.0.1)			
	on (EC) No. 1907/2006 Lithofin Abra-CL ^{30.01.2019}	on (EC) No. 1907/2006 (REACH) Lithofin Abra-CLEAN 30.01.2019 Version (Revision) :			