acc	fety Data She			(EN / D
		1011 (EC) 140. 190	07/2006 (REACH)	
Revis	ade name : sion date : : date :	Lithofin M 30.01.2019 13.02.2019	N Builder's Clean Version (Revision) :	3.0.2 (3.0.1)
SEC	TION 1: Identific	ation of the sub	stance/mixture and of the company/ und	lertaking
.1	Product identifie Lithofin MN Builder´s	-		
.2	Relevant identi		ubstance or mixture and uses advised ag	ainst
3	-		er/only representative/downstream user	/distributor
	Distributor :	, ,	Casdron Enterprises Ltd.	
	Street :		Wood End, Prospect Road	
	Postal code/city :		GB- New Alresford, Hants SO 24 9QF	
	Telephone :		+44 1962 732126	
	Telefax :		+44 1962 735373	
	Contact :		Technical Department	
			E-mail: sales@lithofin.co.uk	
			Emergency telephone number:	
			0196 2732126	
			(Only available during office hours)	
	Supplier :		Lithofin AG	
	Street :		Heinrich-Otto-Str. 36	
	Postal code/city :		73240 Wendlingen	
	Telephone :		+49 (0)7024 9403-0	
	Telefax :		+49 (0)7024 9403-40	
	Contact :		Technical Department E-mail: info@lithofin.de	
			Emergency telephone number: +49 (0)7024 9403-0 (Only available during office hours)	
.4	Emergency telep	ohone number		
εC	TION 2: Hazards	identification		
		ccording to Reg	ulation (EC) No 1272/2008 [CLP] eye irritation : Category 1 ; Causes serious eye damage.	
2.1	Skin Corr. 1B ; H314 Met. Corr. 1 ; H290 Additional infor	- Corrosive to metals : mation	ion : Category 1B ; Causes severe skin burns and eye dan Category 1 ; May be corrosive to metals.	lage.
2.1	Skin Corr. 1B ; H314 Met. Corr. 1 ; H290 Additional infor The mixture is classi	- Corrosive to metals : mation		lage.
2.1	Skin Corr. 1B ; H314 Met. Corr. 1 ; H290 Additional infor The mixture is classi Remark	- Corrosive to metals : • mation fied as hazardous acco	Category 1 ; May be corrosive to metals. rding to regulation (EC) No 1272/2008 [CLP].	lage.
	Skin Corr. 1B ; H314 Met. Corr. 1 ; H290 Additional infor The mixture is classi Remark Full text of H- and E	- Corrosive to metals : mation	Category 1 ; May be corrosive to metals. rding to regulation (EC) No 1272/2008 [CLP].	lage.
	Skin Corr. 1B ; H314 Met. Corr. 1 ; H290 Additional infor The mixture is classi Remark Full text of H- and E Label elements	- Corrosive to metals : mation fied as hazardous acco UH-phrases: see sectio ding to Regulati	Category 1 ; May be corrosive to metals. rding to regulation (EC) No 1272/2008 [CLP].	lage.
2.2	Skin Corr. 1B ; H314 Met. Corr. 1 ; H290 Additional infor The mixture is classi Remark Full text of H- and E Label elements Labelling accor	- Corrosive to metals : mation fied as hazardous acco UH-phrases: see sectio ding to Regulati	Category 1 ; May be corrosive to metals. ording to regulation (EC) No 1272/2008 [CLP].	lage.
	Skin Corr. 1B ; H314 Met. Corr. 1 ; H290 Additional infor The mixture is classi Remark Full text of H- and E Label elements Labelling accor	- Corrosive to metals : mation fied as hazardous acco UH-phrases: see sectio ding to Regulati	Category 1 ; May be corrosive to metals. ording to regulation (EC) No 1272/2008 [CLP].	lage.

Trade name : Revision date : Print date :	Lithofin MN Builder´s C 30.01.2019 13.02.2019	Version (Revision) :	3.0.2 (3.0.1)
P			
Corrosion (GHS05)			
Signal word			
Danger			
Hazard components PHOSPHORIC ACID ;	-		
Hazard statements	CAS NO. : 7004-38-2		
H290	May be corrosive to metals.		
H314	Causes severe skin burns and eye damage.		
Precautionary state	, -		
P102	Keep out of reach of children.		
P234	Keep only in original packaging.		
P280	Wear protective gloves/protective clothing/ey	ve protection/face protection.	
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for se	everal minutes. Remove contac	t lenses, if preser
D 405	and easy to do. Continue rinsing.		
P405	Store locked up.		
Other labelling			
2.3 Other hazards			

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

· · · · · · · · · · · · · · · · · · ·	
PHOSPHORIC ACID ; REACH registration	on No. : 01-2119485924-24-xxxx ; EC No. : 231-633-2; CAS No. : 7664-38-2
Weight fraction :	≥ 15 - < 20 %
Classification 1272/2008 [CLP] :	Met. Corr. 1 ; H290 Skin Corr. 1B ; H314 Eye Dam. 1 ; H318
HYDROGEN CHLORIDE ; REACH regist	ration No. : 01-2119484862-27-xxxx ; EC No. : 231-595-7; CAS No. : 7647-01-0
Weight fraction :	≥ 1 - < 5 %
Classification 1272/2008 [CLP] :	Met. Corr. 1 ; H290 Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 STOT SE 3 ; H335
TRISODIUM NITRILOTRIACETATE ; RI 31-3	EACH registration No. : 01-2119519239-36-xxxx ; EC No. : 225-768-6; CAS No. : 5064-
Weight fraction :	< 0,5 %
Classification 1272/2008 [CLP] :	Carc. 2 ; H351 Acute Tox. 4 ; H302 Eye Irrit. 2 ; H319
Additional information	
All ingredients of this mixture are (pre)	registered according to REACH regulation.

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious place in recovery position and seek medical advice.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name :

Revision date : Print date : Lithofin MN Builder's Clean

30.01.2019 13.02.2019 Version (Revision) :

3.0.2 (3.0.1)

Following inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. In case of respiratory tract irritation, consult a physician.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. Do not wash with: Cleaning agent, acidic Cleaning agent, alkaline Solvents/Thinner

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

After ingestion

Call a physician immediately. Keep at rest. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed Notes for the doctor

Treat symptomatically.

Special treatment

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray ABC-powder Foam

Unsuitable extinguishing media

Full water jet Strong water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide Carbon dioxide (CO2) Hydrogen chloride (HCl)

5.3 Advice for firefighters

Use suitable breathing apparatus.

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Use water spray jet to protect personnel and to cool endangered containers. Do not allow run-off from fire-fighting to enter drains or water courses. Do not inhale explosion and combustion gases. The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8). Provide adequate ventilation. Remove persons to safety.

6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

For cleaning up

Suitable material for taking up: Universal binder Clean contaminated articles and floor according to the environmental legislation. Retain contaminated washing water and dispose it. Dispose of waste according to applicable legislation.

	fety Data She	et tion (EC) No. 1907/2006 (F	REACH)	(EN / D
	ade name :	Lithofin MN Build		
	sion date : : date :	30.01.2019 13.02.2019	Version (Revision) :	3.0.2 (3.0.1)
	Other informat Clear spills immedia			
.4	Reference to otl	ner sections		
	Safe handling: see se Personal protection e Disposal: see section	quipment: see section 8		
SEC	TION 7: Handling	g and storage		
.1	Precautions for	safe handling		
		at, drink, smoke, sniff.		
	Protective mea	sures		
	Skin contact Eye cor the removal of prod ventilation is not po	ntact Wear personal protection equipn uct. Do not breathe gas/fumes/vapour ssible or not sufficient, the entire work pplication of suitable work processes h	bllowing is excluded: Inhalation of vapours nent (refer to section 8). Always close con r/spray. Use only in well-ventilated areas. ting area must be ventilated by technical n nave priority over personal protection equi	tainers tightly afte If local exhaust means. Technical
	•	Flammable Usual measures for fire p	revention.	
	Fire class :	-		
	Shake well before	r e use nein		
		eral occupational hygiene off contaminated clothing and wash it	hefore reuse	
.2		afe storage, including any i		
		for storage rooms and vess	-	
	Keep container tight absorbent. Ensure a	ly closed. Keep/Store only in original of dequate ventilation of the storage are	container. The floor should be leak tight, j	ointless and not
	Hints on joint s	torage		
	Storage class (TR	-		
	Protect from fros	t nein orage temperature 5 - 25 °C		
	Further informa	ation on storage conditions		
			er tightly closed in a cool, well-ventilated	place.
.3	Specific end use			
	Recommendati Observe technical da	on ata sheet. Observe instructions for use	<u>.</u>	
BEC	TION 8: Exposur	e controls/personal protec	tion	
.1	Control paramet	ters		
	-	xposure limit values		
	Limit value type (co Parameter : Limit value	untry of origin): TRGS 900 (D) E: inhalable fraction 2 mg/m ³		

Limit value type (country of origin) :	TRGS 900 (D)
Parameter :	E: inhalable fractio
Limit value :	2 mg/m ³
Peak limitation :	2(I)
Remark :	Υ
Version :	01.03.2018
Limit value type (country of origin) :	STEL (EC)
Limit value :	2 mg/m ³
Version :	31.01.2018
Limit value type (country of origin) :	TWA (EC)
Limit value :	1 mg/m ³

Safety Data				(EN / D
iccording to Re	gulation (EC) I	No. 1907/2006 (REA	ACH)	
Frade name Revision date : Print date :	2: Litho 30.01.2019 13.02.2019	fin MN Buildei	's Clean Version (Revision) :	3.0.2 (3.0.1)
Version :		31.01.2018		
	ILORIDE ; CAS No. : 1			
	pe (country of origin)			
Limit value		$2 \text{ ppm} / 3 \text{ mg/m}^3$		
Peak limita Remark :	tion :	2(I) Y		
Version :		01.03.2018		
	pe (country of origin)			
Limit value		$10 \text{ ppm} / 15 \text{ mg/m}^3$		
Version :		31.01.2018		
	pe (country of origin)			
Limit value		$5 \text{ ppm} / 8 \text{ mg/m}^3$		
Version :		31.01.2018		
.2 Exposure co	ontrols			
•	e engineering	controls		
Ensure adequa	ate ventilation of the	e storage area.	esses have priority over personal prote	ection equinment
	rotection equi		esses have priority over personal prote	cettori equipinent.
=		pinent		
Eye/face				
-	e protection			
	with side protection	1 goggles		
Required p DIN EN 166	•			
Skin prote	ection			
Hand prote	ction			
Suitable n		-	utyl caoutchouc, 0,5mm, >8h; FKM (fl	uoro rubber),
			H/Eichenzell-Germany; Ansell/Yarra Cit	y-Australia Or
•		•	ntness/impermeability prior to use.	
	-	-	he material must be taken into conside	eration. The quality
			sen as a function of the specific working	
concentratio	on and quantity of h	azardous substances. For s	pecial purposes, it is recommended to	check the
			above together with the supplier of th	nese gloves.
		tes for body protection.		
Body prote Protective of				
	0	· Chemical protection cloth	ing Chemical resistant safety shoes	
	properties : acid-re		any chemical resistant salety shoes	
	•	60 20345 DIN EN 13034 DII	N EN 14605	
	DIN EN 14404			
Remark :	Barrier creams are n	ot substitutes for body prot	ection.	
Respirato	ry protection			
-		rotection necessary. Respire	atory protection necessary at: insufficie	ent ventilation
		oncentrations spray applica		
Suitable res	spiratory protection	on apparatus		
Combinatio	n filtering device (El	N 14387) Half-face mask (D	IN EN 140) ABEK-P1	
Remark				

Remark

Use only respiratory protection equipment with CE-symbol including four digit test number. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

General health and safety measures

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. When using do not eat, drink, smoke, sniff. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Wash contaminated clothing prior to re-

	f ety Data Sh ording to Regula		No. 1907/20	06 (REACH)		(EN /
Trade name : Lith Revision date : 30.01.20		Litho 30.01.2019 13.02.2019	ofin MN Builder's Clean 9 Version (Revision) :		3.0.2 (3.0.1		
	use. Wash hands b gas/fumes/vapour,	/spray.			oducts after work. I	Do not bre	eathe
EC	TION 9: Physica	al and cher	nical propert	ies			
.1	Information on	basic phy	sical and che	mical prop	erties		
	Appearance :	Liquid					
	Colour :	light red					
	Odour :	perfumed					
	Safety relevar	nt basis dat	ta				
	_ Melting point/mel	ting range :	(1013 hPa)	<	-13	°C	
	Initial boiling poin range :	t and boiling	(1013 hPa)	approx.	96	°C	
	Decomposition ter	nperature :	(1013 hPa)		not determined		
	Flash point :				not applicable		closed cup (EN ISO 3679)
	Ignition temperate	ure :			not determined		(EN 150 5079)
	Sustaining combus				No		UN Test L2:Sustaine
	Lower explosion li				not determined		combustibility test
	Upper explosion li				not determined		
	Vapour pressure :		(50 °C)	<	3000	hPa	Pyknometer (DIN EN
	Density :		(20 °C)		1,13	g/cm ³	ISO 2811-1)
	Solvent separation	test :	(20 °C)	<	3	%	Test L1: Solvent separation test (UN)
	Water solubility		(20 °C)		miscible		separation test (ON)
	pH :			approx.	0		DIN 19268
	log P O/W :				not determined		(Mixture) ISO cup 4 mm
	Flow time :		(23 °C)	<	15	S	(DIN EN ISO 2431)
	Odour threshold :				not determined not determined		
	Vapourisation rate VOC content-EC			approx.	0,8	Wt %	*
	VOC-France				not applicable		Décret no 2011-321 23 mars 2011

(* VOC-EC = "Volatile organic compound (VOC)" means any organic compound having an initial boiling point less than or equal to 250° C measured at a standard pressure of 101,3 kPa; VOC-value in g/L)

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Stable under recommended storage and handling conditions.

10.5 Incompatible materials

The product develops hydrogen in an aqueous solution in contact with metals.

10.6 Hazardous decomposition products

afety Data She		1007/2006 (BI		(EN / [
ccording to Regula				
rade name :	Litho1 30.01.2019	fin MN Builde	er's Clean Version (Revision) :	3.0.2 (3.0.1
int date :	13.02.2019			,
Does not decompose	when used for	r intended uses.		
ECTION 11: Toxico	logical info	ormation		
1.1 Information on	toxicologi	cal effects		
Acute effects				
There are no data a	vailable on the	e preparation/mixture itsel	If. Data apply to the main component.	
Acute oral toxicit	y			
Parameter :			CID ; CAS No. : 7664-38-2)	
Exposure route :		Oral Rat		
Species : Effective dose :		Rat 1530 mg/kg		
Parameter :		5. 5	RILOTRIACETATE ; CAS No. : 5064-31-3)	
Exposure route :		Oral	_,,	
Species :		Rat		
Effective dose :		1450 mg/kg		
Acute dermal tox	icity			
Parameter :		•	CID ; CAS No. : 7664-38-2)	
Exposure route : Species :		Dermal Rabbit		
Effective dose :		2740 mg/kg		
Parameter :		.	RILOTRIACETATE ; CAS No. : 5064-31-3)	
Exposure route :		Dermal	,,	
Species :		Rabbit		
Effective dose :		> 10000 mg/kg		
Acute inhalation	toxicity			
Parameter :			ORIDE ; CAS No. : 7647-01-0)	
Exposure route : Species :		Inhalation Rat		
Effective dose :		3124 ppm		
Specific sympto	oms in ani	••		
		e preparation/mixture itsel	lf	
Irritant and co				
Assessment/class				
Causes serious eye		ses severe hurns		
Sensitisation	, aanager eaa			
	vailable on the	e preparation/mixture itsel	lf	
		subacute, subchro		
•		e preparation/mixture itsel		
			and toxicity for reproduction	`
Carcinogenicity	archiogeni	city, mutagemeny	and toxicity for reproduction)
	available on th	ne preparation/mixture its	elf	
Other information				
No indication of h		aenicity.		
Germ cell mutage		5		
		ne preparation/mixture its	elf.	
		Il mutagenicity exist.		
Reproductive tox	-			
		ne preparation/mixture its	elf.	
Other informatio				
		uctive toxicity exist.		
Overall Assessme	-	-	electricities as CMD anter the to	
-		o not meet the criteria for	classification as CMR category 1A or 1B a	according to CLP
STOT-single ex	posure			
		Dago y 7 /	12	
		Page : 7 /	12	/ ENL / F
				(EN / [

(EN/D)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)		(EN / D)	
Trade name :	Lithof	in MN Builder´s Clean	
Revision date : Print date :	30.01.2019 13.02.2019	Version (Revision) :	3.0.2 (3.0.1)
See SECTION 2.1 (c	lassification)		
STOT-repeated			
See SECTION 2.1 (c	-		
Aspiration haza	ard		
See SECTION 2.1 (c	classification).		
SECTION 12: Ecolog	ical inform	ation	
12.1 Toxicity			
Data apply to the ma	in component.	There are no data available on the preparation/mixture itself.	
Aquatic toxicity	-		
Acute (short-tern	n) algae toxici	-	
Parameter : Species :		EC50 (TRISODIUM NITRILOTRIACETATE ; CAS No. : 5064-31-3) Daphnia	
Effective dose :		> 100 mg/l	
Exposure time :		48 h	
Effects in sewa			
Observe local regula needs to be neutral		ng effluent treatment. Before discharge into sewage plants the pr	oduct normally
12.2 Persistence and	degradabi	lity	
		reparation/mixture itself.	
Biodegradation			
648/2004 on deterg	ents. Data to s	xture complies with the biodegradability criteria as laid down in F upport this assertion are held at the disposal of the competent at vailable to them, at their direct request or at the request of a det	uthorities of the
12.3 Bioaccumulative			
	ailable on the p	reparation/mixture itself.	
12.4 Mobility in soil			
		reparation/mixture itself.	
12.5 Results of PBT a		t meet the PBT/vPvB criteria according to REACH, annex XIII.	
12.6 Other adverse e			
		reparation/mixture itself.	
12.7 Additional ecoto	oxicologica	information	
Additional informa			
The product has no	t been tested.		
SECTION 13: Dispos	al consider	ations	
13.1 Waste treatmen	t methods		
Dispose according to Waste disposal accor		e 2008/98/EC, covering waste and dangerous waste.	
Product/Packa			
	-	ns according to EWC/AVV	
Waste code proc			
Waste code (EWG Waste code pacl			
Waste code pack		*	
Waste treatment	options		
		dispose of this material and its container in a safe way. Delivery	to an approved
waste disposal cor Appropriate disp		16	

Appropriate disposal / Package

Safety Data She	et ion (EC) No. 1907/2006 (REACH)	(EN / D
	UII (EC) NO. 1907/2000 (REACH)	
Trade name : Revision date : Print date :	Lithofin MN Builder's Clean 30.01.2019 13.02.2019 Version (Revision) :	3.0.2 (3.0.1)
	kages must be completely emptied and can be re-used following proper cle	aning. Packing which
13.2 Additional inform		
	ned based upon the most common uses for this material and may not refle	ct contaminants
SECTION 14: Transpo	ort information	
14.1 UN number		
UN 1760 14.2 UN proper shipp	ng name	
Land transport (AD	-	
Sea transport (IMD	G)	
• ,	I.O.S. (PHOSPHORIC ACID · HYDROCHLORIC ACID)	
Air transport (ICAO CORROSIVE LIQUID,	I.O.S. (PHOSPHORIC ACID · HYDROCHLORIC ACID)	
14.3 Transport hazar		
Land transport (AD	R/RID)	
Class(es) :	8	
Classification code Hazard identificatio		
No.) :	80	
Tunnel restriction		
Special provisions	LQ 1 I · E 2	
Hazard label(s) :	8	
Sea transport (IMD Class(es) :	رد 8	
EmS-No. :	F-A / S-B	
Special provisions	LQ 1 · E 2 · IMDG-Code segregation group 1 - Acids	
Hazard label(s) :	8	
Air transport (ICAC	-	
Class(es) :	8 E 2	
Special provisions Hazard label(s) :	E 2 8	
14.4 Packing group	U U U U U U U U U U U U U U U U U U U	
14.5 Environmental h	azards	
Land transport (AD		
Sea transport (IMD		
Air transport (ICAO	-TI / IATA-DGR): No	
14.6 Special precaution	ons for user	
None		
14.7 Transport in bull not required.	according to Annex II of Marpol and the IBC Code	
SECTION 15: Regulat	ory information	
	d environmental regulations/legislation specific for	the substance o
mixture	-	
EU legislation		
REGULATION (EC) N (REACH)	o 1907/2006 concerning the Registration, Evaluation, Authorisation and Res	striction of Chemicals

Safety Data She	at		(EN / D		
according to Regulation (EC) No. 1907/2006 (REACH)					
Trade name :	Lithofin MN Builder				
Revision date : Print date :	30.01.2019 13.02.2019	Version (Revision) :	3.0.2 (3.0.1)		
EN 2:1992 (DIN EN	C of the European Parliament and of the (2:2005-01) d/or restrictions on use	Council on waste (2000/532/EC)			
Restrictions on u	ISE				
Use restriction ac	cording to REACH annex XVII, no. : None	, if handled according to order.			
Restrictions of o	•				
	ns to employment for juvenils according t nent restrictions under the Maternity Prote				
Other regulations	(EU)				
Directive 98/24/EC chemical agents at REGULATION (EU) import of hazardou	 b. 648/2004 (Detergents regulation) cof 7 April 1998 on the protection of the h work. (Directive 2000/39/EC, Directive 2000/39/E	006/15/EC, Directive 2009/161/EC) MENT AND OF THE COUNCIL concern	ing the export and		
• •	No 98/2013 on the marketing and use of				
Not applicable.	No. 1005/2009 on substances that le wing substances that deplete the ozone la	-	layer		
	No 850/2004 [POP-Regulation]				
Not applicable.	istent organic pollutant (POP): -				
National regulation	าร				
Germany:	any national regulations!				
TRGS 500 (Protectiv					
TRGS 555 (Working	of hazardous substances in non-stationary instruction and information for workers)	/ containers)			
Water hazard clas					
()	nazardous to water) Classification accord , restrictions and prohibition regulat	5			
Switzerland	, restrictions and promotion regulat				
VOCV-Regulatio	on				
-	content (Switzerland) : < 3 Wt % ac	cording to VOCV			
15.2 Chemical safety		2			
•	ixture a chemical safety assessment has n	ot been carried out.			
15.3 Additional infor	mation				
SECTION 16: Other i	nformation				
16.1 Indication of ch	anges				
07. Hints on joint stor	-				
16.2 Abbreviations a	nd acronyms				
ABC-Pulver	Extinguishing powder for fire class A	, B and C			
	combination filter	,			

ABC-Pulver	Extinguishing powder for fire class A, B and C
ABEK-P1	combination filter
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AVV	Abfallverzeichnis-Verordnung (Waste Regulation)
AWSV	Ordinance on facilities for the handling of substances hazardous to water
BGR	BG rules and regulations
ca.	circa
CAS	Chemical Abstract Service
CLP	classification, labelling and packaging

afety Data She		(EN /		
ccording to Regulation (EC) No. 1907/2006 (REACH)				
rade name :	Lithofin MN Builder's Clean			
evision date : rint date :	30.01.2019 Version (Revision) : 13.02.2019	3.0.2 (3.0.1		
CMR	Carcinogen, mutagen or toxic for reproduction			
DIN	German Institute for Standardization			
DNEL	Derived No-Effect Level			
EAK/EWC/EAC/CWR/	CER European Waste Catalogue			
EC50 / CE50	Effective Concentration 50%			
EG / EC / CE	European Community			
EN	European Standard			
EUH	supplemental hazard statement of the european union			
GefStoffV	Gefahrstoffverordnung (Hazardous Substances Ordinance)			
GHS / SGH	Globally Harmonised System			
H-Sätze	hazard statements			
IATA-DGR	International Air Transport Association-Dangerous Goods Regulations			
IBC-Code	International Code for the Construction and Equipment of Ships carrying Date Chemicals in Bulk	angerous		
ICAO-TI	International Civil Aviation Organization-Technical Instructions			
IMDG-Code	International Maritime Dangerous Goods Code			
ISO	International Organization for Standardization			
LC50 / CL50	Lethal Concentration 50%			
LD50 / DL50	Lethal Dose 50%			
log P O/W	Partition coefficient n-octanol/water			
MARPOL	International Convention for the Prevention of Pollution from Ships (marine	pollution)		
NOAEL (DSET)	No observed adverse effect level			
NOEC (CSEO)	No observed effect concentration			
Nr.	Number			
OECD	Organisation for Economic Co-operation and Development			
PBT	persistent, bioaccumulative and toxic			
рH	Potentia hydrogenii			
PIC	prior informed consent			
PNEC	Predicted No-Effect Concentration			
POP	Persistent organic pollutants			
P-Sätze	precautionary statements			
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals			
RID	International Carriage of Dangerous Goods by Rail			
STEL / LECT	short-term exposure limit			
TRGS	Technische Regeln für Gefahrstoffe (Technical Rules for Hazardous Substa	nces)		
TWA / MPT	time-weighted average			
UN/ONU	United Nations			
VOC/COV/VOS/LZO	Volatile Organic Compound			
VOCV	Ordinance on the Incentive Tax on Volatile Organic Compounds (SR 814.02	.8)		
vPvB	very persistent and very bioaccumulative			
WGK	Wassergefährdungsklasse (Water hazard class)			

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu. For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3 Key literature references and sources for data

Regulation (EC) No 1272/2008 (GHS) ECHA: Registered substances (https://echa.europa.eu/information-on-chemicals/registered-substances) REACH Art. 59: -Candidate List of substances of very high concern for Authorisation (https://www.echa.europa.eu/candidate-list-table)

Trade name Revision date : Print date :	2: Lithofin MN Builde 30.01.2019 13.02.2019	er's Clean Version (Revision) :	3.0.2 (3.0.1)
104	n for mixtures and used evaluat	ion method according to reg	julation (EC)
Hazard stateme	IDB [CLP] Ints for physical hazards : On basis of test dat Ints for health hazards : Calculation method. Ints for environmental hazards : Calculation m		
16.5 Relevant H-	and EUH-phrases (Number and	full text)	
H290	May be corrosive to metals.	2	
H302	Harmful if swallowed.		
H314	Causes severe skin burns and eye dam	age.	
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H335	May cause respiratory irritation.		
H351	Suspected of causing cancer.		
16.6 Training adv None	vice		
16.7 Additional in None	nformation		