	fety Data She				(EN / D
	ording to Regulat				
Revis	ade name : sion date : date :	LITHOFIN M 30.01.2019 13.02.2019	N Care-Seal	Version (Revision) :	4.0.2 (4.0.1)
SEC	TION 1: Identific	ation of the subs	stance/mixture a	nd of the company/ ur	ndertaking
l. 1	Product identifie				
L.2	Relevant identif Relevant identi	ied uses of the s		ure and uses advised a	gainst
3				ative/downstream use	r/distributor)
	Distributor :		Casdron Enterpris	ses Ltd.	-
	Street :		Wood End, Prosp	ect Road	
	Postal code/city :		GB- New Alresfo	ord, Hants SO 24 9QF	
	Telephone :		+44 1962 732126	5	
	Telefax :		+44 1962 735373	3	
	Contact :		Technical Departr E-mail: sales@lith		
			Emergency teleph 0196 2732126 (Only available du	none number: uring office hours)	
	Supplier :		Lithofin AG		
	Street :		Heinrich-Otto-Str.	. 36	
	Postal code/city :		73240 Wendling		
	Telephone :		+49 (0)7024 9403		
	Telefax :		+49 (0)7024 9403	3-40	
	Contact :		Technical Departr E-mail: info@lithc		
			Emergency teleph +49 (0)7024 940 (Only available du		
1.4	Emergency telep see section 1.3	ohone number			
SEC	TION 2: Hazards	identification			
2.1	None Additional infor	ccording to Regu	llation (EC) No 12	2 72/2008 [CLP]	
	Remark				
		UH-phrases: see section	n 16.		
2.2	Label elements None				
2.3	Other hazards				
2.4	Additional inform		ne PBT/vPvB criteria acc	ording to REACH, annex XIII.	
			Page : 1 / 10		
					(EN / D

	fety Data She ording to Regulat	eet tion (EC) No. 1907/2006 ((REACH)	(EN / D)
Revi	ade name : sion date : date :	Lithofin MN Care 30.01.2019 13.02.2019	e-Seal Version (Revision) :	4.0.2 (4.0.1)
SEC	TION 3: Composi	ition/information on ingre	edients	
3.2	Mixtures Hazardous ingredie None Additional informa All ingredients of this		to REACH regulation.	
SEC	TION 4: First aid	measures		
4.1	General inform When in doubt or if person or a person Following inhal Remove casualty to In case of skin After contact with sl	symptoms are observed, get medica with cramps. If unconscious place in lation fresh air and keep warm and at rest contact kin, wash immediately with plenty of	al advice. Never give anything by mouth to a recovery position and seek medical advice. t. In case of respiratory tract irritation, cons water and soap. Immediately remove any g agent, acidic Cleaning agent, alkaline Solv	ult a physician. contaminated

After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. Protect uninjured eye. In case of eye irritation consult an ophthalmologist.

After ingestion

When in doubt or if symptoms are observed, get medical advice. Rinse mouth thoroughly with water. Do NOT induce vomiting

Self-protection of the first aider

First aider: Pay attention to self-protection!

- 4.2 Most important symptoms and effects, both acute and delayed No information available.
- 4.3 Indication of any immediate medical attention and special treatment needed None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray ABC-powder Foam

Unsuitable extinguishing media Full water jet Strong water jet

5.2 Special hazards arising from the substance or mixture Hazardous combustion products Carbon monoxide Carbon dioxide (CO2)

5.3 Advice for firefighters

Use suitable breathing apparatus.

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Use water spray jet to protect personnel and to cool endangered containers. Do not allow run-off from fire-fighting to enter drains or water courses. Do not inhale explosion and combustion gases. The product itself does not burn. Coordinate fire-fighting measures to the fire surroundings.

	Other information Clear spills immediately.
6.4	Reference to other sections
	Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13
SEC	TION 7: Handling and storage
7.1	Precautions for safe handling
	When using do not eat, drink, smoke, sniff.
	Protective measures
	not useable after freezing. Inhalation of vapours or spray/mists Skin contact Eye contact Wear persequipment (refer to section 8). Always close containers tightly after the removal of product. Do not gas/fumes/vapour/spray. Use only in well-ventilated areas. If local exhaust ventilation is not possib the entire working area must be ventilated by technical means. Technical measures and the applicate work processes have priority over personal protection equipment.
	Measures to prevent fire
	The product is not: Flammable Usual measures for fire prevention.
	Fire class :
	Shake well before use nein
	Advices on general occupational hygiene
	P362+P364 - Take off contaminated clothing and wash it before reuse.
7.2	Conditions for safe storage, including any incompatibilities
	Requirements for storage rooms and vessels
	Keep container tightly closed. Keep/Store only in original container. The floor should be leak tight, j absorbent. Ensure adequate ventilation of the storage area.
	Hints on joint storage
	Storage class (TRGS 510): 12
	Protect from frost ja
	Recommended storage temperature 5 - 25 °C
	Further information on storage conditions
	Keep locked up and out of reach of children. Keep container tightly closed in a cool, well-ventilated Protect against : Frost
7.3	Specific end use(s)
	Recommendation
	Observe technical data sheet. Observe instructions for use.
SEC	TION 8: Exposure controls/personal protection
8.1	Control parameters
0.1	

Revision date :

Safety Data Sheet

Trade name :

Print date :

Lithofin MN Care-Seal

30.01.2019 13.02.2019

according to Regulation (EC) No. 1907/2006 (REACH)

Version (Revision) :

4.0.2 (4.0.1)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8). Provide adequate ventilation. Remove persons to safety.

6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

For cleaning up

Suitable material for taking up: Universal binder

Clean contaminated articles and floor according to the environmental legislation.

~+l

sonal protection breathe le or not sufficient, ation of suitable

jointless and not

Occupational exposure limit values

01.03.2018

2(I)

Υ

Lithofin MN Care-Seal

6 ppm / 35 mg/m³

Version : 8.2 Exposure controls

Remark :

Limit value :

Peak limitation :

Safety Data Sheet

Trade name :

Revision date :

Print date :

Appropriate engineering controls

according to Regulation (EC) No. 1907/2006 (REACH)

30 01 2019

13.02.2019

2-(2-ETHOXYETHOXY)ETHANOL; CAS No.: 111-90-0 Limit value type (country of origin): TRGS 900 (D)

Ensure adequate ventilation of the storage area. Technical measures and the application of suitable work processes have priority over personal protection equipment.

Personal protection equipment

Eye/face protection

Usually no personal eye/face protection necessary. Eye/face protection necessary at: Splashes, Contact with eyes, Spray application.

Suitable eye protection

Eye glasses with side protection goggles

Required properties

DIN EN 166

Skin protection

Usually no personal skin protection necessary. Skin protection necessary at: Splashes, Contact with skin, Spray application.

Hand protection

Suitable gloves type : Gloves with long cuffs

Suitable material : NBR (Nitrile rubber), 0,4mm, >8h; Butyl caoutchouc, 0,5mm, >8h; FKM (fluoro rubber), 0,7mm, >8h;

Recommended glove articles : Manufacturer KCL GmbH/Eichenzell-Germany; Ansell/Yarra City-Australia Or comparable articles from other companies.

Additional hand protection measures : Check leak tightness/impermeability prior to use.

Remark : Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams are not substitutes for body protection.

Body protection

Protective clothing.

Suitable protective clothing : Chemical protection clothing Chemical resistant safety shoes

Required properties : acid-resistant. alkali-resistant.

Protective clothing. : DIN EN ISO 20345 DIN EN 13034 DIN EN 14605

footwear : DIN EN 14404

Remark : Barrier creams are not substitutes for body protection.

Respiratory protection

Usually no personal respirative protection necessary. Respiratory protection necessary at: insufficient ventilation aerosol or mist formation. high concentrations spray application

Suitable respiratory protection apparatus

Combination filtering device (EN 14387) Half-face mask (DIN EN 140) ABEK-P1

Remark

Use only respiratory protection equipment with CE-symbol including four digit test number. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

General health and safety measures

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. When using do not eat, drink, smoke, sniff. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Wash contaminated clothing prior to reuse. Wash hands before breaks and after work. Apply skin care products after work. Do not breathe gas/fumes/vapour/spray.

Version (Revision) :

4.0.2 (4.0.1)

Safety Data Sh according to Regul		No. 1907/20	06 (REACH)			
Trade name : tevision date : Print date :	Litho 30.01.2019 13.02.2019		are-Seal	Version (Rev	ision) :	4.0.2 (4.0.1
ECTION 9: Physica	al and cher	nical propert	ies			
.1 Information or	n basic phy	sical and che	mical prope	erties		
Appearance :	Liquid					
Colour :	white					
Odour :	unspecific					
Safety releva		ta				
Melting point/mel		(1013 hPa)	approx.	-1	°C	
Initial boiling poir	t and boiling	(1013 hPa)	approx.	97	°C	
range : Decomposition ter	nperature :	(1013 hPa)		not determined		
Flash point :	•	. ,		not applicable		closed cup
Ignition temperat	ure :			not determined		(EN ISO 3679)
Sustaining combu				No		UN Test L2:Sustaine
Lower explosion li				not determined		combustibility test
Upper explosion li				not determined		
Vapour pressure :		(50 °C)	<	3000	hPa	
Density :		(20 °C)		1,01	g/cm ³	Pyknometer (DIN EN ISO 2811-1)
Solvent separation	1 test :	(20 °C)	<	3	%	Test L1: Solvent
Water solubility		(20 °C)		emulsifiable		separation test (UN)
pH :		()	approx.	9		DIN 19268
log P O/W :				not determined		(Mixture)
Flow time :		(23 °C)	approx.	12	S	ISO cup 4 mm (DIN EN ISO 2431)
Odour threshold :				not determined		(
Vapourisation rate	e :			not determined		
VOC content-EC			approx.	2	Wt %	* Décret no 2011-321
VOC-France				A+		23 mars 2011

(* VOC-EC = "Volatile organic compound (VOC)" means any organic compound having an initial boiling point less than or equal to 250° C measured at a standard pressure of 101,3 kPa; VOC-value in g/L)

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Stable under recommended storage and handling conditions.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11: Toxicological information

Safety Data She	eet tion (EC) No. 1907/2006 (REACH)		(EN / D
	tion (EC) No. 1907/2000 (REACH)		
Trade name :	Lithofin MN Care-Seal		
Revision date :	30.01.2019	Version (Revision) :	4.0.2 (4.0.1)
Print date :	13.02.2019		
1.1 Information on	toxicological effects		
Acute effects	-		
There are no data a	vailable on the preparation/mixture itself. Data a	pply to the main component.	
	oms in animal studies		
	vailable on the preparation/mixture itself.		
Irritant and co			
Assessment/class			
Sensitisation	not relevant for classification.		
	vailable on the preparation/mixture itself.		
	toxicity (subacute, subchronic, ch	ronic)	
•	vailable on the preparation/mixture itself.	,	
CMR effects (ca	arcinogenicity, mutagenicity and to	oxicity for reproduction	on)
Carcinogenicity			
	available on the preparation/mixture itself.		
Other information	on numan carcinogenicity.		
Germ cell mutage			
-	available on the preparation/mixture itself.		
	uman germ cell mutagenicity exist.		
Reproductive toxi			
Other informatio	available on the preparation/mixture itself.		
No indications of	human reproductive toxicity exist.		
Overall Assessme	nt on CMR properties		
-	this mixture do not meet the criteria for classifica	ation as CMR category 1A or 18	3 according to CLP.
STOT-single ex	-		
See SECTION 2.1 (c			
STOT-repeated	•		
See SECTION 2.1 (c Aspiration haza			
See SECTION 2.1 (c			
SECTION 12: Ecologi	-		
12.1 Toxicity			
•	in component. There are no data available on th	e preparation/mixture itself.	
Effects in sewa	ge plants		
Observe local regula	tions concerning effluent treatment.		
12.2 Persistence and			
	ailable on the preparation/mixture itself.		
Biodegradation			
	vailable on the preparation/mixture itself.		
12.3 Bioaccumulative	ailable on the preparation/mixture itself.		
12.4 Mobility in soil			
•	ailable on the preparation/mixture itself.		
	ind vPvB assessment		
	mixture do not meet the PRT/vPvB criteria acco	ording to DEACH appey VIII	

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Other adverse effects

Safety Data She	at		(EN / D
-	tion (EC) No. 1907/2006 (RE	ACH)	
Trade name :	Lithofin MN Care-S	eal	
Revision date : Print date :	30.01.2019 13.02.2019	Version (Revision) :	4.0.2 (4.0.1)
	ailable on the preparation/mixture itself.		
	exicological information		
Additional informa The product has not			
SECTION 13: Dispos	al considerations		
13.1 Waste treatmen	t methods		
Dispose according to			
Waste disposal accord	ding to directive 2008/98/EC, covering wa	aste and dangerous waste.	
Product/Packa		5	
-	te designations according to EWC/A	vv	
Waste code prod			
Waste code (EWC	C/AVV): 07 01 99		
Waste treatment	options		
29/35 - Do not em	pty into drains; dispose of this material a	nd its container in a safe way.	
	osal / Package ckages must be completely emptied and o ly cleaned must be disposed of.	can be re-used following proper cleani	ing. Packing which
13.2 Additional infor			
These codes are assigned to the second secon	gned based upon the most common uses use.	for this material and may not reflect o	contaminants
SECTION 14: Transp	ort information		
14.1 UN number			
No dangerous good in	n sense of these transport regulations.		
14.2 UN proper shipp	1 5		
	n sense of these transport regulations.		
14.3 Transport hazar			
-	n sense of these transport regulations.		
14.4 Packing group			
	n sense of these transport regulations.		
14.5 Environmental h			
	n sense of these transport regulations.		

14.6 Special precautions for user

None

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code not required.

SECTION 15: Regulatory information

$_{\rm 15.1}$ Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (clp) Directive 2008/98/EC of the European Parliament and of the Council on waste (2000/532/EC) EN 2:1992 (DIN EN 2:2005-01)

Authorisations and/or restrictions on use

Restrictions on use

Use restriction according to REACH annex XVII, no. : None, if handled according to order.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Lithofin MN Care-Seal Trade name :

Revision date : Print date :

30.01.2019 13.02.2019

Version (Revision) :

4.0.2 (4.0.1)

Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Other regulations (EU)

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work. (Directive 2000/39/EC, Directive 2006/15/EC, Directive 2009/161/EC) REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the export and import of hazardous chemicals [PIC-Regulation]

REGULATION (EU) No 98/2013 on the marketing and use of explosives precursors: Not applicable.

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer Not applicable.

Contains the following substances that deplete the ozone layer: -

Regulation (EC) No 850/2004 [POP-Regulation]

Not applicable.

Name of the persistent organic pollutant (POP): -

National regulations

Observe in addition any national regulations!

Germany:

TRGS 400 (Risk assessment for activities involving hazardous substances) TRGS 500 (Protective measures)

TRGS 510 (Storage of hazardous substances in non-stationary containers)

TRGS 555 (Working instruction and information for workers)

Water hazard class (WGK)

Class: 1 (Slightly hazardous to water) Classification according to AwSV

Other regulations, restrictions and prohibition regulations

Switzerland

VOCV-Regulation

Maximum VOC content (Switzerland) : < 3 Wt % according to VOCV

15.2 Chemical safety assessment

For this substance/mixture a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Indication of changes

07. Hints on joint storage - Storage class

16.2 Abbreviations and acronyms

	•
ABC-Pulver	Extinguishing powder for fire class A, B and C
ABEK-P1	combination filter
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AVV	Abfallverzeichnis-Verordnung (Waste Regulation)
AWSV	Ordinance on facilities for the handling of substances hazardous to water
BGR	BG rules and regulations
ca.	circa
CAS	Chemical Abstract Service
CLP	classification, labelling and packaging
CMR	Carcinogen, mutagen or toxic for reproduction
DIN	German Institute for Standardization
DNEL	Derived No-Effect Level
EAK/EWC/EAC/CWR/CER	European Waste Catalogue
EC50 / CE50	Effective Concentration 50%
EG / EC / CE	European Community
EN	European Standard

Safety Data S according to Regu	heet Ilation (EC) No. 1907/2006 (REACH)	(EN / D)
Trade name Revision date : Print date :	: Lithofin MN Care-Seal 30.01.2019 13.02.2019 Version (Revisio	n): 4.0.2 (4.0.1)
EUH GefStoffV	supplemental hazard statement of the european union	
	Gefahrstoffverordnung (Hazardous Substances Ordinance)	
GHS / SGH	Globally Harmonised System	
H-Sätze	hazard statements	
IATA-DGR	International Air Transport Association-Dangerous Goods Regula	
IBC-Code	International Code for the Construction and Equipment of Ships Chemicals in Bulk	carrying Dangerous
ICAO-TI	International Civil Aviation Organization-Technical Instructions	
IMDG-Code	International Maritime Dangerous Goods Code	
ISO	International Organization for Standardization	
LC50 / CL50	Lethal Concentration 50%	
LD50 / DL50	Lethal Dose 50%	
log P O/W	Partition coefficient n-octanol/water	
MARPOL	International Convention for the Prevention of Pollution from Sh	nips (marine pollution)
NOAEL (DSET)	No observed adverse effect level	
NOEC (CSEO)	No observed effect concentration	
Nr.	Number	
OECD	Organisation for Economic Co-operation and Development	
PBT	persistent, bioaccumulative and toxic	
pН	Potentia hydrogenii	
PIC	prior informed consent	
PNEC	Predicted No-Effect Concentration	
POP	Persistent organic pollutants	
P-Sätze	precautionary statements	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemic	cals
RID	International Carriage of Dangerous Goods by Rail	
STEL / LECT	short-term exposure limit	
TRGS	Technische Regeln für Gefahrstoffe (Technical Rules for Hazarde	ous Substances)
TWA / MPT	time-weighted average	
UN/ONU	United Nations	
VOC/COV/VOS/L	ZO Volatile Organic Compound	
VOCV	Ordinance on the Incentive Tax on Volatile Organic Compounds	(SR 814.018)
vPvB	very persistent and very bioaccumulative	
WGK	Wassergefährdungsklasse (Water hazard class)	

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu. For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3 Key literature references and sources for data

Regulation (EC) No 1272/2008 (GHS)

ECHA: Registered substances (https://echa.europa.eu/information-on-chemicals/registered-substances) REACH Art. 59: -Candidate List of substances of very high concern for Authorisation (https://www.echa.europa.eu/candidate-list-table)

^{16.4} Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard statements for physical hazards : On basis of test data. Hazard statements for health hazards : Calculation method. Hazard statements for environmental hazards : Calculation method.

16.5 Relevant H- and EUH-phrases (Number and full text)

None

Trade name :	Lithofin MN Car	e-Seal	
Revision date : Print date :	30.01.2019 13.02.2019	Version (Revision) :	4.0.2 (4.0.1)
16.6 Training advice	a		
None	-		
NULL			
16.7 Additional info	rmation		