	fety Data She ording to Regulat		1907/2006 (REACH)	(EN / D)
Tra	ade name :	Lithofin	EASY-CARE	
	sion date :	03.03.2021 13.04.2021	Version (Revision) :	5.0.0 (4.0.0)
		15.04.2021		
SEC	TION 1: Identific	ation of the s	substance/mixture and of the company/ un	dertaking
1.1	Product identifie Lithofin EASY-CARE	er		
1.2			e substance or mixture and uses advised a	gainst
	Mixture Washing and		s, alkaline	
1.3				
	Distributor :		Casdron Enterprises Ltd. Wood End, Prospect Road	
	Street :		GB- New Alresford, Hants SO 24 9QF	
	Postal code/city : Telephone :		+44 1962 732126	
	Telefax :		+44 1962 735373	
	Contact :		Technical Department E-mail: sales@lithofin.co.uk	
			Emergency telephone number: 0196 2732126 (Only available during office hours)	
	Supplier :		Lithofin AG	
	Street :		Heinrich-Otto-Str. 36	
	Postal code/city :		73240 Wendlingen	
	Telephone :		+49 (0)7024 9403-0	
	Telefax :		+49 (0)7024 9403-40	
	Contact :		Technical Department E-mail: info@lithofin.de	
			Emergency telephone number: +49 (0)7024 9403-0 (Only available during office hours)	
1.4	Emergency telep	ohone numbe		
	see section 1.3			
SEC	TION 2: Hazards	identification	1	
2.1	Eye Irrit. 2 ; H319 - Additional infor The mixture is classis Remark Full text of H- and El Label elements	ccording to R Serious eye damage mation fied as hazardous a UH-statements: see ding to Regul	Legulation (EC) No 1272/2008 [CLP] ge/eye irritation : Category 2 ; Causes serious eye irritation. according to regulation (EC) No 1272/2008 [CLP].	
			Page : 1 / 14	(EN / D)

(EN/D)

Safety Data She according to Regulat	et tion (EC) No. 1907/2006 (REACH)	
Trade name :	Lithofin EASY-CARE	
Beerfelen deter i	02 02 2021	Manalan (Bandalan)

Revision date : Print date : 03.03.2021 13.04.2021

Version (Revision) :

5.0.0 (4.0.0)

Exclamation mark (0	GHS07)
Signal word	
Warning	
Hazard statements	
H319	Causes serious eye irritation.
Precautionary state	ements
P102	Keep out of reach of children.
P280	Wear eye protection/face protection.
P337+P313	If eye irritation persists: Get medical advice/attention.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container in accordance with local and national regulations.
Ath an hananda	

2.3 Other hazards

None

2.4 Additional information

see section 12.5

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

Fatty acids, tall-oil, potassium salts ; EC No. : 263-136-1; CAS No. : 61790-44-1 Weight fraction : ≥ 5 - < 10 % Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Eye Irrit. 2 ; H319 Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts ; REACH No. : 01-2119489428-22-xxxx ; EC No. : 270-115-0; CAS No. : 68411-30-3 Weight fraction : $\geq 1 - < 3\%$ Classification 1272/2008 [CLP] : Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Skin Irrit. 2 ; H315 Aquatic Chronic 3 ; H412 Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; REACH No. : 01-2119488639-16-xxxx ; EC No. : 500-234-8; CAS No. : 68891-38-3 Weight fraction : ≥ 1 - < 5 % Classification 1272/2008 [CLP] : Eye Dam. 1 ; H318 Skin Irrit. 2 ; H315 Aquatic Chronic 3 ; H412 Specific Conc. Limits : Eye Dam. 1 ; H318: C \geq 10 % • Eye Irrit. 2 ; H319: C \geq 5 % Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl); REACH No.: 01-2119490100-53-xxxx; EC No.: 931-329-6; CAS No. : 68155-07-7 Weight fraction : ≥ 1 - < 2,5 % Classification 1272/2008 [CLP] : Eye Dam. 1 ; H318 Skin Irrit. 2 ; H315 Aquatic Chronic 2 ; H411 This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH None (below the concentration limit) This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH None (below the concentration limit) Additional information All ingredients of this mixture are (pre)registered according to REACH regulation.

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious place in recovery position and seek medical advice.

13.04.2021

Trade name :

Revision date : Print date : Lithofin EASY-CARE

Version (Revision) :

5.0.0 (4.0.0)

Following inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. In case of respiratory tract irritation, consult a physician.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. Do not wash with: Cleaning agent, acidic Cleaning agent, alkaline Solvents/Thinner

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

After ingestion

Call a physician immediately. Keep at rest. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed Notes for the doctor

Treat symptomatically.

Special treatment

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water spray jet ABC-powder Foam

Unsuitable extinguishing media

Full water jet Strong water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide Carbon dioxide (CO2)

5.3 Advice for firefighters

Use suitable breathing apparatus.

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Use water spray jet to protect personnel and to cool endangered containers. Do not allow run-off from fire-fighting to enter drains or water courses. Do not inhale explosion and combustion gases. The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8). Provide adequate ventilation. Remove persons to safety.

6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

For cleaning up

Suitable material for taking up: Universal binder Clean contaminated articles and floor according to the environmental legislation. Retain contaminated washing water and dispose it. Dispose of waste according to applicable legislation.

Trade name :

Revision date : Print date :

Lithofin EASY-CARE

03.03.2021 13.04.2021

Version (Revision) :

5.0.0 (4.0.0)

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

When using do not eat, drink, smoke, sniff.

Protective measures

All work processes must always be designed so that the following is excluded: Inhalation of vapours or spray/mists Skin contact Eye contact Wear personal protection equipment (refer to section 8). Always close containers tightly after the removal of product. Do not breathe gas/fumes/vapour/spray. Use only in well-ventilated areas. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

Measures to prevent fire

The product is not: Flammable Usual measures for fire prevention.

Fire class : Shake well before use No

Advices on general occupational hygiene

P362+P364 - Take off contaminated clothing and wash it before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container. The floor should be leak tight, jointless and not absorbent. Ensure adequate ventilation of the storage area.

Hints on joint storage

Storage class (TRGS 510): 12 Recommended storage temperature 5 - 25 °C Protect from frost No

Further information on storage conditions

Keep locked up and out of reach of children. Keep container tightly closed in a cool, well-ventilated place.

7.3 Specific end use(s)

Recommendation

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL-/PNEC-values

DNEL/DMEL

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts ; CAS No. : 68411-30-3

Limit value type :	DNEL Consumer (systemic)
Exposure route :	Dermal
Exposure frequency :	Long-term
Limit value :	85 mg/kg/d
Limit value type :	DNEL Consumer (systemic)
Exposure route :	Inhalation
Exposure frequency :	Long-term
Limit value :	3 mg/kg
Limit value type :	DNEL worker (systemic)
Exposure route :	Dermal
Exposure frequency :	Long-term
Limit value :	170 mg/kg/d

Safety Data She	et		(EN / D
-		o. 1907/2006 (REACH)	
Frada nama i	l :th of		
Trade name :		in EASY-CARE	E 0 0 (4 0 0)
Revision date : Print date :	03.03.2021 13.04.2021	Version (Revision)	: 5.0.0 (4.0.0)
Limit value type :		DNEL worker (systemic)	
Exposure route :		Inhalation	
Exposure frequer	ncy:	Long-term	
Limit value :		12 mg/m ³	
Amides, C8-18 (eve	n numbered) an	d C18-unsatd., N,N-bis(hydroxyethyl); CAS No.: 68155-07	7-7
Limit value type :		DNEL Consumer (local)	
Exposure route :		Dermal	
Exposure frequer	icy:	Long-term	
Limit value :		0,0562 mg/cm ³	
Limit value type :		DNEL Consumer (systemic)	
Exposure route :		Oral	
Exposure frequer Limit value :	су.	Long-term 6,25 mg/kg/d	
	hoxylated culta	6,25 mg/kg/d tes, sodium salts ; CAS No. : 68891-38-3	
Limit value type :	anonyiateu, sulla	DNEL Consumer (systemic)	
Exposure route :		Oral	
Exposure frequer	ncv :	Long-term	
Limit value :	, .	15 mg/kg/d	
Limit value type :		DNEL Consumer (systemic)	
Exposure route :		Dermal	
Exposure frequer	icy:	Long-term	
Limit value :		1650 mg/kg/d	
Amides, C8-18 (eve	n numbered) an	d C18-unsatd., N,N-bis(hydroxyethyl) ; CAS No. : 68155-07	7-7
Limit value type :		DNEL Consumer (systemic)	
Exposure route :		Dermal	
Exposure frequer	ncy:	Long-term	
Limit value :		2,5 mg/kg/d	
Limit value type :		DNEL Consumer (systemic)	
Exposure route :		Inhalation	
Exposure frequer	icy :	Long-term	
Limit value :	hoved and	21,73 mg/cm ²	
Limit value type :	noxylated, sulla	tes, sodium salts ; CAS No. : 68891-38-3 DNEL Consumer (systemic)	
Exposure route :		Inhalation	
Exposure frequer).	Long-term	
Limit value :	-/ -	52 mg/m ³	
	n numbered) an	d C18-unsatd., N,N-bis(hydroxyethyl) ; CAS No. : 68155-07	7-7
Limit value type :	-	DNEL worker (local)	
Exposure route :		Dermal	
Exposure frequer	icy:	Long-term	
Limit value :		0,0936 mg/cm ²	
Limit value type :		DNEL worker (systemic)	
Exposure route :		Dermal	
Exposure frequer	icy:	Long-term	
Limit value :	have detected to the	4,16 mg/kg/d	
	noxylated, sulfa	tes, sodium salts ; CAS No. : 68891-38-3	
Limit value type :		DNEL worker (systemic)	
Exposure route : Exposure frequer		Dermal Long-term	
Limit value :	icy .	2750 mg/kg/d	
Limit value type :		DNEL worker (systemic)	
Exposure route :		Inhalation	
Exposure route . Exposure frequer	icv :	Long-term	
Limit value :	-/ -	175 mg/m ³	
	n numbered) an	d C18-unsatd., N,N-bis(hydroxyethyl) ; CAS No. : 68155-07	7-7
Limit value type :		DNEL worker (systemic)	
Exposure route :		Inhalation	
Exposure frequer		Long-term	

Safety Data She			(EN / D
according to Regulat	ion (EC) No. 1907/2	2006 (REACH)	
Frade name :	Lithofin EAS	Y-CARE	
Revision date :	03.03.2021	Version (Revision) :	5.0.0 (4.0.0)
Print date :	13.04.2021		
Limit value :	73,4 mg/m ³		
PNEC	, s, i iig, iii		
	l, C10-13-alkyl derivs., sodium	salts : CAS No. : 68411-30-3	
Limit value type :		itic, freshwater)	
Limit value :	0,268 mg/l		
Limit value type :	, .	tic, intermittent release)	
Limit value :	0,0167 mg/		
Limit value type :	, 5.	tic, marine water)	
Limit value :	0,0268 mg/		
Limit value type :	, 5.	nent, freshwater)	
Limit value :	8,1 mg/kg	- , ,	
Limit value type :	,	nent, marine water)	
Limit value :	8,1 mg/kg		
Limit value type :		age treatment plant)	
Limit value :	3,43 mg/l		
		N,N-bis(hydroxyethyl) ; CAS No. : 68155-07-7	
Limit value type :		tic, freshwater)	
Limit value :	0,007 mg/l	, ,	
Alcohols, C12-14, et	hoxylated, sulfates, sodium sa	lts ; CAS No. : 68891-38-3	
Limit value type :	• • •	tic, freshwater)	
Limit value :	0,24 mg/l		
Limit value type :	PNEC (Aqua	tic, intermittent release)	
Limit value :	0,071 mg/l		
Limit value type :	PNEC (Aqua	tic, marine water)	
Limit value :	0,024 mg/l		
Amides, C8-18 (even	n numbered) and C18-unsatd.,	N,N-bis(hydroxyethyl) ; CAS No. : 68155-07-7	
Limit value type :	PNEC (Aqua	tic, marine water)	
Limit value :	0,0007 mg/	l	
Limit value type :	PNEC (Sedir	nent, freshwater)	
Limit value :	0,195 mg/kg	g	
Alcohols, C12-14, et	hoxylated, sulfates, sodium sa	lts ; CAS No. : 68891-38-3	
Limit value type :	PNEC (Sedir	nent, freshwater)	
Limit value :	5,45 mg/kg		
Limit value type :	PNEC (Sedir	nent, marine water)	
Limit value :	0,545 mg/kg		
		N,N-bis(hydroxyethyl) ; CAS No. : 68155-07-7	
Limit value type :		ment, marine water)	
Limit value :	0,0195 mg/	kg	
Limit value type :	PNEC (Soil)		
Limit value :	0,035 mg/kg	-	
Limit value type :	•	age treatment plant)	
Limit value :	830 mg/l		
	hoxylated, sulfates, sodium sa		
Limit value type :	-	age treatment plant)	
Limit value :	10000 mg/l		
3.2 Exposure contro	ls		

Appropriate engineering controls

Ensure adequate ventilation of the storage area.

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Personal protection equipment

Eye/face protection

Usually no personal eye/face protection necessary. Eye/face protection necessary at: Splashes, Contact with eyes, Spray application.

Suitable eye protection

Eye glasses with side protection goggles

Required properties

Trade name :

Revision date : Print date :

Lithofin EASY-CARE

03 03 2021 13.04.2021 Version (Revision) :

5.0.0 (4.0.0)

DIN EN 166

Skin protection

Usually no personal skin protection necessary. Skin protection necessary at: Splashes, Contact with skin, Spray application.

Hand protection

Suitable gloves type : Gloves with long cuffs

Suitable material : NBR (Nitrile rubber), 0,4mm, >8h; Butyl caoutchouc, 0,5mm, >8h; FKM (fluoro rubber), 0,7mm, >8h;

Recommended glove articles : Manufacturer KCL GmbH/Eichenzell-Germany; Ansell/Yarra City-Australia Or comparable articles from other companies.

Additional hand protection measures : Check leak tightness/impermeability prior to use.

Remark : Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams are not substitutes for body protection.

Body protection

Protective clothing

Suitable protective clothing : Chemical protection clothing Chemical resistant safety shoes

Required properties : alkali-resistant.

Protective clothing. : DIN EN 13034 DIN EN 14605

Chemical resistant safety shoes : DIN EN ISO 20345

Remark : Barrier creams are not substitutes for body protection.

Respiratory protection

Usually no personal respirative protection necessary. Respiratory protection necessary at: insufficient ventilation aerosol or mist formation. high concentrations spray application

Suitable respiratory protection apparatus

Combination filtering device (EN 14387) Half-face mask (DIN EN 140) ABEK-P1

Remark

Use only respiratory protection equipment with CE-symbol including four digit test number. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

General information

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Wash contaminated clothing prior to re-use. Wash hands before breaks and after work. Apply skin care products after work. Do not breathe gas/fumes/vapour/spray.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance :	viscous					
Colour :	light beige					
Odour :	perfumed					
Safety charact	eristics					
Melting point/free		(1013 hPa)	approx.	-3	°C	
Initial boiling point range :	t and boiling	(1013 hPa)	approx.	84	°C	
Decomposition tem	perature :	(1013 hPa)		not determined		
Flash point :				not applicable		closed cup (EN ISO 3679)
Auto-ignition temp	erature :			not determined		
Sustaining combus	tion			No		UN Test L2:Sustained combustibility test
Lower explosion lir Upper explosion lir Vapour pressure :		(50 ℃)	<	not determined not determined 3000	hPa	
•		. ,				

Safety Data She according to Regulat	ety Data Sheet (EN / rding to Regulation (EC) No. 1907/2006 (REACH)			(EN / D)		
Trade name : Revision date : Print date :	Lithofin 03.03.2021 13.04.2021	EASY-C	ARE	Version (Rev	ision) :	5.0.0 (4.0.0)
Density :	(20	°C)		1,02	g/cm ³	Pyknometer (DIN EN ISO 2811-1)
Solvent separation te	est: (20	°C)	<	3	%	Test L1: Solvent separation test (UN)
Water solubility	(20	°C)		miscible		Separation test (on)
pH :	· ·		approx.	11		DIN 19268
log P O/W :				not determined		(Mixture)
Flow time :	(23	°C)	>	90	S	ISO cup 4 mm (DIN EN ISO 2431)
Odour threshold :				not determined		Ϋ́Υ, Ϋ́Υ`, Ϋ́Υ, Ϋ́Υ`, Ϋ́Υ`, Ϋ́Υ`, Ϋ́Υ, Ϋ́Υ`, Ϋ́Υ, Ϋ́Υ`, Υ`, Ϋ́Υ`, Υ`, Ϋ́Υ`, Υ``, Υ``, Ϋ́Υ`, Υ``, Υ``, Υ``, Υ``, Υ``, Υ``, Υ``,
Vapourisation rate :				not determined		
VOC content-EC				0,7	Wt %	*
VOC content-EC				7	g/l	*
VOC-France				not applicable		Décret no 2011-321 du 23 mars 2011

(* VOC-EC = "Volatile organic compound (VOC)" means any organic compound having an initial boiling point less than or equal to 250°C measured at a standard pressure of 101,3 kPa; VOC-value in g/L)

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Stable under recommended storage and handling conditions.

10.5 Incompatible materials

The product develops hydrogen in an aqueous solution in contact with metals.

10.6 Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Acute oral toxicity Para

Parameter :	LD50 (Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts ; CAS No. : 68411-30-3)
Exposure route :	Oral
Species :	Rat
Effective dose :	> 300 - 2000 mg/kg
Method :	OECD 401
Parameter :	LD50 (Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) ; CAS No. : 68155-07-7)
Exposure route :	Oral
Species :	Rat
Effective dose :	> 5000 mg/kg
Method :	OECD 401
Parameter :	LD50 (Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38-3)

5.0.0 (4.0.0)

Lithofin EASY-CARE Trade name : 03.03.2021 Revision date : Version (Revision) : Print date : 13.04.2021 Exposure route : Oral Species : Rat Effective dose : 4100 mg/kg Acute dermal toxicity Parameter : LD50 (Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts ; CAS No. : 68411-30-3 Exposure route : Dermal Effective dose : > 2000 mg/kg Method : **OECD 402**

CAS No.: 68155-07-7)

Dermal

Rabbit

> 2000 mg/kg

Exposure route : Dermal Species : Rat Effective dose : > 2000 mg/kg Specific effects (Longterm animal experiment)

There are no data available on the preparation/mixture itself.

Corrosion

Parameter :

Species :

Parameter :

Exposure route :

Effective dose :

Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Repeated dose toxicity (subacute, subchronic, chronic)

There are no data available on the preparation/mixture itself.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

No information available.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Based on available data, the classification criteria are not met.

Chronic (long-term) fish toxicity Parameter :

NOEC (Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts ; CAS No. : 68411-30-3) Fish

LD50 (Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl);

LD50 (Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38-3)

Species :

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)

sion date : t date :	03.03.2021 13.04.2021	Version (Revision) : 5.0.0 (4.
Effective dose :		> 0,1 - 1 mg/l
Exposure time :		28 D
Parameter :		NOEC (Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) CAS No. : 68155-07-7)
Species :		Fish
Evaluation parameter	:	Chronic (long-term) fish toxicity
Effective dose :		0,32 mg/l
Exposure time :		28 D
Chronic (long-term)	toxicity to	crustacea
Parameter :		NOEC (Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts ; CAS No. : 68411 3)
Species :		Daphnia
Effective dose :		> 1 - 10 mg/l
Exposure time :		32 D
Parameter :		NOEC (Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) CAS No. : 68155-07-7)
Species :		Daphnia
Evaluation parameter	:	Chronic (long-term) toxicity to crustacea
Effective dose :		0,07 mg/l
Exposure time :		21 D
Parameter :		NOEC (Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38
Species :		Daphnia
Effective dose :		0,27 mg/l
Exposure time :		21 D
Acute (short-term)	toxicity to a	quatic algae and cyanobacteria
Parameter :		EC50 (Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts ; CAS No. : 68411-)
Species :		Daphnia
Effective dose :		> 1 - 10 mg/l
Method :		OECD 202
Parameter :		EC50 (Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) CAS No. : 68155-07-7)
		CAS No. : 68155-07-7) Daphnia
Parameter :	:	CAS No. : 68155-07-7)
Parameter : Species :	:	CAS No. : 68155-07-7) Daphnia
Parameter : Species : Evaluation parameter	:	CAS No. : 68155-07-7) Daphnia Acute (short-term) toxicity to crustacea 3,2 mg/l 48 h
Parameter : Species : Evaluation parameter Effective dose :	:	CAS No. : 68155-07-7) Daphnia Acute (short-term) toxicity to crustacea 3,2 mg/l 48 h OECD 202
Parameter : Species : Evaluation parameter Effective dose : Exposure time :	:	CAS No. : 68155-07-7) Daphnia Acute (short-term) toxicity to crustacea 3,2 mg/l 48 h OECD 202
Parameter : Species : Evaluation parameter Effective dose : Exposure time : Method :	:	CAS No. : 68155-07-7) Daphnia Acute (short-term) toxicity to crustacea 3,2 mg/l 48 h OECD 202 EC50 (Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38- Daphnia
Parameter : Species : Evaluation parameter Effective dose : Exposure time : Method : Parameter :	:	CAS No. : 68155-07-7) Daphnia Acute (short-term) toxicity to crustacea 3,2 mg/l 48 h OECD 202 EC50 (Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38-
Parameter : Species : Evaluation parameter Effective dose : Exposure time : Method : Parameter : Species : Effective dose : Exposure time :	:	CAS No. : 68155-07-7) Daphnia Acute (short-term) toxicity to crustacea 3,2 mg/l 48 h OECD 202 EC50 (Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38- Daphnia 7,2 mg/l 48 h
Parameter : Species : Evaluation parameter Effective dose : Exposure time : Method : Parameter : Species : Effective dose :	:	CAS No. : 68155-07-7) Daphnia Acute (short-term) toxicity to crustacea 3,2 mg/l 48 h OECD 202 EC50 (Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38- Daphnia 7,2 mg/l 48 h
Parameter : Species : Evaluation parameter Effective dose : Exposure time : Method : Parameter : Species : Effective dose : Exposure time : Parameter : Species :		CAS No. : 68155-07-7) Daphnia Acute (short-term) toxicity to crustacea 3,2 mg/l 48 h OECD 202 EC50 (Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38- Daphnia 7,2 mg/l 48 h EC50 (Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) CAS No. : 68155-07-7) Algae
Parameter : Species : Evaluation parameter Effective dose : Exposure time : Method : Parameter : Species : Effective dose : Exposure time : Parameter : Species : Evaluation parameter		CAS No. : 68155-07-7) Daphnia Acute (short-term) toxicity to crustacea 3,2 mg/l 48 h OECD 202 EC50 (Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38- Daphnia 7,2 mg/l 48 h EC50 (Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) CAS No. : 68155-07-7) Algae Acute (short-term) toxicity to aquatic algae and cyanobacteria
Parameter : Species : Evaluation parameter Effective dose : Exposure time : Method : Parameter : Species : Effective dose : Exposure time : Parameter : Species : Evaluation parameter Effective dose :		CAS No. : 68155-07-7) Daphnia Acute (short-term) toxicity to crustacea 3,2 mg/l 48 h OECD 202 EC50 (Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38- Daphnia 7,2 mg/l 48 h EC50 (Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) CAS No. : 68155-07-7) Algae Acute (short-term) toxicity to aquatic algae and cyanobacteria 18,6 mg/l
Parameter : Species : Evaluation parameter Effective dose : Exposure time : Method : Parameter : Species : Effective dose : Exposure time : Parameter : Species : Evaluation parameter Effective dose : Exposure time :		CAS No. : 68155-07-7) Daphnia Acute (short-term) toxicity to crustacea 3,2 mg/l 48 h OECD 202 EC50 (Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38- Daphnia 7,2 mg/l 48 h EC50 (Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) CAS No. : 68155-07-7) Algae Acute (short-term) toxicity to aquatic algae and cyanobacteria 18,6 mg/l 72 h
Parameter : Species : Evaluation parameter Effective dose : Exposure time : Method : Parameter : Species : Effective dose : Exposure time : Parameter : Species : Evaluation parameter Effective dose : Exposure time : Method :	· :	CAS No. : 68155-07-7) Daphnia Acute (short-term) toxicity to crustacea 3,2 mg/l 48 h OECD 202 EC50 (Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38- Daphnia 7,2 mg/l 48 h EC50 (Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) CAS No. : 68155-07-7) Algae Acute (short-term) toxicity to aquatic algae and cyanobacteria 18,6 mg/l 72 h OECD 201
Parameter : Species : Evaluation parameter Effective dose : Exposure time : Method : Parameter : Species : Effective dose : Exposure time : Parameter : Species : Evaluation parameter Effective dose : Exposure time : Method : Chronic (long-term)	· :	CAS No. : 68155-07-7) Daphnia Acute (short-term) toxicity to crustacea 3,2 mg/l 48 h OECD 202 EC50 (Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38- Daphnia 7,2 mg/l 48 h EC50 (Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) CAS No. : 68155-07-7) Algae Acute (short-term) toxicity to aquatic algae and cyanobacteria 18,6 mg/l 72 h OECD 201 :ity
Parameter : Species : Evaluation parameter Effective dose : Exposure time : Method : Parameter : Species : Exposure time : Parameter : Species : Evaluation parameter Effective dose : Exposure time : Method : Chronic (long-term) Parameter :	· :	CAS No. : 68155-07-7) Daphnia Acute (short-term) toxicity to crustacea 3,2 mg/l 48 h OECD 202 EC50 (Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38- Daphnia 7,2 mg/l 48 h EC50 (Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) CAS No. : 68155-07-7) Algae Acute (short-term) toxicity to aquatic algae and cyanobacteria 18,6 mg/l 72 h OECD 201 Sity NOEC (Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts ; CAS No. : 68411 3)
Parameter : Species : Evaluation parameter Effective dose : Exposure time : Method : Parameter : Species : Effective dose : Exposure time : Parameter : Species : Evaluation parameter Effective dose : Exposure time : Method : Chronic (long-term) Parameter : Species :	· :	CAS No. : 68155-07-7) Daphnia Acute (short-term) toxicity to crustacea 3,2 mg/l 48 h OECD 202 EC50 (Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38- Daphnia 7,2 mg/l 48 h EC50 (Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) CAS No. : 68155-07-7) Algae Acute (short-term) toxicity to aquatic algae and cyanobacteria 18,6 mg/l 72 h OECD 201 Sity NOEC (Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts ; CAS No. : 68411 3) Algae
Parameter : Species : Evaluation parameter Effective dose : Exposure time : Method : Parameter : Species : Exposure time : Parameter : Species : Evaluation parameter Effective dose : Exposure time : Method : Chronic (long-term) Parameter :	· :	Daphnia Acute (short-term) toxicity to crustacea 3,2 mg/l 48 h OECD 202 EC50 (Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38- Daphnia 7,2 mg/l 48 h EC50 (Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) CAS No. : 68155-07-7) Algae Acute (short-term) toxicity to aquatic algae and cyanobacteria 18,6 mg/l 72 h OECD 201 Sity NOEC (Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts ; CAS No. : 68411- 3)

Sewage treatment plant

Observe local regulations concerning effluent treatment. Before discharge into sewage plants the product normally needs to be neutralised.

12.2 Persistence and degradability

Trade name :

Revision date : Print date :

Lithofin EASY-CARE 03 03 2021

13.04.2021

Version (Revision) :

5.0.0 (4.0.0)

There are no data available on the preparation/mixture itself.

Biodegradation

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer

12.3 Bioaccumulative potential

There are no data available on the preparation/mixture itself.

12.4 Mobility in soil

There are no data available on the preparation/mixture itself.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

There are no data available on the preparation/mixture itself.

12.8 Additional ecotoxicological information

Additional information

The product has not been tested.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of waste according to applicable legislation.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Directive 2008/98/EC (Waste Framework Directive)

Before intended use

Waste codes/waste designations according to EWC/AVV

Waste code (EWC/AVV): 07 06 08* (other still bottoms and reaction residues)

After intended use

Do not allow to enter into surface water or drains. Non-contaminated packages may be recycled. Packing which cannot be properly cleaned must be disposed of. Delivery to an approved waste disposal company.

Disposal operations

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of.

Waste codes/waste designations according to EWC/AVV

Waste code packaging: 15 01 10*

13.2 Additional information

These codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

Trade name :

Revision date : Print date :

Lithofin EASY-CARE

03.03.2021 13.04.2021 Version (Revision) :

5.0.0 (4.0.0)

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

14.7 Maritime transport in bulk according to IMO instruments Not required.

SECTION 15: Regulatory information

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on classification, labelling and packaging of substances and mixtures (clp)

DIRECTIVE 2008/98/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on waste (2000/532/EC) EN 2:1992 (DIN EN 2:2005-01)

Authorisations and/or restrictions on use

Restrictions on use

Use restriction according to REACH annex XVII, no.: 3

Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Other regulations (EU)

Regulation (EC) No. 648/2004 (Detergents regulation)

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work. (Directive 2000/39/EC, Directive 2006/15/EC, Directive 2009/161/EC)

REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the export and import of hazardous chemicals [PIC-Regulation]: Not listed.

REGULATION (EU) No 98/2013 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on the marketing and use of explosives precursors: Not listed.

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer

Not listed.

Contains the following substances that deplete the ozone layer: -

Regulation (EC) No 850/2004 [POP-Regulation]

Not listed.

Name of the persistent organic pollutant (POP): -

National regulations

Observe in addition any national regulations!

Germany: TRGS 400 (Risk assessment for activities involving hazardous substances)

TRGS 500 (Protective measures)

TRGS 510 (Storage of hazardous substances in non-stationary containers) TRGS 555 (Working instruction and information for workers)

Water hazard class (WGK)

Classification according to AwSV - Class : 1 (Slightly hazardous to water)

Other regulations, restrictions and prohibition regulations

Switzerland

VOCV-Regulation

Maximum VOC content (Switzerland) : < 3 Wt % according to VOCV

Austria

Regulation on Flammable Liquids - VbF

VbF-Class : NU

15.2 Chemical safety assessment

For this substance/mixture a chemical safety assessment has not been carried out.

afety Data She			(EN /
	ion (EC) No. 1907/2006 (-	
rade name :	Lithofin EASY-CA		
evision date : rint date :	03.03.2021 13.04.2021	Version (Revision) :	5.0.0 (4.0.0
5.3 Additional inform	mation		
ECTION 16: Other i	nformation		
5.1 Indication of cha	anges		
02. Classification of the	e substance or mixture · 02. Label e	elements · 02. Labelling according to Regulass · 11. Skin corrosion/irritation · 15. Wate	
5.2 Abbreviations a	nd acronyms		
ABC-Pulver	Extinguishing powder for fire cla	ass A, B and C	
ABEK-P1	combination filter	-	
ADR	European Agreement concernin	g the International Carriage of Dangerous	Goods by Road
AVV	Abfallverzeichnis-Verordnung (V		,
AWSV	Ordinance on facilities for the h	andling of substances hazardous to water	
BGR	BG rules and regulations	-	
ca.	circa		
CAS	Chemical Abstracts Service		
CLP	classification, labelling and pack	aging	
CMR	Carcinogen, mutagen or toxic fo	or reproduction	
DIN	German Institute for Standardiz	ation	
DNEL	Derived No-Effect Level		
EAK/EWC/EAC/CWR/	CER European Waste Catalogue		
EC50 / CE50	Effective Concentration 50%		
EG / EC / CE	European Community		
EN	European Standard		
EUH	supplemental hazard statement	of the european union	
GefStoffV	Gefahrstoffverordnung (Hazard	ous Substances Ordinance)	
GHS / SGH	Globally Harmonised System		
H-Sätze	hazard statements		
IATA-DGR	International Air Transport Asso	ciation-Dangerous Goods Regulations	
IBC-Code	International Code for the Cons Chemicals in Bulk	truction and Equipment of Ships carrying D	angerous
ICAO-TI	International Civil Aviation Orga		
IMDG-Code	International Maritime Dangero		
ISO	International Organization for S	tandardization	
LC50 / CL50	Lethal Concentration 50%		
LD50 / DL50	Lethal Dose 50%		
log P O/W	Partition coefficient n-octanol/w		
MARPOL		e Prevention of Pollution from Ships (marine	e pollution)
NOAEL (DSET)	No observed adverse effect leve		
NOEC (CSEO)	No observed effect concentration	on	
Nr.	Number	nounties and Development	
OECD	Organisation for Economic Co-o		
PBT	persistent, bioaccumulative and	LOXIC	
рН	Potentia hydrogenii		
PIC PNEC	prior informed consent Predicted No-Effect Concentrati	on.	
BINE(Frequeed NO-Friect Concentrati	UII	

Trade n Revision date : Print date : P-Sätz REACH RID	name :	International Carriage of Da	CARE Version (Revision) :	5.0.0 (4.0.0)		
Revision date : Print date : P-Sätz REACH RID STEL / TRGS	re 1	03.03.2021 13.04.2021 precautionary statements Registration, Evaluation, Au International Carriage of Da	Version (Revision) :	5.0.0 (4.0.0)		
P-Sätz REACH RID STEL / TRGS	ł	precautionary statements Registration, Evaluation, Au International Carriage of Da				
REACH RID STEL / TRGS	ł	Registration, Evaluation, Au International Carriage of Da				
RID STEL / TRGS		International Carriage of Da				
STEL / TRGS	/ LECT		angerous Goods by Rail	Registration, Evaluation, Authorisation and Restriction of Chemicals		
TRGS	/ LECT	short-term exposure limit	International Carriage of Dangerous Goods by Rail			
		short-term exposure limit				
TWA /		Technische Regeln für Gefa	hrstoffe (Technical Rules for Hazardous Substa	nces)		
	' MPT	time-weighted average		,		
UN/ON		United Nations				
	COV/VOS/LZO	Volatile Organic Compound				
VOCV			Tax on Volatile Organic Compounds (SR 814.0	18)		
vOCV		very persistent and very bio		10)		
WGK						
WGK		Wassergefährdungsklasse (
Guidan			bbrev.esdscom.eu. For abbreviations and acron afety assessment, chapter R.20 (Table of terms			
16.3 Kev lit	terature ref	ferences and sources f	or data			
REGUL ECHA: REACH	ATION (EC) No Registered subs I Article 59: Can	1272/2008 OF THE EUROPEAN stances (https://echa.europa.eu	PARLIAMENT AND OF THE COUNCIL /information-on-chemicals/registered-substance y high concern for Authorisation	es)		
Classi	••••••		aluation method according to reg	ulation (EC)		
^{10.4} No 12	72/2008 [0					
Hazard	l statements for	health hazards : Calculation me environmental hazards : Calcul	ethod.			
16.5 Releva	ant H- and	EUH-phrases (Number	r and full text)			
H302		Harmful if swallowed.	-			
H315		Causes skin irritation.				
H318		Causes serious eye damage.				
H319		Causes serious eye irritation.				
H411		Toxic to aquatic life with long la				
H412		Harmful to aquatic life with long	j lasting effects.			
None	ng advice					
6.7 Additi	ional inforn	nation				
None						
knowledge. Th sheet, for stora mixing the pro	e information is age, processing,	intended to give you advice ab transport and disposal. The inf products or in the case of proce	ements of the product and is based on our pres out the safe handling of the product named in formation cannot be transferred to other produce essing, the information on this safety data shee	this safety data cts. In the case of		