Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Li

Revision date : Print date :

Lithofin KF Cement Residue Remover

03.03.2021 13.04.2021

4.1.1 (4.1.0)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Lithofin KF Cement Residue Remover

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Mixture Washing and cleaning products, acidic

1.3 Supplier

Distributor : Street : Postal code/city : Telephone : Telefax : Contact :

Supplier :

Street : Postal code/city : Telephone : Telefax : Contact : Casdron Enterprises Ltd. Wood End, Prospect Road GB- New Alresford, Hants SO 24 9QF +44 1962 732126 +44 1962 735373 Technical Department E-mail: sales@lithofin.co.uk

Emergency telephone number: 0196 2732126 (Only available during office hours)

Lithofin AG Heinrich-Otto-Str. 36

73240 Wendlingen +49 (0)7024 9403-0

+49 (0)7024 9403-40

Technical Department E-mail: info@lithofin.de

Emergency telephone number: +49 (0)7024 9403-0 (Only available during office hours)

1.4 Emergency telephone number

see section 1.3

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Met. Corr. 1 ; H290 - Corrosive to metals : Category 1 ; May be corrosive to metals. Skin Corr. 1B ; H314 - Skin corrosion/irritation : Category 1B ; Causes severe skin burns and eye damage. Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage.

Additional information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Results from in vitro test for skin corrosivity/irritancy: Skin Corr. 1B (OECD 435)

Remark

Full text of H- and EUH-statements: see section 16.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms

Safety Data Shee according to Regulation	et on (EC) No. 1907/2006 (REACH)	(EN / D)
Trade name : Revision date : Print date :	Lithofin KF Ceme 03.03.2021 13.04.2021	ent Residue Remover Version (Revision) :	4.1.1 (4.1.0)
Corrosion (GHS05)			
Signal word			
Danger			
	-		
Hazard statements	ACID ; CAS No. : 75-75-2		
H290	May be corrosive to metals.		
H314	Causes severe skin burns and ev	ve damage	
Precautionary state			
P102	Keep out of reach of children.		
P234	Keep only in original packaging.		
P280	Wear protective gloves/protective	e clothing/eye protection/face protection.	
P301+P330+P331	IF SWALLOWED: rinse mouth. D	Do NOT induce vomiting.	
P305+P351+P338	IF IN EYES: Rinse cautiously wit and easy to do. Continue rinsing	h water for several minutes. Remove contact l J.	enses, if present
P405	Store locked up.		
2.3 Other hazards			
None			
2.4 Additional inform	ation		

see section 12.5

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients	
METHANESULPHONIC ACID ; REACH	No. : 01-2119491166-34-xxxx ; EC No. : 200-898-6; CAS No. : 75-75-2
Weight fraction :	≥ 15 - < 20 %
Classification 1272/2008 [CLP] :	Met. Corr. 1 ; H290 Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Acute Tox. 4 ; H312 STOT SE 3 ; H335
FORMIC ACID ; REACH No. : 01-2119	491174-37-xxxx ; EC No. : 200-579-1; CAS No. : 64-18-6
Weight fraction :	≥ 0,5 - < 1 %
Classification 1272/2008 [CLP] :	Flam. Liq. 3 ; H226 Skin Corr. 1A ; H314 Eye Dam. 1 ; H318
This mixture contains the follow Candidate List according to Artic	ing substances of very high concern (SVHC) which are included in the cle 59 of REACH
None (below the concentration limit)	
This mixture contains the follow authorisation according to Anne None (below the concentration limit)	ing substances of very high concern (SVHC) which are subject to x XIV of REACH
Additional information All ingredients of this mixture are (pre Full text of H- and EUH-statements: s	e)registered according to REACH regulation. ee section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious place in recovery position and seek medical advice.

Following inhalation

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Lithofin KF Cement Residue Remover

Revision date : Print date : 03.03.2021

Version (Revision) :

4.1.1 (4.1.0)

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. In case of respiratory tract irritation, consult a physician.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. Do not wash with: Cleaning agent, acidic Cleaning agent, alkaline Solvents/Thinner

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

After ingestion

Call a physician immediately. Keep at rest. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed No information available.

4.3 Indication of any immediate medical attention and special treatment needed Notes for the doctor

Treat symptomatically. Special treatment

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water spray jet ABC-powder Foam

Unsuitable extinguishing media

Full water jet Strong water jet

5.2 Special hazards arising from the substance or mixture Hazardous combustion products

Carbon monoxide Carbon dioxide (CO2)

5.3 Advice for firefighters

Use suitable breathing apparatus.

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Use water spray jet to protect personnel and to cool endangered containers. Do not allow run-off from fire-fighting to enter drains or water courses. Do not inhale explosion and combustion gases. The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8). Provide adequate ventilation. Remove persons to safety.

6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

For cleaning up

Suitable material for taking up: Universal binder

Clean contaminated articles and floor according to the environmental legislation. Retain contaminated washing water and dispose it. Dispose of waste according to applicable legislation.

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Lithofin KF Cement Residue Remover 03.03.2021 Revision date : Version (Revision) :

Print date :

13.04.2021

4.1.1 (4.1.0)

Other information

Clear spills immediately.

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

When using do not eat, drink, smoke, sniff.

Protective measures

All work processes must always be designed so that the following is excluded: Inhalation of vapours or spray/mists Skin contact Eye contact Wear personal protection equipment (refer to section 8). Always close containers tightly after the removal of product. Do not breathe gas/fumes/vapour/spray. Use only in well-ventilated areas. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

Measures to prevent fire

The product is not: Flammable Usual measures for fire prevention.

Fire class :

Shake well before use No

Advices on general occupational hygiene

P362+P364 - Take off contaminated clothing and wash it before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container. The floor should be leak tight, jointless and not absorbent. Ensure adequate ventilation of the storage area.

Hints on joint storage

Storage class (TRGS 510): 8B

Recommended storage temperature 5 - 25 °C

Protect from frost No

Further information on storage conditions

Keep locked up and out of reach of children. Keep container tightly closed in a cool, well-ventilated place.

7.3 Specific end use(s)

Recommendation

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

METHANESULPHONIC ACID ; CAS No. : 75-75-2

Limit value type (country of origin) :	TRGS 900 (D)
Limit value :	0,7 mg/m ³
Peak limitation :	1(I)
Remark :	Y
Version :	27.10.2020
FORMIC ACID ; CAS No. : 64-18-6	
Limit value type (country of origin) :	TRGS 900 (D)
Limit value :	5 ppm / 9,5 mg/m ³
Peak limitation :	2(I)
Remark :	Y
Version :	17.10.2017

	fety Data She		o. 1907/2006 (REACH)		(EN / D)
Tra Revis	ade name : sion date : date :		n KF Cement Residu	e Remover	4.1.1 (4.1.0)
	Limit value type (co	untry of origin) :	TWA (FC)		
	Limit value :	and, or ongin, i	5 ppm / 9 mg/m ³		
	Version :		07.02.2006		
	DNEL-/PNEC-va				
	-	alues			
	DNEL/DMEL				
	METHANESULPHON	IC ACID ; CAS NO			
	Limit value type :		DNEL Consumer (systemic)		
	Exposure route :		Dermal		
	Exposure frequen	icy:	Long-term		
	Limit value :		8,33 mg/kg		
	Limit value type :		DNEL Consumer (systemic)		
	Exposure route :		Inhalation		
	Exposure frequen	icy:	Short-term		
	Limit value :		1,44 mg/m ³		
	Limit value type :		DNEL Consumer (systemic)		
	Exposure route :		Inhalation		
	Exposure frequen	icy:	Long-term		
	Limit value :		1,44 mg/m ³		
	Limit value type :		DNEL worker (local)		
	Exposure route :		Inhalation		
	Exposure frequen	icy:	Long-term		
	Limit value :		2,89 mg/m ³		
	Limit value type :		DNEL worker (systemic)		
	Exposure route :		Dermal		
	Exposure frequen	icy:	Long-term		
	Limit value :		19,44 mg/kg		
	PNEC				
	METHANESULPHON	IC ACID ; CAS No	o. : 75-75-2		
	Limit value type :		PNEC (Aquatic, freshwater)		
	Limit value :		0,012 mg/l		
	Limit value type :		PNEC (Aquatic, intermittent release)		
	Limit value :		0,12 mg/l		
	Limit value type :		PNEC (Aquatic, marine water)		
	Limit value :		0,0012 mg/l		
	Limit value type :		PNEC (Sediment, freshwater)		
	Limit value :		0,0251 mg/kg		
	Limit value type :		PNEC (Sewage treatment plant)		
	Limit value :		100 mg/l		
8.2	Exposure contro	ls			

8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation of the storage area. Technical measures and the application of suitable work processes have priority over personal protection equipment.

Personal protection equipment

Eye/face protection

Suitable eye protection

Eye glasses with side protection goggles **Required properties** DIN EN 166

Skin protection

Hand protection

Suitable gloves type : Gloves with long cuffs

Suitable material : Data apply to the main component. Butyl caoutchouc, 0,5mm, >8h; FKM (fluoro rubber), 0,7mm, >8h;

Recommended glove articles : Manufacturer KCL GmbH/Eichenzell-Germany; Ansell/Yarra City-Australia Or comparable articles from other companies.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Trade name :

Revision date : Print date :

Lithofin KF Cement Residue Remover

03.03.2021 13.04.2021

Version (Revision) :

4.1.1 (4.1.0)

Additional hand protection measures : Check leak tightness/impermeability prior to use. **Remark** : Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams are not substitutes for body protection. **Body protection** Protective clothing. Suitable protective clothing : Chemical protection clothing Chemical resistant safety shoes Required properties : acid-resistant. Protective clothing. : DIN EN 13034 DIN EN 14605 Chemical resistant safety shoes : DIN EN ISO 20345 Remark : Barrier creams are not substitutes for body protection. **Respiratory protection** Usually no personal respirative protection necessary. Respiratory protection necessary at: insufficient ventilation

aerosol or mist formation. high concentrations spray application

Suitable respiratory protection apparatus

Combination filtering device (EN 14387) Half-face mask (DIN EN 140) ABEK-P1

Remark

Use only respiratory protection equipment with CE-symbol including four digit test number. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

General information

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Wash contaminated clothing prior to re-use. Wash hands before breaks and after work. Apply skin care products after work. Do not breathe gas/fumes/vapour/spray.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Ар	pearance	:	liquid

Colour: pink

Odour : fruity

Safety characteristics

Salely characteristics					
Melting point/freezing point :	(1013 hPa)	approx.	-12	°C	
Initial boiling point and boiling range :	(1013 hPa)	approx.	100	°C	
Decomposition temperature :	(1013 hPa)		not determined		
Flash point :			not applicable		closed cup (EN ISO 3679)
Auto-ignition temperature :			not determined		
Sustaining combustion			No		UN Test L2:Sustained combustibility test
Lower explosion limit :			not determined		
Upper explosion limit :			not determined		
Vapour pressure :	(50 °C)	<	3000	hPa	
Density :	(20 °C)		1,08	g/cm ³	Pyknometer (DIN EN ISO 2811-1)
Solvent separation test :	(20 °C)	<	3	%	Test L1: Solvent separation test (UN)
Water solubility	(20 °C)		miscible		
рН :		approx.	0		DIN 19268
log P O/W :			not determined		(Mixture)
Flow time :	(23 °C)	<	15	S	ISO cup 4 mm (DIN EN ISO 2431)
Odour threshold :			not determined		
Vapourisation rate :			not determined		
VOC content-EC			0,9	Wt %	*

Trade name : Revision date : Print date :	03.03.2021 13.04.2021	ent Residue Remove Version (Revision) :	4.1.1 (4.1.0)
VOC content-EC		9 g/l	*
VOC-France		not applicable	Décret no 2011-321 du 23 mars 2011
	easured at a standard pressure of 1	any organic compound having an initia .01,3 kPa; VOC-value in g/L)	l boiling point less than
SECTION 10: Stabilit	y and reactivity		
10.1 Reactivity			
•	elated to reactivity available for this	product or its ingredients.	
10.2 Chemical stabili	-		
	-	nditions of storage, use and temperature	2.
10.3 Possibility of na	zardous reactions	a to provisions	
-	i when handled and stored accordin		
No hazardous reaction	oid		
No hazardous reaction 10.4 Conditions to av		ons.	
No hazardous reaction 10.4 Conditions to av Stable under recomm	ended storage and handling condition	ons.	
No hazardous reaction 10.4 Conditions to av Stable under recomm 10.5 Incompatible ma	ended storage and handling condition aterials		
No hazardous reaction 10.4 Conditions to av Stable under recomm 10.5 Incompatible ma The product develops	ended storage and handling condition aterials hydrogen in an aqueous solution in		
No hazardous reaction 10.4 Conditions to av Stable under recomm 10.5 Incompatible ma The product develops 10.6 Hazardous deco	ended storage and handling condition aterials hydrogen in an aqueous solution in		

Acute oral toxicity

Acute oral toxicity	
Parameter :	LD50 (METHANESULPHONIC ACID ; CAS No. : 75-75-2)
Exposure route :	Oral
Species :	Rat
Effective dose :	649 mg/kg
Parameter :	LD50 (FORMIC ACID ; CAS No. : 64-18-6)
Exposure route :	Oral
Species :	Rat
Effective dose :	730 mg/kg
Method :	OECD 401
Acute dermal toxicity	
Parameter :	LD50 (METHANESULPHONIC ACID ; CAS No. : 75-75-2)
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	> 1000 - 2000 mg/kg
Acute inhalation toxicity	
Parameter :	LC50 (FORMIC ACID ; CAS No. : 64-18-6)
Exposure route :	Inhalation
Species :	Rat
Effective dose :	7,85 mg/l
Exposure time :	4 h
Specific effects (Longterm	animal experiment)
There are no data available on the p	preparation/mixture itself.
Compalan	

Corrosion

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)

13.04.2021

Lithofin KF Cement Residue Remover Trade name :

Revision date : Print date :

03.03.2021

Version (Revision) :

4.1.1 (4.1.0)

Causes severe skin burns and eye damage. Assessment/classification Results from in vitro test for skin corrosivity/irritancy: Skin Corr. 1B (OECD 435) **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met. Repeated dose toxicity (subacute, subchronic, chronic) There are no data available on the preparation/mixture itself. CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Carcinogenicity Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. **Reproductive toxicity** Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. **Aspiration hazard** Based on available data, the classification criteria are not met. 11.2 Information on other hazards No information available. **SECTION 12: Ecological information**

12.1 Toxicity

Aquatic toxicity

Based on available data, the classification criteria are not met.

c algae and cyanobacteria
) (METHANESULPHONIC ACID ; CAS No. : 75-75-2)
hnia
ng/l
D 202
) (FORMIC ACID ; CAS No. : 64-18-6)
hnia
mg/l
D 202

Sewage treatment plant

Observe local regulations concerning effluent treatment. Before discharge into sewage plants the product normally needs to be neutralised.

12.2 Persistence and degradability

There are no data available on the preparation/mixture itself.

Biodegradation

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3 Bioaccumulative potential

There are no data available on the preparation/mixture itself.

12.4 Mobility in soil

There are no data available on the preparation/mixture itself.

Trade name :	Lithofin KF Cement Residue Remover 03.03.2021 Version (Revision) : 4.1.1 (4.1
Print date :	13.04.2021
	and vPvB assessment e mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. pting properties
No information availa 12.7 Other adverse e	
There are no data av	ailable on the preparation/mixture itself.
12.8 Additional ecoto Additional informa	oxicological information tion
The product has not	: been tested.
SECTION 13: Dispos	al considerations
Waste disposal accor	ording to applicable legislation. ding to directive 2008/98/EC, covering waste and dangerous waste. /98/EC (Waste Framework Directive)
	este designations according to EWC/AVV C/AVV): 06 01 06* (other acids)
	ter into surface water or drains. Non-contaminated packages may be recycled. Packing which cleaned must be disposed of. Delivery to an approved waste disposal company. ons
cannot be proper	ckages must be completely emptied and can be re-used following proper cleaning. Packing whic ly cleaned must be disposed of. Inste designations according to EWC/AVV aging: 15 01 10*
13.2 Additional infor	mation
resulting from actual	gned based upon the most common uses for this material and may not reflect contaminants use.
SECTION 14: Transp	ort information
14.1 UN number	
UN 1760 14.2 UN proper shipp	ing name
Land transport (AD CORROSIVE LIQUID,	PR/RID) N.O.S. (METHANESULPHONIC ACID · FORMIC ACID)
Sea transport (IMI CORROSIVE LIQUID, Air transport (ICAC	N.O.S. (METHANESULPHONIC ACID · FORMIC ACID)
CORROSIVE LIQUID, 14.3 Transport hazar	N.O.S. (METHANESULPHONIC ACID · FORMIC ACID)
Land transport (AD	DR/RID)
Class(es) : Classification code	8 •: C9
Hazard identificati No.) :	on number (Kemler 80
Tunnel restriction Special provisions	: LQ 1 · E 2
Hazard label(s) : Sea transport (IMI	8 DG)
Class(es) :	8
	Page: 9 / 13

(EN/D)

Safety Data Sheet

Trade name : Revision date : Print date :	Lithofin 03.03.2021 13.04.2021	KF Cement Residue Remover Version (Revision) :	4.1.1 (4.1.0)
EmS-No. :		F-A / S-B	
Special provisions :		LQ 1 I · E 2 · IMDG-Code segregation group 1 - Acids	
Hazard label(s) :		8	
Air transport (ICAO-	TI / IATA-DGR)		
Class(es) :		8	
Special provisions :		E 2	
Hazard label(s) :		8	
14.4 Packing group			
II 	_		
14.5 Environmental ha			
Land transport (ADR			
Sea transport (IMDO	•		
Air transport (ICAO-		: NO	
14.6 Special precautio None	ns for user		
14.7 Maritime transpo	rt in bulk acc	ording to IMO instruments	
Not required.			

SECTION 15: Regulatory information

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on classification, labelling

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on classification, labelling and packaging of substances and mixtures (clp)

DIRECTIVE 2008/98/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on waste (2000/532/EC) EN 2:1992 (DIN EN 2:2005-01)

Authorisations and/or restrictions on use

Restrictions on use

Use restriction according to REACH annex XVII, no.: 3

Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Other regulations (EU)

Regulation (EC) No. 648/2004 (Detergents regulation)

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work. (Directive 2000/39/EC, Directive 2006/15/EC, Directive 2009/161/EC)

REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the export and import of hazardous chemicals [PIC-Regulation]: Not listed.

REGULATION (EU) No 98/2013 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on the marketing and use of explosives precursors: Not listed.

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer Not listed.

Not listed.

Contains the following substances that deplete the ozone layer: -

Regulation (EC) No 850/2004 [POP-Regulation]

Not listed.

Name of the persistent organic pollutant (POP): -

National regulations

Observe in addition any national regulations!

Germany:

TRGS 400 (Risk assessment for activities involving hazardous substances)

TRGS 500 (Protective measures)

TRGS 510 (Storage of hazardous substances in non-stationary containers)

Safety Data Sheet					
according to Regulation ((EC)	No. 1907	/2006 ((REACH)	

Trade name : Lithofi

Revision date : Print date : Lithofin KF Cement Residue Remover

03.03.2021 13.04.2021 Version (Revision) :

4.1.1 (4.1.0)

TRGS 555 (Working instruction and information for workers) Water hazard class (WGK) Classification according to AwSV - Class : 1 (Slightly hazardous to water) Other regulations, restrictions and prohibition regulations Switzerland VOCV-Regulation Maximum VOC content (Switzerland) : < 3 Wt % according to VOCV Austria Regulation on Flammable Liquids - VbF VbF-Class : NU homical actions

15.2 Chemical safety assessment

For this substance/mixture a chemical safety assessment has not been carried out.

15.3 Additional information

SECTION 16: Other information

16.1 Indication of changes

02. Label elements · 03. Hazardous ingredients · 07. Hints on joint storage - Storage class · 15. Water hazard class (WGK)

16.2 Abbreviations and acronyms

ABC-Pulver	Extinguishing powder for fire class A, B and C
ABEK-P1	combination filter
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AVV	Abfallverzeichnis-Verordnung (Waste Regulation)
AWSV	Ordinance on facilities for the handling of substances hazardous to water
BGR	BG rules and regulations
ca.	circa
CAS	Chemical Abstracts Service
CLP	classification, labelling and packaging
CMR	Carcinogen, mutagen or toxic for reproduction
DIN	German Institute for Standardization
DNEL	Derived No-Effect Level
EAK/EWC/EAC/CWR/CER	European Waste Catalogue
EC50 / CE50	Effective Concentration 50%
EG / EC / CE	European Community
EN	European Standard
EUH	supplemental hazard statement of the european union
GefStoffV	Gefahrstoffverordnung (Hazardous Substances Ordinance)
GHS / SGH	Globally Harmonised System
H-Sätze	hazard statements
IATA-DGR	International Air Transport Association-Dangerous Goods Regulations
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	International Civil Aviation Organization-Technical Instructions
IMDG-Code	International Maritime Dangerous Goods Code
ISO	International Organization for Standardization
LC50 / CL50	Lethal Concentration 50%
LD50 / DL50	Lethal Dose 50%
log P O/W	Partition coefficient n-octanol/water

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)

Trade name :	Lithofin KF Cement Residue Remover				
Print date :	13.04.2021	version (Revision) :	4.1.1 (4.1.0)		
MARPOL	International Convention for the Prevention of F	ollution from Ships (marine p	ollution)		
NOAEL (DSET)	No observed adverse effect level				
NOEC (CSEO)	No observed effect concentration				
Nr.	Number				
OECD	Organisation for Economic Co-operation and De	velopment			
PBT	persistent, bioaccumulative and toxic				
рН	Potentia hydrogenii				
PIC	prior informed consent				
PNEC	Predicted No-Effect Concentration				
POP	Persistent organic pollutants				
P-Sätze	precautionary statements				
REACH	Registration, Evaluation, Authorisation and Rest	riction of Chemicals			
RID	International Carriage of Dangerous Goods by F	lail			
STEL / LECT	short-term exposure limit				
TRGS	Technische Regeln für Gefahrstoffe (Technical F	lules for Hazardous Substance	es)		
TWA / MPT	time-weighted average				
UN/ONU	United Nations				
VOC/COV/VOS/LZO	Volatile Organic Compound				
VOCV	Ordinance on the Incentive Tax on Volatile Orga	anic Compounds (SR 814.018))		

vPvB very persistent and very bioaccumulative

WGK Wassergefährdungsklasse (Water hazard class)

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu. For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3 Key literature references and sources for data

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL ECHA: Registered substances (https://echa.europa.eu/information-on-chemicals/registered-substances) REACH Article 59: Candidate List of substances of very high concern for Authorisation (https://echa.europa.eu/candidate-list-table)

Classification for mixtures and used evaluation method according to regulation (EC) 16.4 No 1272/2008 [CLP]

Hazard statements for physical hazards : On basis of test data. Hazard statements for health hazards : Calculation method. Hazard statements for environmental hazards : Calculation method.

16.5 Relevant H- and EUH-phrases (Number and full text)

H226 Flammable liquid and vapour. H290 May be corrosive to metals. H302 Harmful if swallowed. Harmful in contact with skin. H312 H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H335 May cause respiratory irritation.

16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Trade name :	l ithofin KF Cer	nent Residue Remover	
Revision date : Print date :	03.03.2021 Version (Revision) : 13.04.2021		4.1.1 (4.1.0