




Ring Size Guide



Important steps to assure the most accurate measurement



- 1) Before printing this ring sizing guide, make sure that this guide is printed in US Letter size and scaled to 100%.
- 2) Measure the line on the left to ensure it is exactly 50mm 2 inches.
- 3) If the measurement isn't accurate, please review your printing setting again. Be sure you are printing full size


Option #1: Measure By Matching Your Ring

- 1) Choose a ring that fits the desired finger.
- 2) Place the ring over the circles below. Match the inside edge of the ring with the closest circle. This is the inside diameter of the ring.
- 3) If your ideal fit falls between two sizes, we recommend choosing the larger size.



Option #2: Create Your Own Ring Sizer

- 1) Carefully cut out the paper sizer below. Be sure to make a small slit in the end of the ruler to slide through.
- 2) Wrap the sizer around your finger with the numbers facing out and slide the rounded end through the slit.
- 3) For an accurate measurement, pull it snugly over the widest part of your finger. This could be a knuckle.
- 4) Read the number that lines up next to the slit. This is your ring size. Keep in mind that quarter sizes are also available if you sizer indicates that you are between whole or half sizes.



INTERNATIONAL RING SIZING GUIDE

Circumference (mm)	Diameter (mm)	United States & Canada	UK & Australia	Europe	China	Singapore & Japan	Hong Kong	Switzerland
44.2	14.1	3	F 1/2	44	6	4	6	4
44.8	14.3	3.25	G	45		5		5 1/4
45.5	14.5	3.5	G 1/2		6.5		7	
46.1	14.7	3.75	H	46		6		6 1/2
46.8	14.9	4	H 1/2	47	7.5	7	8	
47.4	15.1	4.25	I					7 3/4
48.0	15.3	4.5	I 1/2	48	8	8	9	
48.7	15.5	4.75	J		9.5		10	9
49.3	15.7	5	J 1/2	49		9		
50.0	15.9	5.25	K	50	10		11	10
50.6	16.1	5.5	K 1/2			10		
51.2	16.3	5.75	L	51	11		12	11 3/4
51.9	16.5	6	L 1/2	52	12	11	13	12 3/4
52.5	16.7	6.25	M			12		
53.1	16.9	6.5	M 1/2	53	13	13	14	14
53.8	17.1	6.75	N					
54.4	17.3	7	N 1/2	54	14	14	15	15 1/4
55.1	17.5	7.25	O	55	14.5		16	
55.7	17.7	7.5	O 1/2			15		16 1/2
56.3	17.9	7.75	P	56	15.5		17	
57.0	18.1	8	P 1/2	57		16		17 3/4
57.6	18.3	8.25	Q		17		18	
58.3	18.5	8.5	Q 1/2	58		17		
58.9	18.8	8.75	R	59	18		19	19
59.9	19.0	9	R 1/2		18.5	18	20	
60.2	19.2	9.25	S	60				20 1/4
60.8	19.4	9.5	S 1/2	61	20	19	21	
61.4	19.6	9.75	T					21 1/2
62.1	19.8	10	T 1/2	62	20.5	20	22	
62.8	20.0	10.25	U			21		
63.4	20.2	10.5	U 1/2	63	21.5	22	23	22 3/4
64.0	20.4	10.75	V	64	22.5		24	
64.6	20.6	11	V 1/2			23		
65.3	20.8	11.25	W	65	23.5		25	25
65.9	21.0	11.5	W 1/2	66		24		
66.6	21.2	11.75	X		25		26	
67.2	21.4	12	X 1/2	67	25.5	25	27	27 1/2
67.8	21.6	12.25	Y					
68.5	21.8	12.5	Z	68		26		28 3/4
69.1	22.0	12.75	Z 1/2	69				
69.7	22.2	13		70		27		
70.4	22.4	13.25	Z + 1					
71.0	22.6	13.5	Z + 2					