

SAFETY DATA SHEET

1. Identification

Product Name: CDA 12-A 200 (n-Heptane)
Product Code: CDA 12-A 200
SDS Date: 12/31/2019
Use: Industrial

XTRACTOR DEPOT
855 Washington Blvd.
Montebello, CA 90640

General Information: 760-431-6310
CHEMTEL: 800-255-3924

2. Hazard(s) identification

GHSClassification

Flammable liquids (Category 2)
Serious eye damage/eye irritation (Category 2A)

Pictogram



Signalword Danger

HazardStatement

Highly flammable liquid and vapor.
Causes serious eye irritation.

Precautionary

Highly flammable liquid and vapor. Causes serious eye irritation. Prevention Keep away from heat, sparks, open flames, hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof electrical/ ventilating/ lighting/ equipment. Use only non sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Wear protective gloves/ eye protection/ face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use dry sand, dry chemical, or alcohol resistant foam for extinction. Store in a well-ventilated place. Keep cool. Dispose of contents/ container in accordance with local/ regional/ national/ international regulations.
Dispose of contents/container in accordance with local/ state/ and federal regulations.

Hazards not otherwise classified: Not available

3. Composition/information on ingredients

Name	CAS	Concentration
n-Heptane, 99%	142-82-5	1-5
Ethanol	64-17-5	80-100

4. First-aid measures

General Advice Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If Inhaled If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In Case of Skin Contact Wash off with soap and plenty of water. Consult a physician.

In Case of Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If Swallowed Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indications of any immediate medical attention and special treatment needed

No data available

5. Fire-fighting measures

Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special Hazards Carbon oxides

Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

Further Information Use water spray to cool unopened containers.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations.

7. Handling and storage

Safe Handling Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of

EXTRACTING SOLUTIONS FOR SUCCESS

electrostatic charge.

Safe Storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Hygroscopic

8. Exposure controls/personal protection

Name		CAS	
n-Heptane		142-82-5	
OSHA TWA	OSHA STEL	ACGIH TWA	ACGIH STEL
500 ppm, 2,000 mg/	500 ppm, 2,000 mg/	400 ppm	500 ppm
Ethanol		64-17-5	
OSHA TWA	OSHA STEL	ACGIH TWA	ACGIH STEL
1000 ppm	Not Available	1000 ppm	Not Available

Engineering Control

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Eye/Face Protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin Protection

Handle with butyl rubber gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory Protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of Environmental Exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. Physical and chemical properties

Appearance	Ethanol	Colorless, clear liquid
Odor	Ethanol	No data available
Odor Threshold	Ethanol	No data available
pH	Ethanol	No data available
Melting/Freezing Point	Ethanol	-143.99C (-227.18F)

EXTRACTING SOLUTIONS FOR SUCCESS

Initial Boiling Point/Range	Ethanol	78.0 - 80.0 °C (172.4 - 176.0 °F)
Flash Point	Ethanol	14.0 °C (57.2 °F) - closed cup
Evaporation Rate	Ethanol	No data available
Flammability	Ethanol	No data available
Upper Explosion Limit	Ethanol	19%
Lower Explosion Limit	Ethanol	3.3%
Vapor Pressure	Ethanol	59.5 hPa (44.6 mmHg) at 20.0 °C (68.0 °F)
Vapor Density	Ethanol	No data available
Relative Density	Ethanol	0.7974 g/cm ³
Water Solubility	Ethanol	completely soluble
Partition Coefficient	Ethanol	No data available
Auto Ignition Temperature	Ethanol	363.0 °C (685.4 °F)
Decomposition Temperature	Ethanol	No data available
Viscosity	Ethanol	No data available

10. Stability and reactivity

Reactivity	No data available
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	Vapors may form explosive mixture with air.
Conditions to Avoid	Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	Alkali metals, Oxidizing agents, Peroxides
Hazardous Decomposition Products	No data available

11. Toxicological information

Name	CAS
n-Heptane	142-82-5
LD50: > 5,000 mg/kg	
Inhalation: No data available	
Dermal: No data available	
Skin corrosion/irritation	Irritating to skin. May cause skin irritation in susceptible persons.
Serious eye damage/eye irritation	Vapors may cause irritation to the eyes, respiratory system and the skin.

Respiratory or skin sensitization Did not cause sensitization on laboratory animals. Information given is based on data obtained from similar substances.

Germ cell mutagenicity Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity Not identified as probable, possible or confirmed human carcinogen by IARC, NTP, or ACGIH

Reproductive Species: Rat
 Application Route: Inhalation
 Dose: 0, 900, 3000, 9000 ppm
 Number of exposures: 6 hr/d, 5 d/wk
 Test period: 13 wk
 Method: OECD Test Guideline 416
 NOAEL Parent: 9000 ppm
 NOAEL F1: 3000 ppm
 NOAEL F2: 3000 ppm

Additional information Concentrations substantially above the TLV value may cause narcotic effects. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Solvents may degrease the skin.

Name	CAS
Ethanol	64-17-5
LD50 Oral - Rat - 2,743 mg/kg	
Inhalation: No data available	
LD50 Dermal - Rabbit - > 2,000 mg/kg	
Skin corrosion/irritation Result: Mild skin irritation - 24 h	
Serious eye damage/eye irritation Result: Irritating to eyes. - 24 h	
Respiratory or skin sensitization No data available	
Germ cell mutagenicity No data available	
Carcinogenicity Not identified as probable, possible or confirmed human carcinogen by IARC, NTP, or OSHA	
Reproductive No data available	
Additional information drying, cracking of the skin, Skin irritation Liver - Irregularities	

12. Ecological information

Name	CAS	Toxicity
n-Heptane	142-82-5	LL50: 1.284 mg/l Exposure time: 96 h Species: Oncorhynchus mykiss (rainbow trout) Method: QSAR LC50: 375 mg/l Exposure time: 96 h Species: Tilapia mosambica (Fish) EC50: 1.5 mg/l Exposure time: 48 h Species: Daphnia magna (Water flea) static test Toxic to aquatic organisms. LC50: 0.1 mg/l Exposure time: 96 h Species: Mysidopsis bahia (mysid shrimp) semi-static test Very toxic to aquatic organisms. EL50: 4.338 mg/l Exposure time: 72 h Species: Pseudokirchneriella subcapitata (microalgae) Method: QSAR
Ethanol	64-17-5	Not Available

13. Disposal considerations

Dispose of contents/container in accordance with local/regional/national/international regulations.

14. Transport information D.O.T

Proper Shipping Name	Alcohols, n.o.s.
Hazard Class	3
Identification Number	UN1987
Packing Group	II
Label	Flammable

15. Regulatory information

Name	CAS
n-Heptane	142-82-5
SARA 302/304	No components were identified
SARA 313	No components were identified
CERCLA	No components were identified
SARA 311/312	Fire Hazard Acute Health Hazard
PROP 65	No components were identified

This product and/or its components are listed on the Toxic Substances Control Act (TSCA) inventory.

Name	CAS
Ethanol	64-17-5
SARA 302/304	No components were identified
SARA 313	No components were identified
CERCLA	No components were identified
SARA 311/312	Fire Hazard, Chronic Health Hazard
PROP 65	No components were identified

This product and/or its components are listed on the Toxic Substances Control Act (TSCA) inventory.

16. Other information, including date of preparation or last revision**SDS Date:** 4/12/2018**Disclaimer:**

The information and recommendations contained in the Safety Data Sheet (SDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof. TransChem, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will TransChem be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information. User assumes all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE, ARE MADE BY TRANSCHEM HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this SDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof. This information relates to the material designated and may not be valid for such material used in combination with any other materials nor in any process.