


EVA GEMS & JEWELS

HOW TO MEASURE YOUR RING SIZE

Option 1: Measure a ring you already own.

Print this guide using standard A4 sized paper (210 x 297mm). Make sure the page scaling is set to 'None' in your print settings.

Using a ring that fits the same finger which your new ring is meant for, match it with the circles below until you find the circle that aligns with the inside circumference of your ring.



The above circle guide can only give an estimate, as it won't be based on the exact style of your specific EGJ ring.

Option 2: Ring Gauge

Cut around the edge of the ring gauge and make a slit on the 'cut along' line. Slip the logo end into that slit and tighten the gauge around your finger to read your size. If the reading is between sizes, go with the larger size.

Remember not to go too tight so the ring can slide comfortably over your knuckle when taking it off and putting it on.



Option 3: Request a complimentary ring sizer from us.

If surprises aren't your thing or it's a gift for yourself, our free sizer will be all you need! Email us at info@evagemsandjewels.com and we will pop one in the post.

We recommend using one of these for a more exact measurement as it won't wobble as you test taking it on and off.

RING SIZE CONVERSION CHART

There are lots of things to take into account when checking your ring size. From the style of the ring worn to the temperature and time of day when you measure your finger, your size can vary. This conversion chart can give you an estimate but remember we can re-size your ring for you if it's not a perfect fit (complimentary within your 45 days standard exchange/refund period).

Circumference (mm)	Insider Diameter (mm)	UK, Ireland, Australia, NZ	US, Canada
37.8	12.0	A	.5
38.5	12.2	A 1/2	.75
39.1	12.5	B	1
39.7	12.7	B 1/2	1.25
40.4	12.9	C	1.5
41.0	13.1	C 1/2	1.75
41.7	13.3	D	2
42.3	13.5	D 1/2	2.25
42.9	13.7	E	2.5
43.6	13.9	E 1/2	2.75
44.2	14.1	F	3
44.8	14.3	F 1/2	3.25
45.5	14.5	G	3.5
46.1	14.7	G 1/2	3.75
46.8	14.8	H	4
47.4	15.1	H 1/2	4.25
48.0	15.3	I	4.5
48.7	15.5	J	4.75
49.3	15.7	J 1/2	5
50.0	15.9	K	5.25
50.6	16.1	K 1/2	5.5
51.2	16.3	L	5.75

51.9	16.5	L 1/2	6
52.5	16.7	M	6.25
53.1	16.9	M 1/2	6.5
53.8	17.1	N	6.75
54.4	17.3	N 1/2	7
55.1	17.5	O	7.25
55.7	17.7	O 1/2	7.5
56.3	17.9	P	7.75
57.0	18.1	P 1/2	8
57.6	18.3	Q	8.25
58.3	18.5	Q 1/2	8.5
58.9	18.8	R	8.75
59.5	19.0	R 1/2	9
60.2	19.2	S	9.25
60.8	19.4	S 1/2	9.5
61.4	19.6	T	9.75
62.1	19.8	T 1/2	10
62.7	20.0	U	10.25
63.4	20.2	U 1/2	10.5
64.0	20.4	V	10.75
64.6	20.6	V 1/2	11
65.3	20.8	W	11.25
65.9	21.0	W 1/2	11.5
66.6	21.2	X	11.75
67.2	21.4	X 1/2	12
67.8	21.6	Y	12.25
68.5	21.8	Z	12.5
69.1	22.0	Z 1/2	12.75
69.7	22.2	-	13