





SUNGUARD+ UVR BONDED POLYESTER THREAD

PERFECT FOR OUTDOOR OR INDOOR APPLICATIONS THAT HAVE EXPOSURE TO SUN, WEATHER, OR CLEANING CHEMICALS.

- · Resistant to cleaning chemicals, mold, mildew, chlorine and bromine.
- · Maximum UV resistance.
- Combats seam leakage with anti-wick finish.
- Available in 8 oz. and 16 oz. spools and G and M bobbins.

See QTN Catalog Page 6 or QUALITYTHREAD.COM for more details.



Colors match 37 of the most popular shades of acrylic fabric





HERCULES HEAVY-DUTY POLYESTER THREAD



DESIGNED FOR SEWING APPLICATIONS THAT REQUIRE A BIT OF MUSCLE.

- A unique blend of bond and lubricant enhances sewing performance in demanding applications.
- Available in 16 oz. spools and B bobbins in sizes T210 T400.

See QTN Catalog Page 20 or QUALITYTHREAD.COM for more details.

QTC BONDED POLYESTER THREAD

HIGH VOLUME, COMPETITIVELY PRICED WITH EXCELLENT QUALITY.

- Uses carefully selected dyes, ensuring maximum UV resistance.
- Available in 16 oz. spools in sizes T70 T135.

See QTN Catalog Page 17 or QUALITYTHREAD.COM for more details.







SOLARFIX® PTFE PREMIER THREAD

IDEAL FOR USE IN OUTDOOR APPLICATIONS BECAUSE OF ITS RESISTANCE TO UV SUNLIGHT, CLEANING CHEMICALS, MILDEW AND OTHER HARSH OUTDOOR ELEMENTS.

- · Backed by a limited lifetime warranty.
- · Smooth sewability & efficiency.
- Available in a variety of colors and sizes on color-coded spools.

See QTN Catalog Page 2 or QUALITYTHREAD.COM for more details.



SolarFix® is AY Tech LLC's registered trademark for synthetic fiber, thread, and yarn.





NYLON, POLYESTER & POLYPROPYLENE WEBBING

UV AND MILDEW RESISTANT.

· Available in various weights, colors, and sizes See QTN Catalog Page 29 or QualityThread.com for more details.





HOOK & LOOP









IRON-ON HOOK & LOOP

 Uses a heat activated adhesive 0143 that becomes tacky once heat is applied either by ironing or RF welding. This adhesive bonds to a wide range of fabrics and has excellent water resistance. Full bond strength is reached after 24 hours. The operating temperature range is -40 F to 160 F.

QUICK SEW

SEW-IN NYLON HOOK & LOOP

- · High tensile strength
- Does not degrade in sunlight
- · Abrasion resistant
- · Low stretch

SEW-IN POLYESTER HOOK & LOOP

- · Holds up to prolonged light exposure
- Does not hold water and dries quickly
- · Resistant to mildew, stretching, and shrinking

COIL ZIPPERS





DURABLE AND AESTHETICALLY PLEASING.

- Stocking sizes #3 #10 sliders and chain
- · More sizes and colors available upon request See QTN Catalog Page 24-25 or QualityThread.com for more details.



















GROZ-BECKERT® **NEEDLES**

WORKS WELL WITH ACRYLIC FABRICS AND VINYL.

· Readily available in several sizes. See QualityThread.com for more details.



See QTN Catalog Page 26 or QualityThread.com for more details.



800-521-4308 QUALITYTHREAD.COM

