


THREAD • ZIPPERS • WEBBING
HOOK & LOOP • NEEDLES • FOR THE

MARINE INDUSTRY



QUALITY THREAD & NOTIONS

QUALITYTHREAD.COM


800-521-4308



Upholstery made on an ABM International Quilter using SolarFix® PTFE Thread.



Upholstery by HCB using SolarFix® PTFE Thread.










Safe to clean with most cleaners.



QUALITY THREAD & NOTIONS FOR ALL YOUR MARINE NEEDS

Marine products are exposed to high amounts of UV rays and various environmental conditions. New cleaning guidelines require higher quality materials that will hold up to harsh chemicals while maintaining strength and appearance. Quality Thread & Notions has the products you need to meet these demands, and the knowledgeable people ready to assist.

- 
SolarFix® PTFE Thread
P. 2
- 
Sunguard+ UVR Bonded Polyester Thread
P. 3-4
- 
Vision UV Resistant Embroidery Thread
P. 5

- 
Vislon® Marine Mates® Zippers
P. 6
- 
Quick Sew Polyester Hook & Loop
P. 6
- 
Groz-Beckert® Needles
P. 6
- 
Webbing
P. 6

SOLARFIX® PTFE PREMIER THREAD

IDEAL FOR USE IN MARINE APPLICATIONS BECAUSE OF ITS RESISTANCE TO UV SUNLIGHT, SALT WATER, CLEANING CHEMICALS, MILDEW AND OTHER HARSH OUTDOOR ELEMENTS.


- Holds up to UV sunlight, salt water, and other harsh outdoor elements
- Unaltered by airborne chemical cleaners
- Safe to clean with most cleaners*
- Smooth sewability & efficiency
- Interchangeable in double needle sewing, so you only need to stock one thread
- Superior strength after UV exposure
- Available in a variety of custom colors and sizes, on color-coded spools
- Backed by a limited lifetime warranty
 - Thread accounts for 50% of your products' integrity. If you warranty product for more than 1 year, it is imperative you use SolarFix® PTFE to keep repair costs low.

Color	2000/2200	2400/2640
Clear	7S203CL	7S24CL
Satin White	7S203SW	7S24SW
Black	7S203B	7S24B

Please call for other colors and sizes.
Sold by net weight on approximately 18 oz. spools.

* Actual colors may differ from colors appearing on screen or printed paper. Color Cards are available for color matching.

SUPERIOR STRENGTH AFTER UV EXPOSURE



*UV degradation may vary by area and climate.

*Contact QTN for a list of safe cleaners that have been QTN Quality Assurance Tested.

SolarFix® is AY Tech LLC's registered trademark for synthetic fiber, thread, and yarn.



Bobbins sold in 1/2 gross boxes.
8oz and 16oz sold per spool. 4oz sold 4 per box.

SUNGUARD+ SUPERIOR UVR BONDED POLYESTER THREAD

IDEAL FOR OUTDOOR OR INDOOR APPLICATIONS THAT HAVE MODERATE EXPOSURE TO SUN, WEATHER, OR CLEANING CHEMICALS.

- Resistant to cleaning chemicals
- Maximum UV resistance
- Combats seam leakage with anti-wick finish
- Resistant to mold, mildew, chlorine and bromine
- Colors match 36 of the most popular shades of acrylic fabric

Characteristics	Tensile	Elongation	Yds/Lb	Plies	Govt. Size
Sunguard+ Size B92	14	14-17%	4200	4	F
Sunguard+ Size B138	21	14-17%	2750	3	FF



SUNGUARD+ STOCKED SIZES AND COLORS



Color	B92 4 oz.	B92 8 oz.	B92 16 oz.	92 G Bobbins	92 M Bobbins	B138 8 oz.	B138 16 oz.	138 G Bobbins	138 M Bobbins
Natural White	3SUN4	3SUN8	3SUN16	378	376	3228	322	316	357
Oyster	3SUN4202QT	3SUN8202QT	3SUN16202QT	SO	SO	SO	SO	SO	SO
Parchment	3SUN4239QT	3SUN8239QT	SO	SO	SO	SO	SO	SO	SO
Sand	3SUN4203QT	3SUN8203QT	3SUN16203QT	378203QT	376203QT	3228203QT	322203QT	SO	SO
Beaver	3SUN43187QT	3SUN83187QT	3SUN163187QT	3783187QT	3763187QT	32283187QT	3223187QT	SO	SO
Mocha	3SUN4L6582QT	3SUN8L6582QT	SO	SO	SO	SO	SO	SO	SO
Beige	3SUN4204QT	3SUN8204QT	3SUN16204QT	378204QT	376204QT	3228204QT	322204QT	SO	SO
Saddle	3SUN4L6873QT	3SUN8L6873QT	3SUN16L6873QT	SO	SO	3228L6873QT	322L6873QT	SO	SO
Taupe	3SUN4227QT	3SUN8227QT	3SUN16227QT	SO	SO	SO	SO	SO	SO
Bay Brown	3SUN4205QT	3SUN8205QT	3SUN16205QT	378205QT	376205QT	3228205QT	322205QT	SO	SO
Sunglow	3SUN4206QT	3SUN8206QT	3SUN16206QT	SO	SO	3228206QT	SO	SO	SO
Cardinal	3SUN4207QT	3SUN8207QT	3SUN16207QT	378207QT	376207QT	3228207QT	322207QT	SO	SO
Burgundy	3SUN4208QT	3SUN8208QT	3SUN16208QT	378208QT	376208QT	3228208QT	322208QT	SO	SO
Black Cherry	3SUN4209QT	3SUN8209QT	SO	SO	SO	SO	SO	SO	SO
Cedar	3SUN4252QT	3SUN8252QT	3SUN16252QT	SO	SO	SO	SO	SO	SO
Deep Lilac	3SUN4211QT	3SUN8211QT	SO	SO	SO	SO	SO	SO	SO
Sunflower	3SUN4212QT	3SUN8212QT	3SUN16212QT	SO	SO	3228212QT	SO	SO	SO
Concord	3SUN4255QT	3SUN8255QT	SO	SO	SO	SO	SO	SO	SO
Blue Wave	3SUN4213QT	3SUN8213QT	SO	SO	SO	SO	SO	SO	SO
Pacific Blue	3SUN4214QT	3SUN8214QT	3SUN16214QT	378214QT	376214QT	3228214QT	32214QT	SO	SO
Mediterranean	3SUN4225QT	3SUN8225QT	3SUN16225QT	SO	SO	SO	SO	SO	SO
Dusk Blue	3SUN4215QT	3SUN8215QT	3SUN16215QT	SO	SO	3228215QT	SO	SO	SO
Navy	3SUN4216QT	3SUN8216QT	3SUN16216QT	378216QT	376216QT	3228216QT	322216QT	SO	SO
Dk. Teal	3SUN4217QT	3SUN8217QT	SO	SO	SO	SO	SO	SO	SO
Ocean Green	3SUN4218QT	3SUN8218QT	3SUN16218QT	SO	SO	3228218QT	SO	SO	SO
Seafoam	3SUN4237QT	3SUN8237QT	SO	SO	SO	SO	SO	SO	SO
Sage	3SUN4238QT	3SUN8238QT	SO	SO	SO	SO	SO	SO	SO
Shamrock	3SUN4219QT	3SUN8219QT	3SUN16219QT	SO	SO	SO	SO	SO	SO
Forest Green	3SUN4220QT	3SUN8220QT	3SUN16220QT	378220QT	376220QT	3228220QT	322220QT	SO	SO
Pearl Grey	3SUN4221QT	3SUN8221QT	3SUN16221QT	378221QT	376221QT	SO	SO	SO	SO
Shark Grey	3SUN4222QT	3SUN8222QT	3SUN16222QT	378222QT	376222QT	3228222QT	322222QT	SO	SO
Med. Titanium	3SUN4L6937QT	3SUN8L6937QT	3SUN16L6937QT	SO	SO	SO	SO	SO	SO
Med. Opal	3SUN4L6677QT	3SUN8L6677QT	SO	SO	SO	SO	SO	SO	SO
Charcoal	3SUN4223QT	3SUN8223QT	3SUN16223QT	378223QT	376223QT	3228223QT	322223QT	SO	SO
Graphite	3SUN4L6693QT	3SUN8L6693QT	SO	SO	SO	SO	SO	SO	SO
SD Black	3SUN4B	3SUN8B	3SUN16B	378B	376B	3228B	322B	316B	357B

SO = Special Order (minimum quantities and lead times may apply).

Actual colors may differ from colors appearing on screen or printed paper.
Color Cards* are available for color matching.

Color Cards*	Description	Item Nu
Thread Color Card	Actual Wound Thread	3SUNCC
Digital Color Card	Digital Color Match	3SUNPCC



Upholstery by Correct Craft using SolarFix® PTFE and Vision Embroidery Thread.

VISION UV RESISTANT EMBROIDERY THREAD

PERFECT FOR APPLICATIONS WHERE EMBROIDERY IS EXPOSED TO SUN.

- Little to no color loss after 500 hours of UV exposure
- Enhanced resistance to cleaning chemicals
- Constructed for high-speed sewing
- Trilobal construction that creates high sheen colors
- 24 brilliant colors stocked

L Style Bobbins sold in 134 yards, 144 per box.
Spools sold in 5500 yard spools, 12 per box, per color.

Actual colors may differ from colors appearing on screen or printed paper. Color Cards* are available for color matching.

Color Cards*	Description	Item Nu
Thread Color Card	Actual Wound Thread	640CC
Digital Color Card	Digital Color Match	640PCC

Characteristics	Ticket Size	Denier	Plies	Tensile	Elongation	Yds/Lb
Vision T21	40	242.30	2	2.73 lbs	20.44%	18425

Vision
UV Stable Embroidery Thread



Color	T21 4oz	T16 Bobbins
White	SO	381
Bright White 601Q	640	SO
Sunrise 605Q	640605Q	SO
Marigold 606Q	640606Q	SO
Citrus 607Q	640607Q	SO
Jockey Red 610Q	640610Q	SO
Deep Red 611Q	640611Q	SO
Merlot 612Q	640612Q	SO
Chocolate 613Q	640613Q	SO
Walrus 616Q	640616Q	SO
Pistachio 651Q	640651Q	SO
River Rock 620Q	640620Q	SO
Sun Tan 609Q	640609Q	SO
Pebble 622Q	640622Q	SO
Sand 623Q	640623Q	SO
Surf Blue 625Q	640625Q	SO
Cape Cod 626Q	640626Q	SO
Maritime 627Q	640627Q	SO
Sapphire 628Q	640628Q	SO
Teal 630Q	640630Q	SO
Seagrass 631Q	640631Q	SO
Nori Green 632Q	640632Q	SO
Grey Wool 650Q	640650Q	SO
Storm 635Q	640635Q	SO
Sea Lion 615Q	640615Q	SO
Cloud 637Q	640637Q	SO
Black 644Q	640B	SO

SO = Special Order



QUICK SEW

POLYESTER HOOK & LOOP

PERFECT FOR OUTDOOR APPLICATIONS THAT CAN BE WET OR HUMID.

- Holds up to prolonged light exposure better than nylon
- Does not hold water and dries quicker than nylon
- Resistant to mildew, stretching, and shrinking

Size	White Hook	White Loop	Black Hook	Black Loop	Put Up	Case Qty
1"	VSQ100HPOLY	VSQ100LPOLY	VSQ100BHPOLY	VSQ100BLPOLY	25 yds	500 yds
2"	VSQ200HPOLY	VSQ200LPOLY	SPECIAL ORDER	SPECIAL ORDER	25 yds	250 yds



GROZ-BECKERT® NEEDLES

WORKS WELL WITH ACRYLIC, VINYL, AND LEATHER.

Size	Style	System	Point	Item #	Pack Qty
125/20	SAN@6	135X17	RG	N768412GB	100
130/21	SAN@5	135X17	RG	N768682GB	100
140/22	SAN@5	135X17	RG	N768692GB	100
160/23	SAN@5	135X17	RG	N769132GB	100
110/18	SAN@6	135X17	RG	N768482GB	100
120/19	SAN@5	135X17	RG	N768672GB	100
180/24	SAN@5	135X17	RG	N770932GB	100
140/22	DPx16	135x16	D	N718682GB	100
160/23	DPx16	135x16	D	N718692GB	100

POLYPROPYLENE WEBBING

- UV resistant
- Repels water
- Mildew resistant



LIGHT WEIGHT - sold per roll, 100 yards per roll

Size	Black	White	Break Strength	Case Qty
3/4"	WLW034B	WLW034	360 lbs	1000 yds
1"	WLW100B	WLW100	540 lbs	1000 yds
1-1/2"	WLW150B	WLW150	600 lbs	1000 yds
2"	WLW200B	WLW200	1040 lbs	500 yds
3"	WLW300B	WLW300	1600 lbs	400 yds

HEAVY WEIGHT - sold per roll, 100 yards per roll

Size	Black	White	Red	Yellow	Break Strength	Case Qty
3/4"	WHW034B	SPECIAL ORDER	SPECIAL ORDER	SPECIAL ORDER	700 lbs	1000 yds
1"	WHW100B	WHW100	WHW100RED	SPECIAL ORDER	800 lbs	1000 yds
1-1/2"	WHW150B	WHW150	SPECIAL ORDER	SPECIAL ORDER	1100 lbs	700 yds
2"	WHW200B	WHW200	SPECIAL ORDER	WHW200YELLOWRW	1600 lbs	500 yds
3"	WHW300B	WHW300	SPECIAL ORDER	SPECIAL ORDER	2100 lbs	400 yds
4"	WHW400B	SPECIAL ORDER	SPECIAL ORDER	SPECIAL ORDER	2640 lbs	300 yds



YKK®


READY-MADE VISLON® MARINE ZIPPERS

DESIGNED TO RESIST DAMAGE FROM SUNLIGHT AND CORROSION.

- Withstands ultra-violet rays better than YKK's standard VISLON® zipper

Length	Black	White	Case Qty
12"	ZVFO10712580	ZVFO10712501	50
18"	ZVFO10718580	ZVFO10718501	50
24"	ZVFO10724580	ZVFO10724501	50
30"	ZVFO10730580	ZVFO10730501	50
36"	ZVFO10736580	ZVFO10736501	50
42"	ZVFO10742580	ZVFO10742501	25
48"	ZVFO10748580	ZVFO10748501	25
54"	ZVFO10754580	ZVFO10754501	20
60"	ZVFO10760580	ZVFO10760501	20
72"	ZVFO10772580	ZVFO10772501	20
84"	ZVFO10784580	ZVFO10784501	10
96"	ZVFO10796580	ZVFO10796501	10
108"	ZVFO10710858	ZVFO10710850	10
120"	ZVFO10712058	ZVFO10712050	10
144"	ZVFO107144580	ZVFO107144501	10

Need Plastic Hardware to go with Webbing?
See our full line in our QTN Catalog!



QUALITY THREAD & NOTIONS

32500 SOLON ROAD
SOLON, OH 44139



800-521-4308
QUALITYTHREAD.COM

