

LITTLE FABRIC SHOP

A MODERN FABRIC SHOP FOR JOYFUL SEWING

Little Fabric Shop Quilt


A Progressive Skill Quilt


Wyoming Valley Blocks



Fabric Used: Assorted Cotton + Steel Basics







This tutorial will demonstrate how to create 4 Wyoming Valley Blocks.



FINISHED BLOCK SIZE: H: 12" x W: 12"

DIFFICULTY: Advanced Beginner

SEAM ALLOWANCE: 1/4" throughout pattern unless indicated.

DIMENSIONS: are written height x width throughout instructions.

PRIOR TO SEWING: Read all of the directions before beginning project.


FABRIC REQUIREMENTS:

The table below indicates the fabric requirements for the **ENTIRE** quilt. Additionally, it provides information on the color names and color letters. We recommend quilter's weight cotton for this project. We used Cotton + Steel Basics fabric.

A	Stitch Repeat - Lace	3½ yards
B	Stitch Repeat - Mint	1½ yards
C	Stitch Repeat - Teal	½ yard
D	Square-Up - Peacock	1 yard
E	Freckles - Evening Sky	¼ yard
F	Square-Up - Jelly	¾ yard
G	Freckles - Smooch	1½ yards
H	Stitch Repeat - Sorbet	1 yard
I	Stitch Repeat - Avocado	1 yard

CUTTING REQUIREMENTS:

Use the Block Layout Guide below along with the Cutting Chart to cut out all of the fabrics.



Cutting Chart

BLOCK NUMBER	COLOR LETTER	SIZE	QUANTITY
1 Step 1	A	6½" x Width of Fabric	1 Strip
1 Step 2	A	Cut the 6½" strips to 6½" segments	6 Squares
2 Step 1	D	6½" x Width of Fabric	1 Strip
2 Step 2	D	Cut the 6½" strips to 6½" segments	6 Squares
3 Step 1	A	6½" x Width of Fabric	1 Strip
3 Step 2	A	Cut the 6½" strips to 6½" segments	4 Squares
4 Step 1	G	6½" x Width of Fabric	1 Strip
4 Step 2	G	Cut the 6½" strips to 6½" segments	4 Squares
5 Step 1	B	6½" x Width of Fabric	1 Strip
5 Step 2	B	Cut the 6½" strips to 6½" segments	4 Squares
6 Step 1	G	6½" x Width of Fabric	1 Strip
6 Step 2	G	Cut the 6½" strips to 6½" segments	4 Squares
7	B	Cut 4½" x 4½" squares	4 Squares
8	D	Cut 2½" x 2½" squares	16 Squares
9	B	Cut 2½" x 2½"	16 Squares

SUPPLIES:

Ruler, Creative Grids® Half Square 4-in-1 Triangle Quilt Ruler, Scissors, Rotary Cutter, Mat, Pins, Iron, ¼-Inch Presser Foot, Sewing Machine

FABRIC SIDES:

We will use the corresponding color to the block to indicate the Right Side of Fabric (RSF). White will indicate the Wrong Side of Fabric (WSF).




Right Side of Fabric: **RSF**



Wrong Side of Fabric: **WSF**


CREATE VERSION #1 HALF SQUARE TRIANGLES:

You will create 48 individual Version #1 Half Square Triangles.




STEP 1: SEW BLOCKS

Layer **BLOCK 1** on top of **BLOCK 2** with RSF each other. Draw diagonal lines from corner to corner on **BLOCK 1** as shown below.




Pin to hold fabric layers in place. Sew a ¼-inch seam allowance on either side of the drawn lines as shown below. Repeat this step for the other 5 stacked blocks.




STEP 2: CUT BLOCKS

Cut the large square into four units as shown below.




Now cut along the drawn diagonal lines. You will have a total of 8 HST.



STEP 3: SQUARE OFF HST

Trim to size by positioning the 2" horizontal dashed markings over the HST seam line. Trim.




Press seams towards darker fabric. Repeat these 3 steps to create a total of 48 individual HST.




CREATE VERSION #2 HALF SQUARE TRIANGLES:

You will create 32 individual Version #2 Half Square Triangles.




STEP 1: SEW BLOCKS

Layer **BLOCK 3** on top of **BLOCK 4** with RSF each other. Draw diagonal lines from corner to corner on **BLOCK 3** as shown below.




Pin to hold fabric layers in place. Sew a 1/4-inch seam allowance on either side of the drawn lines as shown below. Repeat this step for the other 3 stacked blocks.




STEP 2: CUT BLOCKS

Cut the large square into four units as shown below.




Now cut along the drawn diagonal lines. You will have a total of 8 HST.



STEP 3: SQUARE OFF HST


Trim to size by positioning the 2" horizontal dashed markings over the HST seam line. Trim.

Press seams towards darker fabric. Repeat these 3 steps to create a total of 32 individual HST.




CREATE VERSION #3 HALF SQUARE TRIANGLES:

You will create 32 individual Version #3 Half Square Triangles.




STEP 1: SEW BLOCKS

Layer **BLOCK 5** on top of **BLOCK 6** with RSF each other. Draw diagonal lines from corner to corner on **BLOCK 5** as shown below.




Pin to hold fabric layers in place. Sew a 1/4-inch seam allowance on either side of the drawn lines as shown below. Repeat this step for the other 3 stacked blocks.




STEP 2: CUT BLOCKS

Cut the large square into four units as shown below.




Now cut along the drawn diagonal lines. You will have a total of 8 HST.



STEP 3: SQUARE OFF HST


Trim to size by positioning the 2" horizontal dashed markings over the HST seam line. Trim.

Press seams towards darker fabric. Repeat these 3 steps to create a total of 32 individual HST.




CREATE DIAMOND IN SQUARE BLOCKS:

You will create 4 individual Diamond in Square blocks.




STEP 1: PREPARE BLOCKS

Gather **BLOCK 7** and **BLOCK 8**.




Draw a diagonal line from point to point across **BLOCK 8** on WSF.




STEP 2: SEW & TRIM TWO CORNERS


Place **BLOCK 8** WSF up on the upper left corner of RSF up **BLOCK 7** and pin in place. Then place another **BLOCK 8** WSF up on the lower right corner of RSF up **BLOCK 7** and pin in place. Sew directly along drawn line on both **BLOCK 8**'s.



Create ¼-inch seams on both the sewn **BLOCK 8** corners. Place a ruler along the sewn seam with a ¼-inch overlap. Trim.




Press seams of triangle corners toward the outer triangle.




STEP 3: SEW AND TRIM REMAINING TWO CORNERS


Place a **BLOCK 8** WSF up on the upper right corner of RSF up **BLOCK 7** and pin in place. Then place the other **BLOCK 8** WSF up on the lower left corner of RSF up **BLOCK 7** and pin in place. Sew directly along drawn lines on **BLOCK 8**.



Create ¼-inch seams on the sewn **BLOCK 8** corners. Place a ruler along the sewn seam with a ¼-inch overlap. Trim.



Press seams of triangle corners toward the outer triangle.




STEP 4: SQUARE OFF BLOCKS

Each block should measure 4½" x 4½". You can use a ruler to make sure each block is this size. In total, you have a total of 4 Diamond in Square blocks.


CREATE CORNER BLOCKS:

You will create 16 Corner Blocks.




STEP 1: PREPARE BLOCKS

Gather the **VERSION #1 HALF SQUARE TRIANGLE (HST) BLOCKS** and the **BLOCK 9** squares.




STEP 2: SEW BLOCKS


Layout blocks as shown below.




Sew each row together as shown below. Alternate the direction of pressing seams for each row as indicated by the red arrows.



Sew all the rows together. Nest seams and pin. Sew using a 1/4-inch seam allowance. Press the seams open. This block should measure 4½" x 4½". Repeat steps to create **16 CORNER BLOCKS**.




CREATE MIDDLE BLOCKS:




STEP 1: PREPARE BLOCKS

Gather the **VERSION #2 HST BLOCKS** and **VERSION #3 HST BLOCKS**.




STEP 2: SEW BLOCKS


Layout blocks as shown below.



Sew each row together as shown below. Alternate the direction of pressing seams for each row as indicated by the red arrows.




Sew all the rows together. Nest seams and pin. Sew using a 1/4-inch seam allowance. Press the seams open. This block should measure 4 1/2" x 4 1/2". Repeat steps to create **16 MIDDLE BLOCKS**.




ASSEMBLE WYOMING VALLEY BLOCKS:


Layout all your fabric pieces as shown in the diagram below.



Sew each row together as shown below. The seams are bulky so press them open to allow smoother sewing through all the fabric layers.



Sew all the rows together. Line-up each for the seams and pin. Sew using a 1/4-inch seam allowance. Press the seams open. This block should measure 12 1/2" x 12 1/2" (finished size will be 12" x 12"). Repeat steps to create **4 WYOMING VALLEY BLOCKS**.



NEXT STEPS:

You should have a total of 4 Wyoming Valley Blocks with 4 Rolling Squares Blocks, 8 Eccentric Star Blocks, 20 Road to Oklahoma Blocks, 8 Hourglass Variation Blocks, and 4 Log Cabin Blocks from the previous tutorials. Set these blocks aside for now. Next month we will give you instructions on how to use these blocks to create the quilt top. Stay tuned!

JOIN IN THE QUILTING FUN!

We hope that you continue our ten-month Little Fabric Shop Quilt journey. Follow along with the Instagram [#littlefabricshopquilt](https://www.instagram.com/littlefabricshopquilt) so that we can see your progress and be inspired by your work. Stay up-to-date on this event and all the happenings at Little Fabric Shop by signing up for our Newsletter located on the bottom of our homepage. Happy Sewing!!

