



CLEARCOAT PROTECTANT

Safety Data Sheet

Revision date: May 20, 2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : CLEARCOAT PROTECTANT
Product form : Mixture
Product code : 11-11200

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Clearcoat Protectant

1.3. Details of the supplier of the safety data sheet

ChemQuest Inc.
21365 Hamburg Ave.
Lakeville, MN 55044
Phone: (877) 437-3478
Email: infocq@chemquestinc.com

1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

<u>Hazard Code</u>	<u>Hazard Class</u>	<u>Hazard Category</u>
H315	Skin corrosion/irritation	2
H317	Sensitisation, skin	1
H318	Serious eye damage/eye irritation	1

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICES

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



Signal Word (GHS-US): **Danger**

Hazard Statements (GHS-US):

H315: Causes skin irritation
H317: May cause allergic skin reaction
H318: Causes serious eye damage

Precautionary statements (GHS-US):

P261: Avoid breathing dust/fumes/gas/mist/spray
P264: Wash thoroughly after handling
P272: Contaminated work clothing should not be allowed out of the workplace
P280: Wear protective gloves/protective clothing/eye protection/face protection
P302+352: IF ON SKIN: Wash with soap and water
P321 Specific treatment (see SECTION 4)
P333+313: If skin irritation or a rash occurs: Get medical advice/attention
P362: Take off contaminated clothing and wash before reuse
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P310: Immediately call a POISON CENTER or doctor/physician
P501: Dispose of contents/container in accordance with local, state and federal authorities.

2.3. Other hazards

No additional information available

CLEARCOAT PROTECTANT

Safety Data Sheet

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	CAS #	%
Distillates, petroleum, hydrotreated middle	64742-46-7	5 – 10
Quaternary Ammonium Compounds, DiCocoalkyl, Dimethyl, Chlorides	61789-77-3	5 – 10
Glycol Ether EB - Ethylene glycol monobutyl ether	111-76-2	3 - 6
Amines, C14-18; C16-18-Unsat., Alkyl, Ethoxylated	68155-39-5	1 – 5
2-Propanol	67-63-0	< 2.5

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing Use artificial respiration and oxygen if needed. If irritation persists, seek medical attention.
First-aid measures after skin contact	: IF ON SKIN: Immediately rinse with plenty of water (for at least 15 minutes). . If irritation persists, seek medical attention.
First-aid measures after eye contact	: IF IN EYES: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). . If irritation persists, seek medical attention.
First-aid measures after ingestion	: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Dilute stomach contents by drinking water. If vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into lungs. Call physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: Causes skin irritation. Causes serious eye damage. May cause allergic skin reaction.
Symptoms/injuries after inhalation	: May cause headache, nausea and irritation of respiratory tract.
Symptoms/injuries after skin contact	: May cause skin irritation. May cause allergic skin reaction
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: May cause gastrointestinal irritation, nausea, vomiting, and diarrhea if swallowed.
Chronic symptoms	: No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

suitable extinguishing media : Alcohol-resistant foam. Carbon dioxide. Dry powder. Water spray.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flash Point > 200 F(closed cup)
Explosion hazard	: Product is not explosive.
Reactivity	: No dangerous reactions known under normal conditions of use.

5.3. Advice for firefighters

Firefighting instructions	: Do not dispose of fire-fighting water in the environment. Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area. Keep upwind. Ventilate area. Spill should be handled by trained clean-up crews properly equipped with respiratory equipment and full chemical protective gear (see Section 8).

6.1.1. For non-emergency personnel

Protective equipment	: Wear Protective equipment as described in Section 8.
Emergency procedures	: Evacuate unnecessary personnel.

CLEARCOAT PROTECTANT

Safety Data Sheet

6.1.2. For emergency responders

Protective equipment : Approved supplied-air respirator, in case of emergency. Wear suitable protective clothing, gloves and eye or face protection.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Prevent entry to sewers and public waters. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Wear proper safety equipment including chemically resistant gloves and safety glasses or goggles. Use with adequate ventilation. Wash thoroughly after handling. Do not get in eyes. Avoid prolonged or repeated contact with skin. Do not breathe mist or vapor. Do not swallow.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : heat sources. Keep container tightly closed. Store between 50 F & 100 F.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No OSHA and ACGIH PEL's or TLV's for the listed ingredients of this product unless stated below:

Distillates, petroleum, hydrotreated middle, CAS# 64742-46-7			
OSHA PEL (TWA) ppm - if units not stated	OSHA PEL (STEL) ppm - if units not stated	OSHA PEL (Ceiling) ppm - if units not stated	ACGIH-TLV
5 mg/m3	Not Established	Not Established	10 mg/m3

Glycol Ether EB - Ethylene glycol monobutyl ether, CAS# 111-76-2			
OSHA PEL (TWA) ppm - if units not stated	OSHA PEL (STEL) ppm - if units not stated	OSHA PEL (Ceiling) ppm - if units not stated	ACGIH-TLV
20 ppm	Not Established	Not Established	20 ppm

2-Propanol , CAS# 67-63-0			
OSHA PEL (TWA) ppm - if units not stated	OSHA PEL (STEL) ppm - if units not stated	OSHA PEL (Ceiling) ppm - if units not stated	ACGIH-TLV
400 ppm	500 ppm	Not Established	200 ppm

8.2. Exposure controls

Personal protective equipment : Chemical resistant gloves. Protective clothing. Safety glasses or goggles

Hand protection : Chemical resistant gloves.

Eye protection : Safety glasses or goggles.

Skin and body protection : Wear long sleeves. Wear suitable protective clothing.

Respiratory protection : Where excessive vapor, mist, or dust may result, use approved respiratory protection equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Dyed liquid.

Color : No data available

Odor : Fragrance.

Odor Threshold : No data available

pH : 8.3

CLEARCOAT PROTECTANT

Safety Data Sheet

Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: > 100 °C
Flash point	: > 200 F (closed cup)
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.962
Solubility	: Complete solubility in water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong oxidizing and reducing agents. Strong acids.

10.6. Hazardous decomposition products

Thermal decomposition generates : Carbon oxides (CO, CO₂). Ammonia and Nitrogen Oxides.

Other decomposition products : No data available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Oral LD50: > 2,000 mg/kg (rat) Calculated

Dermal LD50: > 2,000 mg/kg (rabbit) Calculated

Inhalation LC50: > 5 mg/l (Dust/Mist-rat) Calculated

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: May cause allergic skin reaction
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause headache, nausea and irritation of respiratory tract.

CLEARCOAT PROTECTANT

Safety Data Sheet

Symptoms/injuries after skin contact	: May cause skin irritation. May cause allergic skin reaction
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: May cause gastrointestinal irritation, nausea, vomiting, and diarrhea if swallowed.
Chronic symptoms	: No data available.

SECTION 12: Ecological information

- 12.1. Toxicity**
No Data
- 12.2. Persistence and degradability**
No Data
- 12.3. Bioaccumulative potential**
No Data
- 12.4. Mobility in soil**
No Data
- 12.5. Other adverse effects**
No Data

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods**
Waste treatment methods : Do not discharge to public wastewater systems without permit of pollution control authorities. No discharge to surface waters is allowed without an NPDES permit.
- Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment.

SECTION 14: Transport information

14.1. UN number, proper shipping name, class and packaging group.:

Domestic Ground Shipments

Not DOT Regulated

14.2. Additional information

SECTION 15: Regulatory information

15.1. US Federal regulations

TSCA Inventory: The components of this product are listed.

SARA Section 311/312, Hazard Category (40CFR 370.2): Acute and Chronic health hazard.

SARA Section 313, Toxic Release Reporting (40CFR Part372):

Glycol Ether EB - Ethylene glycol monobutyl ether, CAS# 111-76-2, < 5.5%

2-Propanol, CAS# 67-63-0, < 2.5% by wt.

SARA Section 302, EHS Emergency Planning (40CFR Part 355): No listed substance known over 1.0%.

SARA Section 304, EHS Release Reporting (40CFR Part 355): No listed substance known over 1.0%.

CERCLA Section 102-103 HS Release Reporting (40 CFR par302-102a): No listed substance known over 1.0%.

15.2. International regulations

No Data

15.2.2. National regulations

No Data

15.3. US State regulations

California Prop. 65:

Approximate quantities by weight

Methane, chloro- CAS# 74-87-3 - Developmental < 0.0035%

SECTION 16: Other information

Other information : None.

NFPA health hazard : 2

NFPA fire hazard : 1

NFPA reactivity : 0

CLEARCOAT PROTECTANT

Safety Data Sheet

HMIS III Rating

Health	:	2
Flammability	:	1
Physical	:	0
Personal Protection	:	

The information contained herein has been compiled from sources believed to be reliable and is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.