

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. **Product identifier**

: EZ LOW FOAM Trade name

Product form : Mixture Product code : 10-30132

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Acidic Detergent

#### Details of the supplier of the safety data sheet

ChemQuest Inc. 21365 Hamburg Ave. Lakeville, MN 55044 Phone: (877) 437-3478

Email: infocq@chemquestinc.com

#### **Emergency telephone number**

: CHEMTREC: 1-800-424-9300 **Emergency number** 

### **SECTION 2: Hazards identification**

### Classification of the substance or mixture

#### Classification (GHS-US)

**Hazard Code Hazard Class Hazard Category** 

H314 Skin corrosion/irritation 1C H350 1A Carcinogenicity

#### HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICES

#### 2.2. Label elements

#### **GHS-US** labeling

Hazard pictograms (GHS-US





Signal Word (GHS-US): Danger

### Hazard Statements (GHS-US):

H314: Causes severe skin burns and eye damage

H350: May cause cancer

## Precautionary statements (GHS-US):

P201: Obtain special instructions before use

P202: Do not handle until all safety precautions have been read and understood

P260: Do not breathe dust/fumes/gas/mist/vapors/spray

P264: Wash thoroughly after handling

P280: Wear protective gloves/protective clothing/eye protection/face protection P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P363: Wash contaminated clothing before reuse

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P310: Immediately call a POISON CENTER or doctor/physician

P321: Specific treatment (see SECTION 4)

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do continue rinsina

P308+313: IF exposed or concerned: Get medical advice/attention

P405: Store locked up

P501: Dispose of contents/container in accordance with local, state and federal authorities.

## Safety Data Sheet

#### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS-US)

No data available

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	CAS#	%
Sodium Olefin (c14-16) Sulfonate	68439-57-6	10 - 20
n-Dodecylbenzene Sulfonic Acid Linear	27176-87-0	11 - 13
Citric Acid	77-92-9	5 - 10
Glycol Ether EB - Ethylene glycol monobutyl ether	111-76-2	2 – 4
SULFURIC ACID	7664-93-9	< 0.14

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice

(show the label where possible).

First-aid measures after inhalation : IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing Use

artificial respiration and oxygen if needed. If irritation persists, seek medical attention.

First-aid measures after skin contact : IF ON SKIN: Immediately rinse with plenty of water (for at least 15 minutes). . If irritation persists,

seek medical attention.

First-aid measures after eye contact : IF IN EYES: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15

minutes minimum). . If irritation persists, seek medical attention.

First-aid measures after ingestion : IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Dilute stomach contents by drinking

water. If vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into

lungs. Call physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation : May cause headache, nausea and irritation of respiratory tract.

Symptoms/injuries after skin contact : Highly corrosive to skin.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Severe irriation or burns to mouth, throat, esophagus and stomach.

Chronic symptoms : No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

suitable extinguishing media : Alcohol-resistant foam. Carbon dioxide. Dry powder. Water spray.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : The product is not flammable. Explosion hazard : Product is not explosive.

Reactivity : Contact with metals produces hydrogen gas which may form explosive mixtures with air.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Do not dispose of fire-fighting water in the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear

self-contained breathing apparatus and protective suit (see item 8).

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area. Keep upwind. Ventilate area. Spill should be handled by trained clean-up crews properly equipped with respiratory equipment and full chemical protective gear (see Section 8).

2/6

## Safety Data Sheet

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear Protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

### 6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air

respirator, in case of emergency.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Prevent entry to sewers and public waters. Contain any spills with dikes or absorbents to prevent

migration and entry into sewers or streams.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place in

a suitable container for disposal in accordance with the waste regulations (see Section 13).

#### 6.4. Reference to other sections

No additional information available

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Wear proper safety

equipment including chemically resistant gloves and safety glasses or goggles. Use with adequate ventilation. Wash thoroughly after handling. Do not get in eyes or on skin. Do not

breathe mist or vapor. Do not swallow.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : heat sources. Keep

container tightly closed. Store between 50 F & 100 F.

#### 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

No OSHA and ACGIH PEL's or TLV's for the listed ingredients of this product unless stated below:

Glycol Ether EB - Ethylene glycol monobutyl ether, CAS# 111-76-2			
OSHA PEL (TWA) ppm - if units not stated	OSHA PEL (STEL) ppm - if units not stated	OSHA PEL (Ceiling) ppm - if units not stated	ACGIH-TLV
20 ppm / 240 mg/m3 skin	Not Established	Not Established	20 ppm

### 8.2. Exposure controls

Personal protective equipment : Protective safety glasses or goggles. Chemically resistant gloves. Protective clothing. Possibly a

face shield and or respiratory protection of the dependent type.

Hand protection : Chemical resistant gloves.

Eye protection : Use chemical resistant safety glasses or goggles. A face shield should be worn when the

possibility exists for eye or face contact due to spraying liquid or airborne particles.

Skin and body protection : Wear long sleeves. Wear suitable protective clothing. Possibly a face shield.

Respiratory protection : Where excessive vapor, mist, or dust may result, use approved respiratory protection equipment.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Dyed.

Color : No data available
Odor : No fragrance.
Odor Threshold : No data available

pH : 1.0

Relative evaporation rate (butyl acetate=1) : No data available

Melting point : No data available

Freezing point : No data available

Pailing point : No data available

Boiling point :  $> 100 \, ^{\circ}\text{C}$ 

Flash point : No data available

## Safety Data Sheet

Self ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapor pressure : No data available
Relative vapor density at 20 °C : No data available

Relative density : 1.06

Solubility : Complete solubility in water.

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosive limits : No data available

# 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Contact with metals produces hydrogen gas which may form explosive mixtures with air.

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

No known.

## 10.5. Incompatible materials

Oxidizing agents, Bases, Reducing agents, Nitrates, Inorganic acids, Inorganic bases

## 10.6. Hazardous decomposition products

Thermal decomposition generates: Sulfur oxides. Carbon oxides (CO, CO2), miscellaneous organic chemicals, Some possible toxic.

### **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Oral LD50: > 2,000 mg/kg (rat) Calculated
Dermal LD50: > 2,000 mg/kg (rabbit) Calculated
Inhalation LC50: > 5 mg/l (Dust/Mist-rat) Calculated

Skin corrosion/irritation : Causes severe skin burns and eye damage

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified

Carcinogenicity : This product contains less than 0.14% of Sulfuric Acid CAS# 7664-93-9. This ingredient is listed

as a carcinogen. IARC & NTP have listed strong inorganic acid mists containing sulfuric acid as

known human carcinogens.

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Skin, eyes, mucous membranes

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : May cause headache, nausea and irritation of respiratory tract.

Symptoms/injuries after skin contact : Highly corrosive to skin.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Severe irritation or burns to the mouth, throat, esophagus, and stomach.

Chronic symptoms : No data available.

## Safety Data Sheet

## **SECTION 12: Ecological information**

12.1. Toxicity

No Data

12.2. Persistence and degradability

No Data

12.3. Bioaccumulative potential

No Data

12.4. Mobility in soil

No Data

12.5. Other adverse effects

No Data

## **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Waste treatment methods : Do not discharge to public wastewater systems without permit of pollution control authorities. No

discharge to surface waters is allowed without an NPDES permit.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not allow the product

to be released into the environment.

## **SECTION 14: Transport information**

### 14.1. UN number, proper shipping name, class and packaging group.:

**Domestic Ground Shipments** 

UN2586, Alkyl Sulfonic Acids, Liquid not having more than 5% free sulfuric acid, 8, III

#### 14.2. Additional information

## **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

TSCA Inventory: The components of this product are listed.

SARA Section 311/312, Hazard Category (40CFR 370.2): Acute and Chronic health hazard.

SARA Section 313, Toxic Release Reporting (40CFR Part372):

Sulfuric Acid, CAS# 7664-93-9, contains less than 0.14% by weight.

Ethylene glycol monobutyl ether, CAS# 111-76-2

SARA Section 302, EHS Emergency Planning (40CFR Part 355): No listed substance known over 1.0%.

SARA Section 304, EHS Release Reporting (40CFR Part 355): No listed substance known over 1.0%.

CERCLA Section 102-103 HS Release Reporting (40 CFR par302-102a): n-Dodecylbenzene Sulfonic Acid Linear, CAS# 27176-87-0, RQ 1000

## 15.2. International regulations

No Data

#### 15.2.2. National regulations

No Data

## 15.3. US State regulations

California Prop. 65:

Approximate quantities by weight

STRONG ACID MISTS CONTAINING SULFURIC ACID CAS# 7664-93-9 / CANCER < 0.14%

### **SECTION 16: Other information**

Other information : None.

NFPA health hazard : 3
NFPA fire hazard : 1
NFPA reactivity : 0

**HMIS III Rating** 

Health : 3
Flammability : 1
Physical : 0
Personal Protection : 3

# Safety Data Sheet

The information contained herein has been compiled from sources believed to be reliable and is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.