

CA250

The logo for Carimali, featuring a stylized white 'C' followed by the word 'ARIMALI' in a bold, sans-serif font. A horizontal line is positioned below the text.



OVERVIEW

Be professional at home



Average daily production: 50 cups



BENEFITS

Good extraction in reduced dimensions

ADVANTAGES

Plug&Play, easy to manage and reliable

LOCATIONS

Home and small offices

COLOURS

● Black



HOME




SMALL OFFICES





HIGHLIGHTS

Highlights



450 mm

302 mm

Dimensions: 302x450x370 mm

Weight: 12 kg

Spout clearance: 80 - 115 mm

of bean hoppers: 1

Bean hopper capacity: 250 g

Heating elements: 1 Thermoblock

Heating element power: 1200 W

Group capacity: 7 - 14 g

2 coffee simultaneously



Highlights

450 mm



302 mm

User interface: 6 buttons + 2 lines display

Fresh milk system: Venturi

Water connection:

Tank - 1,8 l

Drip tray capacity: 0,6 l

Waste bucket capacity: 15

Voltage:

220 - 240 V 50/60 Hz

Watts: 1400 W depending on version

Accessories: Fridges



Accessories



Fridge:

Frescolatte

Fridge-C

Fridge C-DGT





VERSIONS

Versions

ES

Coffee made with an Espresso Brewer



ES + FM

Coffee made with an Espresso Brewer + fresh milk management with automatic cappuccinatore





TECHNOLOGIES

Fresh milk setting management



Benefits

Easy and real-time milk foam setting

Features

Control knob for fresh milk management

Grinder adjustment



Simple and intuitive grinder adjustment

Graduated knob for coarsenesses control



Nozzles



Benefits

2 coffee at the same time

Features

7-14 g brewing unit and double nozzle

Metal cup support



Professional components at home

Stainless steel grid



carimali.com

