

USER MANUAL

oransi 

ERIK650A

AIR PURIFIER

READ AND SAVE THESE INSTRUCTIONS

we | come

WE APPRECIATE YOU CHOOSING ORANSI

You can expect the very best performance from your Oransi for removal of fine air particles where it is used. If you have questions beyond this manual, feel free to visit our website Oransi.com or call our trained customer service staff at 888.281.3948. Your air purifier serial number can be found on the rating label.

Sincerely,
THE ORANSI TEAM



INDEX

- 05** safety precautions
- 07** air purifier overview
 - filter overview
- 11** maintenance
 - installing cover
- 12** troubleshooting
 - best practices
- 13** warranty program



**first,
be safe.**

oransi 

SAFETY PRECAUTIONS

READ ALL INSTRUCTIONS BEFORE USING THIS APPLIANCE TO REDUCE THE RISK OF FIRE, ELECTRIC SHOCK, OR INJURY. PLEASE SAVE FOR REFERENCE.

- Do not attempt to service the air purifier in any way other than to replace or clean the air filter.
- This product operates at 120V 60Hz only.
- Always unplug the power cord from the electrical outlet when the air purifier is not in use or when changing the filter.
- Never run the air purifier unless it is fully assembled.
- Do not alter the plug in any way.
- Always turn off the air purifier before unplugging the air purifier from the outlet.
- Do not place the cord near a heated surface.
- Never operate the air purifier if the plug or cord is damaged or appears damaged. Only qualified service personnel should ever replace or attempt to replace a damaged power cord or plug.
- Never use the power cord to pick up, carry, drag, pull, or lift the air purifier. Do not pull the cord against or around sharp corners and edges.
- Always remove the plug from its power outlet by holding onto the plug itself and pulling gently.
- Use care when operating the air purifier by keeping all foreign objects, fingers, body parts, hair, loose clothing, jewelry, etc., away from openings.
- Do not drop items into the air purifier.
- Never touch the air purifier or its plug when your hands are wet.
- If moving the air purifier, lift by the carrying handle.
- Do not use outside.
- Do not operate without the filters installed.
- Only use in an upright position. Do not place anything on top of the air purifier.
- Use only as described in this manual.
- Use only Oransi replacement filters.
- Place air purifier on a flat floor.
- This appliance has a polarized plug (one blade is wider than the other). To reduce the risk of electric shock, this plug is intended to fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Do not attempt to by-pass this safety feature.

WARNING

To Reduce The Risk Of Fire Or Electric Shock, Do Not Use This Fan With Any Solid-State Speed Control Device.

next, meet your ERIK650A.




SKU: #ERIK650A

oransi 

AIR PURIFIER OVERVIEW

A GLANCE INSIDE THE ERIK650A



How To Use

Getting Started

Your air purifier comes with the filters installed. Your unit is ready to be plugged in and in use.

Operating

Always operate indoors, preferably on a level surface. If used in the home, we recommend operating the unit wherever you spend most of your time – typically a bedroom or living area. Set the fan speed to a noise level that is comfortable for you. In most cases you can run the air purifier on a very low fan speed setting so it is quiet. If you have a larger living area you may want to run it on a higher fan speed when you are not in the room and then run it on a low speed when you are present.

Casters

Erik comes with casters to help in moving the unit. Two of the casters have a wheel lock and to ease movement so make sure they are unlocked when moving.

AIR PURIFIER OVERVIEW



Power Switch

The Off/Reset switch at the back of the air purifier serves two purposes: it controls power to the unit and works as a circuit breaker. To operate the air purifier the reset/On side of the switch must be pressed down. There is no light with this switch so it will not illuminate when on. This is to keep the unit from generating light if used in a bedroom.

Filter Overview

Combination Pre-Filter

The pre-filter is a combination MERV15 particulate filter and treated GAC (granular activated carbon). Our proprietary treated coconut carbon filter (GAC) removes a wide variety of gases such as VOC's, smoke, formaldehyde, ozone, smog, and combustion gases. This filter should be replaced with every 9-12 months of use.

Main HEPA Filter

The main HEPA filter is rated at 99.99% at 0.3 microns. This filter should be replaced with every 24-36 months of use or when the filter turns a dark grey color.

EC Advantages

- More efficient and use up to 90% less power.
- More reliable since it runs cooler.
- More compact.
- Quieter - no motor hum that you can get with an AC motor.




Why does the motor/fan start and stop more slowly than an AC motor? EC motors have a soft start programmed into the motor to limit the start-up current the motor draws. The ramp down after power is removed is only a function of the inertia of the fan and the friction of the bearing system. A high quality bearing system will take longer to slow down and stop since the friction is minimized (alignment is better, lubricant is better, etc.).

let's keep
each other
healthy.

oransi 

MAINTENANCE

SEE AIR PURIFIER OVERVIEW PAGE FOR REFERENCE.



FILTER REPLACEMENT INDICATORS

How to Replace the Filters

Follow the steps on pages 7 and 8 to remove the cover and access the filters. Most filter changes will simply be a replacement of the pre-filter. All of our used filters can be placed directly in the trash.

Reset the Filter Replace Indicator

Press and hold the Filter Reset button beneath the flashing light for a few seconds. The light will turn off and the filter counter will reset.

Ordering Replacement Filters

Visit us at oransi.com or contact our customer service team at 888-281-3948.



MAINTENANCE

SEE AIR PURIFIER OVERVIEW PAGE FOR REFERENCE.



How to Install the Cover

1. The cover only fits one way. There is a notch in the bottom for the side where the user interface is located.
2. Lower the cover onto the air purifier. When properly seated it will be as shown above.
3. The key to getting the cover to engage with the safety switch is to ensure the cover clasp seats with the clasp of the base of the air purifier on the user interface side. We suggest you lower the cover onto the unit and then lift about one inch. Lower the cover with the long sides pressed in so the cover rests inside the guides along the bottom and ensure it seats with the clasps by the user interface. In lifting the cover up and down you should hear the safety switch click like it's being engaged.
 - a. Press in on the long sides so the white cover rests in the guard rails along the length of the air purifier as shown above. If the cover rests outside the guard rails it may bend somewhat and may not make contact with the safety switch.
 - b. Clasp the latches on the user interface side first. You may need to lift up slightly on the cover and pull back to get both latches to seat as shown below.
 - c. The latch from the top cover must rest into the other part of the latch on the base of the air purifier.
4. Clasp the two latches on the user interface side first. Then clasp the latches on the opposite side. If the latches on the opposite side do not latch, lift the cover slightly (with the user interface side still latched) and re-seat so they can latch properly.

TROUBLESHOOTING

If your unit is not turning on or running properly try the following:

1. Turn the red Power switch to the Off position.
2. Turn this switch back to On.
3. If this does not fix the issue then the top cover is probably not making proper contact with a safety switch inside the air purifier.
 - a. Remove the 4 clasps near the base and remove the top cover.
 - b. Press in on the safety switch (shown below) with power to the air purifier. The fan should begin to run.
 - c. Re-install the cover as outlined below.

Using Your Oransi

Always operate your air purifier indoors on a level surface.

Locate your air purifier wherever you spend most of your time. Typically, a bedroom, living space, office waiting room, or classroom. Set the fan speed to a level that is comfortable for you. Low settings are less audible. In most cases, you can run your air purifier on a very low fan.

For larger areas, consider a higher fan speed when you're absent and then turn the setting lower when you return.

Air enters your Oransi at the bottom and exits the top, so you can place the unit anywhere in a room. However, be careful that curtains do not block air intake or exit.

FOR ASSISTANCE

visit www.oransi.com
call 888-281-3948
or email cs@oransi.com



warranty

ORANSI WARRANTY DISCLAIMER

The ERIK650A Air Purifier carries a 10-year limited warranty from the original purchase date. Oransi will replace your air purifier provided the product is determined to be defective as a result of faulty material or workmanship while in normal use.

Oransi's sole obligation under this warranty is to replace or at Oransi's discretion, to repair, free of charge, all defective parts. This warranty will not be valid if the unit is damaged by the user. Proof of purchase may be required by Oransi's warranty service representative. All parts or units that are replaced become the property of Oransi.

Warranty remains in effect only if:

1. The Air Purifier is operated in accordance with the instructions provided in the Oransi User Manual
2. The Air Purifier is connected to a proper power supply (see voltage label on the machine).
3. The unit shows no evidence of tampering, mishandling, neglect, accidental damage, modification, and/or repair by anyone other than authorized Oransi service personnel.
4. Replacement filters are purchased directly from Oransi or an authorized dealer.