



ENTER **SAVAGE MODE**

Experience the value and performance of Savage A40 –
now with NIOSH-certified PAPR.

SAVAGE PAPR A40

WITH RADICAL DESIGN CUES INSPIRED BY
OUR BEST-SELLING SENTINEL A50 HELMET,
A BRIGHTER VIEW, ENHANCED COLOR
DEFINITION AND FRESH AIR CAPABILITY,
**THE SAVAGE A40 AUTOMATIC WELDING
HELMET WITH PAPR LETS OCCASIONAL
AND PROFESSIONAL FABRICATORS
UNLEASH A NEW WORLD OF WELDING
AND CUTTING PERFORMANCE.**




EXCEPTIONAL COMFORT.

The Savage A40 PAPR's lightweight helmet shell comes with multi-point adjustable headgear to provide exceptional comfort while protecting from heat, sparks and spatter - no matter the application.

← ○ →
ERGONOMIC
HEADGEAR


LIGHTER
WEIGHT



CRAZY OPTICAL PERFORMANCE.

We equipped Savage A40 PAPR system with a 3.93 x 1.96 in. (10 x 5 cm) viewing area for a wider field of vision and greater spatial awareness. Its 1/1/1/2 optical-class lens features our ultra-clear true-color technology for increased weld pool clarity and enhanced definition. The result? A bigger, better view.



REMARKABLE TECHNOLOGY.

With Savage A40 PAPR system, the sensitivity and delay controls inside the helmet allow for seamless setting adjustments. And Savage A40's four light sensors provide a faster auto-darkening response, especially when working out of position.



**SENSITIVITY AND
DELAY CONTROLS**





EXTERNAL
GRIND MODE

9-13 SHADE
KNOB

WILD EXTERNAL FEATURES.

Just like Sentinel, Savage A40 PAPER system comes with an externally activated grind mode button for superior convenience. And its DIN 9-13 adjustment knob makes it easy to change shades, even while wearing a heavy glove.

EXTRAORDINARY BREATHABILITY.

The advanced PAPR system uses a push-button, digitally-controlled 3-setting airflow adjustment, allowing from 170 liters per minute to 230 liters per minute through a spark arrestor shield and 2-stage replaceable filter. A high-capacity rechargeable lithium-ion battery powers the quiet (70 db) blower system for up to 8 hours between charging.



**2-STAGE REPLACEABLE
FILTER THAT REDUCES
FINE PARTICLES BY MORE
THAN 99.97%**



SPECIFICATIONS AND ORDERING INFORMATION.

SPECIFICATIONS

Cartridge Dimensions	4.33 x 3.54 x 0.3 in. (110 x 90 x 7.8 mm)
Viewing Area	3.93 x 1.96 in. (100 x 50 mm)
Lens Shade	DIN 4, 9–13 automatic
Power Supply	Solar cell, Replaceable Battery. Alerts when low battery.
Sensors	4
Switch Time, from Light to Dark	0.1–0.9 s
Switch Time, at 23°C	0.07 ms
Classification	1/1/1/2
Helmet Certifications	ANSI Z87.1 CSA Z94.3 CE EN379; EN175 AS/NZS 1337.1; 1338.1
PAPR Certifications	NIOSH Tested and Certified
Weight	2.97 lb. (1350 g)

ORDERING INFORMATION

Savage A40 9–13 Black, with NIOSH PAPR	0700002400
--	------------

WEAR AND SPARE PARTS

SAVAGE A40 AIR Black Replaceable Battery	0700500400
Filter Cover NIOSH-PAPR	0700002402
Spark Arrestor NIOSH-PAPR	0700002405
Pre-Filter NIOSH-PAPR (5)	0700002404
Main Filter NIOSH-PAPR	0700002403
Blower Unit NIOSH-PAPR	0700002406
Waist Belt w/ Shoulder Strap NIOSH-PAPR	0700002411
Breathing Tube (1M) w/ Cloth NIOSH-PAPR	0700002409
Standard Battery NIOSH -PAPR	0700002407
Portable Air Flow Tester NIOSH-PAPR	0700002413
Battery Charger NIOSH-PAPR	0700002414
Carrier Bag NIOSH-PAPR	0700002415



SAVAGE A40

UNLEASH YOUR INNER WELDING SAVAGE.

Elevate your performance by ordering the new Savage A40 PAPR system welding helmet today.

For more information, visit [esab.com/savage](https://www.esab.com/savage).



ESAB / [esab.com](https://www.esab.com)



XA0022821 / NA / English / 10-16-2020