


UXMAL

GRANDE
LARGE

**Tipo**

Type

Colgante

Pendant

Técnica

Technique

Tejida y soldada a mano

Hand woven and welded

Materiales

Materials

Yute natural 2 cabos

2-ply natural jute

Socket

Socket

Plástico reforzado E26/27 Certificado UL

Reinforced plastic E26/27 UL certificate

Canope

Canopy

Aluminio 12.7cm Ø x 1.7cm alto

Aluminum 50inch Ø x 0.66 inch height

Cable

Cord

1.5m largo, Calibre 2x18

59.05inch length / 2x18 gauge

Medidas

Measures

40cm Ø x 47cm alto

15.74inch Ø x 18.50inch height

Metros cúbicos

Cubic meters

0.0752 m3

2.9606 inch

Estructura metálica

Metallic structure

Calibre 3/8 (9mm) Acabado: pintada al**horno con pintura electrostática**

3/8 gauge (9mm)

Finish: baked painted

with electrostatic painting

Peso

Weight

2.1 kg

4.62 lb

Foco

Lightbulb

Recomendamos el uso de foco LED

We recommend the use of an LED bulb

Soporte p/socket

Socket support

Pasacable de plástico para niple

Cable gland for nipple

Soporte p/canope

Canopy support

Pasacable de plástico

Plastic cable gland

Uso

IP Rating

Interior / Semi exterior***Se recomienda el uso de exterior siempre y cuando sea un espacio techado**

Indoor / Semi outdoor

*Outdoor use is always recommended and when it is a covered space

País de origen

Country of origin

México

México

NOTA:

UXMAL esta hecha a mano con materiales naturales, por lo que pueden presentar variaciones en tamaño, color, forma y textura.

NOTE:

UXMAL is handmade with natural materials, so they may present variations in size, color, shape and texture.

VARIANTES DEL MODELO

MODEL VARIANTS




Variantes

CANOPE
Canopy



Negro
Black



Blanco
White



Negro
Black

CABLE
Cord



Negro
Black




Blanco
White




Negro
Black


ESTRUCTURA METÁLICA
Metallic structure



Negro
Black



Blanco
White



Negro
Black

SKU



UXMALCYGNG02



UXMALCYGNT01



UXMALCYGNT02

CONTENIDO:

- Socket reforzado con entrada E26/27 y certificación UL
- Pasacable para nipple de refuerzo para soporte del socket
- Pasacable de refuerzo para soporte del canope

INCLUDE:

- Reinforced socket with E26/27 entry and UL certification
- Cable gland for reinforcement nipple for socket support
- Reinforcement cable gland for canopy support

INSTRUCCIONES DEL PRODUCTO:

Limpiar con un paño seco y no aplicar sustancias ya que podrían dañar el producto. Al ser el yute una fibra natural, es importante no exponer la lámpara directamente al sol o lluvia porque podría disminuir su tiempo natural de vida. Se recomienda ampliamente el uso de foco LED.


PRODUCT INSTRUCTIONS:

Clean with a dry cloth and do not apply substances as they could damage the product. Since jute is a natural fiber, it is important not to expose the lamp directly to the sun or rain because it could reduce its natural life time. The use of an LED bulb is highly recommended.



UXMAL

EXTRA GRANDE
EXTRA LARGE



| | |
|--|--|
| Tipo Type | Colgante Pendant |
| Técnica Technique | Tejida y soldada a mano Hand woven and welded |
| Materiales Materials | Yute natural 2 cabos 2-ply natural jute |
| Socket Socket | Plástico reforzado E26/27 Certificado UL Reinforced plastic E26/27 UL certificate |
| Canope Canopy | Aluminio 12.7cm Ø x 1.7cm alto Aluminum 50inch Ø x 0.66 inch height |
| Cable Cord | 1.5m largo, Calibre 2x18 59.05inch lenght / 2x18 gauge |
| Medidas Measures | 49cm Ø x 57cm alto 19.29inch Ø x 22.44inch height |
| Metros cúbicos Cubic meters | 0.1369 m³ 5.3897 inch |
| Estructura metálica Metallic structure | Calibre 3/8 (9mm) Acabado: pintada al horno con pintura electrostática 3/8 gauge (9mm) Finish: baked painted with electrostatic painting |
| Peso Weight | 2.1 kg 4.62 lb |
| Foco Lightbulb | Recomendamos el uso de foco LED We recommend the use of an LED bulb |
| Soporte p/socket Socket support | Pasacable de plástico para niple Cable gland for nipple |
| Soporte p/canope Canopy support | Pasacable de plástico Plastic cable gland |
| Uso IP Rating | Interior / Semi exterior *Se recomienda el uso de exterior siempre y cuando sea un espacio techado Indoor / Semi outdoor *Outdoor use is always recommended and when it is a covered space |
| País de origen Country of origin | México México |

NOTA:

UXMAL esta hecha a mano con materiales naturales, por lo que pueden presentar variaciones en tamaño, color, forma y textura.

NOTE:

UXMAL is handmade with natural materials, so they may present variations in size, color, shape and texture.




VARIANTES DEL MODELO

MODEL VARIANTS

CANOPE
Canopy



Negro
Black



Blanco
White



Negro
Black

CABLE
Cord



Negro
Black




Blanco
White




Negro
Black


ESTRUCTURA METÁLICA
Metallic structure



Negro
Black



Blanco
White



Negro
Black

SKU



UXMALCYENG02



UXMALCYENT01



UXMALCYENT02

CONTENIDO:

- Socket reforzado con entrada E26/27 y certificación UL
- Pasacable para nipple de refuerzo para soporte del socket
- Pasacable de refuerzo para soporte del canope

INCLUDE:

- Reinforced socket with E26/27 entry and UL certification
- Cable gland for reinforcement nipple for socket support
- Reinforcement cable gland for canopy support

INSTRUCCIONES DEL PRODUCTO:

Limpiar con un paño seco y no aplicar sustancias ya que podrían dañar el producto. Al ser el yute una fibra natural, es importante no exponer la lámpara directamente al sol o lluvia porque podría disminuir su tiempo natural de vida. Se recomienda ampliamente el uso de foco LED.

PRODUCT INSTRUCTIONS:

Clean with a dry cloth and do not apply substances as they could damage the product. Since jute is a natural fiber, it is important not to expose the lamp directly to the sun or rain because it could reduce its natural life time. The use of an LED bulb is highly recommended.