

# Material Safety Data Sheet (MSDS)

## Section 1 - Identification of the Substance/Mixture and Company

Product Name : TOUCH Eyelash Adhesive  
Use: For professional use only  
The use of product Semi Permanent Eyelash Extensions Adhesive

Company Information: I AM Lash LTD.

Address: 2 Cambrian Cost  
Ynyslas  
Borth  
SY24 5JU  
United Kingdom

Contact Number: +447706942723  
Website: [www.iamlashpro.com](http://www.iamlashpro.com)

## Section 2 - Composition, Information of Ingredients

2.1 Substance : Ethyl 2-cyanoacrylate

2.2 Other name : Ethyl 2-cyanoprop-2-enoate, Ethyl cyanoacrylate, 2-Propenoic acid, 2-cyano-, ethyl ester.

Ingredients	CAS No.
Ethyl Cyanoacrylate	7085-85-0
PMMA	9065-11-6
Pigment	1333-86-4

2.4 Inventory status: Ethyl 2-cyanoacrylate

TSCA Listed

EC No. 230-391-5

EC Classification No information

EC Labelling No information

## Section 3 - Hazards Identification

EMERGENCY OVERVIEW:	Vapour is irritating to eyes, skin and mucous membranes and respiratory tract.
POTENTIAL HEALTH EFFECTS:	May cause sensitisation by inhalation. Narcotic effects, headache, dizziness, vomiting. Skin: dryness. Eye: irritation.
POTENTIAL ENVIRONMENTAL EFFECTS:	Not available.
SIGN AND SYMPTOMS OF EXPOSURE:	Vapour is irritating to eyes and mucous membranes above TLV. Prolonged and repeated overexposure to vapours may produce symptoms of non-allergic asthma in sensitive individuals.
EXISTING CONDITIONS AGGRAVATED BY EXPOSURE:	Unknown
TARGET ORGAN AND OTHER HEALTH EFFECTS:	*Literature Referenced

### Ingredients

Ethyl cyanoacrylate ALG IRR RES

Carcinogen NTP IARC OSHA

· N/A Not applicable IRR Irritant, ALG Allergen RES Respiratory

### Label Elements

**Pictogram and Symbol:** Exclamation Mark Signal



**Word:** WARNING

**Hazard statement:** Combustible liquid

### Precaution:

Prevention:

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Avoid breathing mist/vapours/spray. Wash hands thoroughly after handling. Use only outdoors or in a well - ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Response:

IF ON SKIN : Wash with plenty of soap and water.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTRE or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician.

IF SKIN IRRITATION OR RASH OCCURS: Get medical advice/attention.

IF EYE IRRITATION PERSISTS: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

IN CASE OF FIRE: Use appropriate extinction.

Storage: Store in a well - ventilated place. Keep container tightly closed. Store locked up.

Disposal: Dispose of contents/container in accordance with local/regional/ national/ international regulations.

## Section 4 - First Aid Measures

**INHALATION:** Don't breathe gas/fumes/vapor/spray (appropriate wording to be specified by the manufacturer). (S23)  
Evacuate from further exposure. If unconsciousness occurs, seek immediate medical assistance and call a physician.  
If the breath has stopped, have artificial respiration.  
If breathing difficulty occurs, have oxygen inhalation.

**EYE CONTACT:** In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. (S26)

**SKIN CONTACT:** Remove contaminated clothing. Wash contact areas with soap and much water.

**INGESTION:** Ingestion is not likely. See supplemental page for emergency procedures.

## Section 5 - Firefighting Measures

Flash Point : Above 95°C Method:Cleveland open cup. (Recommended)

Extinguishing agents : Carbon dioxide, form, dry chemical

Special firefighting procedures : Not available

\*Hazardous products formed by fire or thermal decomposition. Irritating organic fragments.

Unusual fire or explosion hazards: None

Explosive Limits:  
(%by volume in air) Lower Not available  
(%by volume in air) Upper Not available

## Section 6 - Accidental Release Measures

Evacuate none essential personnel.  
Shut off all sources of ignition; No fires, smoking or flames in area.  
Ventilate area after material pick up is completed.  
For small spills: Absorb spill with inert material (dry cloth, dry sand), then place in a chemical waste containers using non-sparking tools.  
Flush residual spill (area) with plenty of water.  
For large spills: Dike for later disposal. Wash with plenty of water.

## Section 7 - Handling and Storage

#### Handling Precautions:

Keep away from sources of ignition and heat. No smoking or flames in working area.  
Take precautionary measures against static discharges. Avoid contact with skin and eyes.  
(S24/25)

Wear proper protective equipment. Use only in well ventilated areas. Use exhaust ventilation to keep air concentration below exposure limit.

Keep container tightly closed when not in use. Install emergency showers and eye wash facility in working area.

#### Storage Requirements:

Keep away from all possible source of ignition. Store in a cool, dry, well ventilated location.

Keep container tightly closed.

Keep away from combustible materials, heat, steam pipe or sunlight.

Keep away from oxidising materials.

#### Other Precautions:

Wash hands, face and gargle after work. Practice good personal hygiene after using this material, especially before eating, drinking, smoking or using the rest room. Keep out of reach of children.  
(S2)

## Section 8 - Exposure Controls/Personal Protection

#### Protective gloves:

Polyethylene gloves, No rubber. Eye protection Safety glasses, face shield.

#### Respiratory protection (Specify type):

Chemical cartridge respirator with organic vapour.

Ventilation Local exhausts Should be used control vapours in work area.

Mechanical (General) Should use a breathing mask.

#### Skin protection:

Other protective clothing or equipment impervious clothing, apron and boots. Barrier creams, etc.

## Section 9 - Physical and Chemical Properties

Appearance:	Black liquid
Odour:	Sharp, irritating.
Boiling point:	Above 190 °C(374. F)
Melting point:	N/A
Specific gravity (H <sub>2</sub> O =1):	0.9~1.1
Vapor pressure (at25°C):	1Pa
Vapor density (Air =1):	4.5
Evaporation rate (Butyl acetate =1):	N/A
Solubility in water:	Insoluble (polymerised by water)

## Section 10 - Stability and Reactivity

Condition to avoid:	High humidity, high temperature or direct sunlight.
Stability:	Stable (cool and dry area.).
Materials to avoid:	Polymerised by contact with water, alcohols, amines, alkalies.
Hazardous decomposition or by products :	CO <sub>2</sub> , oxides and nitrogen and unknown hydrocarbons.

## Section 11. Toxicological Information

- 11.1 Acute toxicity (Oral)
- 11.2 Acute toxicity (Dermal)
- 11.3 Acute toxicity (Inhalation: Gases) Liquid (GHS definition)
- 11.4 Acute toxicity (Inhalation: Vapours) No data available
- 11.5 Acute toxicity (Inhalation: Dusts / Mist): No data available
- 11.6 Skin corrosion / irritation: No data available
- 11.7 Serious eye damage / eye irritation
- Ethoxyethyl 2-cyanoacrylate: No data available
- 11.9 Germ cell mutagenicity Ethoxyethyl 2-cyanoacrylate: No data available
- 11. Toxicological information
- 11.10 Carcinogenicity
- Ethoxyethyl 2-cyanoacrylate: No data available
- 11.11 Reproductive toxicity
- Ethoxyethyl 2-cyanoacrylate: No data available
- 11.12 Specific target organ toxicity -Single exposure
- Ethoxyethyl 2-cyanoacrylate: No data available
- 11.13 Specific target organ toxicity - Repeated exposure
- Ethoxyethyl 2-cyanoacrylate: No data available
- 11.14 Aspiration hazard
- No data available

## Section 12 - Ecological Information

- 12.1 Acute toxicity to the aquatic environment
- No data available.
  
- 12.2 Chronic toxicity to the aquatic environment
- No data available.

## Section 13 - Disposal Considerations

Waste disposal method :

Don't pour drain. Follow domestic and local environmental regulations.

Precautions to be taken in handling and storing: Avoid unnecessary exposure to air and moisture.

Don't store above 25°C and in direct sunlight. Keep container lids tightly closed.

Other Precautions :

Avoid contact with skin and eyes. Protect eyes, skin and clothing from Contact with liquid product. Wear recommended equipment.

## Section 14 - Transport Information

U.S. Department of Transportation Ground Transport (49 CFR 172)

Proper shipping name: Unrestricted (Not more than 450 litres.)  
Combustible liquids n.o.s.  
(Cyanoacrylate ester) (More than 450 litres)

Hazard class or division: Unrestricted (Not more than 450 litres.)  
Combustible liquids. (More than 450 litres)

Identification number: None (Not more than 450 litres.)  
NA1993 (More than 450 litres)

Marine pollutant: None.

International Air Transportation (ICA/IATA)

Proper shipping name: Unrestricted

Class or division: Unrestricted

UN or ID number: None

Water Transportation (IMO/IMDG)

Proper shipping name: Unrestricted

Hazard class or division: None

Identification number: None

Marine pollutant: None

## Section 15 - Regulatory Information

CA Proposition 65: No California proposition 65 chemicals are known to be present.

TSCA 8(b) Inventory Status: All components are listed or are exempt from listing on Toxic Substances Control Act Inventory.

EINECS: All components are listed on EINECS

## Section 16 - Other information including information on preparation and revision of the MSDS

(Estimated NFPA(R) Code:

Health Hazard: 2

Fire Hazard: 2

Reactivity Hazard: 1

Specific Hazard: Does not apply

Estimated HMIS(R) Code:

Health Hazard: 2

Flammability Hazard: 2

NFPA is a registered trademark of the National Fire Protection Assn.

HMIS is a registered trademark of the National Paint and Coating Assn.

This MSDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

Operations must comply with applicable local and national MSDS/Hazard Communication Regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment.

This information is furnished without warranty, expressed except that it is accurate to the best knowledge of I AM Lash LTD.

The data on this sheet relates only to the specific material designated hereon. I AM Lash LTD. assumes no legal responsibility or use or reliance upon this data.