

Uniden®

UHF 2-Way CB Mobile

Accessories



Uniden®

Uniden offers a wide range of accessories suited for your vehicle that are compatible with all Uniden products and other branded UHF radios.

Uniden accessories are Built Rugged for Australian and New Zealand conditions so you know what you buy will last in your journey and in the most harsh conditions on earth. Used by some of the best adventurers in the world, Uniden accessories are engineered to a level and test so you can ensure you achieve optimum performance



BUILT RUGGED
FOR AUSTRALIAN & NZ CONDITIONS



AS SEEN ON LEADING 4WD & ADVENTURE TV SHOWS



PAT CALLINAN
4 X 4 Adventures TV Show

Pat Callinan is one of the most respected identities in the industry, with 4WD knowledge and outdoor adventure experience second to none. He is broadcasted nationally on TV and has a magazine that covers everything to do with 4WD and Outdoor Adventure. Pat's fleet of vehicles are continually put through their paces in the most rugged terrain that Australia has to offer. There is barely a track that Pat and his team have not driven and explored in Australia. Uniden UHF Radios and Accessories are fitted on all Pat's 4X4 vehicles and are used by his team to keep in touch – no matter how remote they go.



RICK O'BRIEN
Offroad Adventure TV Show

Rick O'Brien is one of Australia's favourite offroad adventurers, featuring in the Offroad Adventure TV show. Rick and the team at Offroad Adventure TV Show use Uniden UHF Handheld and Mobile Radios and Accessories to keep constantly in touch. They are fitted to all the team's vehicles, ensuring they never miss a thing, whether it be on the road, water, or in the middle of the desert. No matter how remote the location, the team can always stay connected.



JASE ANDREWS
All 4 Adventure TV Show

Jase Andrews is the host of Australia's leading four-wheel-drive and adventure show, All 4 Adventure. Driven by an unquenchable love for the undiscovered regions of Australia this modern day explorer is persistent and fearless when heading out into the wild. When it comes to making All 4 Adventure he pushes himself, his crew and his gear to the limit in order to achieve the best 4X4, fishing and adventure show on Australian television. Uniden UHF Radios and Accessories are fitted on all of the Vehicles from 2017 onwards ensuring they remain connected.



antennas

What Antenna is Right For You?

Where you mount your antenna and the terrain where you are traveling in your vehicle are the two main factors when selecting the correct Uniden Antenna for your vehicle.

6


The **6dBi Antennas** are the most common due to their all round performance and adaptability for multiple environments including suburban areas and larger rural towns.

3

The **3dBi Antennas** has a wide pattern ideal for city driving where there is a lot of buildings and obstacles. Also ideal for heavy forests and hilly country.

While **9dBi Antennas** are designed for flatter terrain and can achieve the longest range possible. These are not ideal where there are tall obstacles such as trees, hills or buildings in the signal path.

9



3dB


AT820  2.5 dBi


AT380 

AT970BKS 

AT970WS 

AT480 

AT840 

AT850 


AT880 Twin  3 dBi

AT886BK Twin  3 dBi

AT890BK 

AT890W 

AT970BK 

AT970W 

AT970BK Twin  3 dBi
















AT970W Twin  3 dBi

Sedan

4Wd

Trucking

Agricultural & Construction Equipment



3dB

6dB





Uniden®

BUILT RUGGED


FOR AUSTRALIAN & NZ CONDITIONS



Uniden®

antenna range

Uniden Range of antennas suit UHF CB Radios for Australia's and New Zealand Rugged Conditions. They are engineered and tested to withstand most harsh conditions and suited for a variety of vehicle.



AT820

Portable Antenna Kit with Strong Magnetic Base
3.0m Low Loss Coax Cable
Terminated FME Female Connector including SMA and PL259 Adaptor

AT380

High Flexible Rubber Whip with Black Heat Shrink
Ground Independent
4.5m Low Loss Coax Cable
Terminated FME Female Connector and PL259 Adaptor

AT480

Flexible Whip with Black Heat Shrink
Including "Z" Type Mounting Bracket (MGU-01)
Ground Independent
4.5m Low Loss Coax Cable
Terminated FME Female Connector and PL259 Adaptor

AT840

Elevated Feed and Stainless Steel Whip 6.6 dBi Gain
Ground Independent
4.5m Low Loss Coax Cable
Terminated FME Female Connector and PL259 Adaptor

AT850

Elevated Feed and Fibreglass Whip with Black Heat Shrink 6.6 dBi Gain
Highly Flexible Whip
Parallel Style Stainless Steel Spring
Ground Independent
4.5m Low Loss Coax Cable
Terminated FME Female Connector and PL259 Adaptor

2.5 dBi

3.0 dBi

6.0 dBi

6.6 dBi

6.6 dBi

123.5mm

335mm

844mm

805mm

899mm

Sedan, Trucking, 4WD, Agricultural & Construction Equipment

Sedan, Agricultural & Construction Equipment

Sedan, Trucking and 4WD

Sedan, Trucking

Sedan, Trucking and 4WD



Portable, Durable

Flexible, Durable

Flexible, Durable

Lightweight

Lightweight



























Great for Temporary Installations

High Terrain, City

Good all Purpose, Town & Country

Good all Purpose

Good all Purpose

AT880 Twin	AT886BK Twin	AT890BK	AT890W	AT970BKs	AT970WS	AT970BK	AT970W	AT970BK Twin	AT970W Twin
<p>Elevated Feed and Fibreglass Whip with Black Heat Shrink, 6.6 dBi Gain. Includes 14cm 3.0 dBi Highly Flexible Whip</p> <p>Heavy Duty Barrel Style Stainless Steel Spring</p> <p>Ground Independent</p> <p>4.5m Low Loss Coax Cable</p> <p>Terminated FME Female Connector and PL259 Adaptor</p>	<p>Elevated Feed and Fibreglass Whip with Black Heat Shrink, 6.6 dBi Gain. Includes 14cm 3.0 dBi Highly Flexible Whip</p> <p>Heavy Duty Straight Style Stainless Steel Spring</p> <p>Ground Independent</p> <p>4.5m Low Loss Coax Cable</p> <p>Terminated FME Female Connector and PL259 Adaptor</p>	<p>Fibreglass Raydome Antenna (BLACK or WHITE)</p> <p>Heavy Duty Barrel Style Stainless Steel Spring</p> <p>Ground Independent</p> <p>4.5m Low Loss Coax Cable</p> <p>Terminated FME Female Connector and PL259 Adaptor</p>	<p>Fibreglass Raydome Antenna (BLACK or WHITE)</p> <p>Heavy Duty Barrel Style Stainless Steel Spring</p> <p>Ground Independent</p> <p>4.5m Low Loss Coax Cable</p> <p>Terminated FME Female Connector and PL259 Adaptor</p>	<p>Fibreglass Raydome Antenna Whip Pack</p> <p>Heavy Duty Barrel Style Stainless Steel Spring</p> <p>Ground Independent</p> <p>4.5m Low Loss Coax Cable</p> <p>Terminated FME Female Connector and PL259 Adaptor</p>	<p>Fibreglass Raydome Antenna Whip Pack (BLACK or WHITE)</p> <p>Heavy Duty Barrel Style Stainless Steel Spring</p> <p>Ground Independent</p> <p>4.5m Low Loss Coax Cable</p> <p>Terminated FME Female Connector and PL259 Adaptor</p>	<p>Fibreglass Raydome Antenna (BLACK or WHITE)</p> <p>Heavy Duty Barrel Style Stainless Steel Spring</p> <p>Ground Independent</p> <p>4.5m Low Loss Coax Cable</p> <p>Terminated FME Female Connector and PL259 Adaptor</p>	<p>Fibreglass Raydome Antenna (BLACK or WHITE)</p> <p>Heavy Duty Barrel Style Stainless Steel Spring</p> <p>Ground Independent</p> <p>4.5m Low Loss Coax Cable</p> <p>Terminated FME Female Connector and PL259 Adaptor</p>	<p>Dual Removable Fibreglass Raydome Antenna Whip Pack (BLACK or WHITE)</p> <p>Heavy Duty Barrel Style Stainless Steel Spring</p> <p>Ground Independent</p> <p>4.5m Low Loss Coax Cable</p> <p>Terminated FME Female Connector and PL259 Adaptor</p>	<p>Dual Removable Fibreglass Raydome Antenna Whip Pack (BLACK or WHITE)</p> <p>Heavy Duty Barrel Style Stainless Steel Spring</p> <p>Ground Independent</p> <p>4.5m Low Loss Coax Cable</p> <p>Terminated FME Female Connector and PL259 Adaptor</p>
<p>6.6/3.0 dBi</p> <p>932mm/442mm</p> <p>Sedan, Trucking, 4WD & Agricultural & Construction Equipment</p> <p>  </p> <p>Heavy Duty</p> <p>Good all Purpose, Town & Country</p>	<p>6.6/3.0 dBi</p> <p>974mm/494mm</p> <p>Sedan, Trucking, 4WD & Agricultural & Construction Equipment</p> <p>  </p> <p>Heavy Duty</p> <p>Good all Purpose, Town & Country</p>	<p>6.6 dBi</p> <p>1000mm</p> <p>4WD, Truck</p> <p> </p> <p>Heavy Duty</p> <p>Good all Purpose, Town & Country</p>	<p>6.6 dBi</p> <p>1200mm</p> <p>4WD, Truck</p> <p> </p> <p>Heavy Duty</p> <p>Good all Purpose, Town & Country</p>	<p>3.0 dBi</p> <p>725mm</p> <p>4WD, Truck</p> <p> </p> <p>Heavy Duty</p> <p>Good all Purpose, Town & Country</p>	<p>6.6/3.0 dBi</p> <p>1200mm/725mm</p> <p>4WD, Truck</p> <p> </p> <p>Heavy Duty</p> <p>Good all Purpose, Town & Country</p>	<p>6.6 dBi</p> <p>1200mm</p> <p>4WD, Truck</p> <p> </p> <p>Heavy Duty</p> <p>Good all Purpose, Town & Country</p>	<p>6.6/3.0 dBi</p> <p>1200mm/725mm</p> <p>4WD, Truck</p> <p> </p> <p>Heavy Duty</p> <p>Good all Purpose, Town & Country</p>	<p>6.6/3.0 dBi</p> <p>1200mm/725mm</p> <p>4WD, Truck</p> <p> </p> <p>Heavy Duty</p> <p>Good all Purpose, Town & Country</p>	<p>6.6/3.0 dBi</p> <p>1200mm/725mm</p> <p>4WD, Truck</p> <p> </p> <p>Heavy Duty</p> <p>Good all Purpose, Town & Country</p>
<p> REPLACEMENT LEAD – ATL880 Includes: FME/PL259 Adaptor</p>									
<p> REPLACEMENT LEAD – ATL890 Includes: FME/PL259 Adaptor</p>									
<p> REPLACEMENT LEAD – ATL970 Includes: FME/PL259 Adaptor</p>									
<p> REPLACEMENT LEAD – ATL970 Includes: FME/PL259 Adaptor</p>									

antenna mounting brackets

MMI-01



MGU-01



MGU-02



MBU-01



MIRROR MOUNT

- Cable Slot
- Polished Stainless Steel
- Thickness: 2.5mm
- Includes Bolts, Nuts and Washers



"Z" TYPE MOUNT

- Cable Slot
- Polished Stainless Steel
- Thickness: 2.0mm




"L" TYPE MOUNT

- Cable Slot
- Polished Stainless Steel
- Thickness: 2.5mm



UNIVERSAL BULL BAR MOUNT

- Includes Stainless Steel Clamps
- Fits a bull bar of diameter (min: 35mm/max: 55mm)
- Polished Stainless Steel
- Thickness: 2.3mm



MBU-02



MBU-03



Available in black
MBU-03BK

MBU-04



Available in black
MBU-04BK

"U" BOLT BULL BAR MOUNT


- Includes Stainless Steel U Bolts & Nuts
- Fits a bull bar of diameter (min: 40mm/max: 50mm)
- Polished Stainless Steel
- Thickness: 3mm

50MM WRAP AROUND BULL BAR MOUNT

- Cable Slot
- Includes Stainless Steel Bolts & Nuts
- Polished Stainless Steel
- Thickness: 3mm

76MM WRAP AROUND BULL BAR MOUNT

- Cable Slot
- Includes Stainless Steel Bolts & Nuts
- Polished Stainless Steel
- Thickness: 3mm



All mounting brackets will fit any Uniden antenna.

accessories



MK800W WIRELESS DECT SPEAKER MICROPHONE

- Secure Sync For Easy Connection
- Push-To-Talk Control Button
- Volume Up / Down Controls
- Battery Saving with Auto Power Off
- Long Range – Up to 100 Metres
- Belt Clip For Added Mobility
- Up to 8 Hours Battery Life



STANDARD COMPACT MICS

SPEAKER MICS

REMOTE LCD SPEAKER MIC



MK500

MK800/MK770



MK900

MK870




RM980

RM880

RM800/RM770

UHF 2-Way CB Mobile Radio Accessories



WIRELESS DECT SPEAKER MIC

MOUNT KITS DIN SIZE PLUG & PLAY



MK800W

-
-
-
-
-
-
-
-



DMK8990

DMK7740

DMK7700



PNP-KIT

- UH9080
- UH9060
- UH9000
- UH8080
- UH8070
- UH8060S
- UH8055S
- UH8020S / UH8010S+ANT
- UH5060
- UH5050
- UH5045
- UH5000 / UH5000PNP
- UH5040 / UH089NB



SPEAKER
7W EXTERNAL SLIMLINE
Suitable for all models



EXTENSION
CABLE
Suitable for all models, excluding:
UH5040 & UH089NB

Uniden®

DEALER DETAILS

For full range & details call 1300 366 895
or visit uniden.com.au



[facebook.com/Uniden](https://www.facebook.com/Uniden)



[instagram.com/UnidenAustralia](https://www.instagram.com/UnidenAustralia)



twitter.com/UnidenAustralia