

Material Safety Data Sheet

PRODUCT

Product Description Manufactured Stone or Thin Brick Veneer

IDENTIFICATION OF THE MANUFACTURING COMPANY

Koni Materials, LLC.
1160 Arion Parkway, Suite #101, San Antonio, Texas 78216

For information or emergencies: **210.319.4350**
customerservice@konimaterials.com

CONSTITUENTS INFORMATION

CONSTITUENT	APPROXIMATE COMPOSITION %	CAS NUMBER	EXPOSURE LIMITS
Portland Cement	25 a 30%	65997-15-1	OSHA PEL. 5mg/m3. TWA (Total) ACGIH: 10mg/m3. (Total)
Calcium Carbonate	10 a 14%	1317-65-3	OSHA PEL. 5mg/m3. TWA (Total) ACGIH: 10mg/m3. (Total)
Mineral Aggregates	40 a 56%	NA	NA
Iron Oxide Pigments	10 a 15%	NA	NA
Concrete Additives	5 a 10%	NA	NA

RISKS IDENTIFICATION

EYES Dust may cause slight irritation
SKIN Dust may cause dryness
INGESTION No adverse effects anticipated under normal use
INHALATION Dust may cause respiratory irritation or breathing problems
TOXICITY Null

FIRST AID

EYE EXPOSURE

Wash the eyes with clean water for 15 minutes. If irritation occurs, seek immediate medical attention.

SKIN EXPOSURE

Wash the skin with clean water for 15 minutes. Change contaminated clothing. Seek medical attention.

INHALATION

Move victim to fresh air. If breathing is difficult, seek medical attention immediately.

INGESTION

If swallowed, do not induce vomiting. Give plenty of water. Never feed anything by mouth to someone unconscious. Seek immediate medical attention.

MEASURES IN CASE OF FIRE

Does not present unusual risk of fire or explosion.

Smokeless.

HANDLING AND DISPOSAL

Avoid excessive dust production while cutting to install.

Always handle waste according to local regulations.

PERSONAL SAFETY

While installing, always work in a ventilated area.

Wear suitable protective gear while installing the stone: gloves, goggles, cartridge masks for dust and boots. Avoid using clothing covered in dust.

PHYSICAL AND STABILITY PROPERTIES

Physical appearance: **Solid**

Chemical stability: **Very High**

TRANSPORTATION INFORMATION

Check weight limits as allowed per state.

ABBREVIATIONS

CAS:	Chemical Abstract Service: Registration Number
ACGIH:	American Conference of Governmental Industrial Hygienists
OSHA:	Occupational Safety and Health Administration
NIOSH:	National Institute for Occupational Safety and Health
PEL:	Permissible Exposure Limit
TLV:	Threshold Limit Value
TWA:	Time Weighted Average
NA:	Does not apply

Information provided here is based on available information and it is regarded as correct. Either way, Koni Stone cannot guarantee, expressly or by implication the accuracy of this information or the results obtained from the use of this product.