





LiteStone[®] is a high quality stone veneer, consisting of textured stones with the appearance and structure of natural stone, geared towards the DIY market. Since LiteStone® weighs only a fraction of the weight of natural stone and can be applied directly to many different surfaces, installation is a breeze. LiteStone® is manufactured mainly from recycled materials contributing to sustainable development for future generations. Developed by Koni Materials® solely for Lowe's Home Improvement[®], LiteStone[®] is available online nationwide at Lowes.com.

ARTIC

DESERT

YUMA



SHADOW GREY





Colors shown are provided to demonstrate the colors & shades available. COLORS ARE ONLY APPROXIMATE

HIMALAYA



THE BENEFITS

COMPATIBILITY

The main advantage of LiteStone[®] is that it's compatible with almost any wall surface material used for house construction. Surface materials like metal, wood, cement, brick, and gyprock can be conveniently decorated using stone veneer without any compatibility issue.

2. EASE OF INSTALLATION

Natural stones are quite heavy, rendering them difficult to transport and install. LiteStone®, on the other hand, is 75% lighter than conventional stone and easier to install. For people who wish to install veneer without professional help, LiteStone® is the right choice as it provides ease of handling.

3. LOW MAINTENANCE

Another advantage associated with our product is the ease of maintenance. As manufactured stones are non-absorbent and non-porous, they do not require special cleaners and can be easily maintained using regular cleaners at home.



It is available in many shapes and colors leaving you with several options to choose from.

D. DURABILITY

LiteStone[®] is made of concrete which renders it durable and shock resistant. Changing weather conditions have no adverse effect on it, and color does not fade away with exposure to different environmental conditions. Therefore, once you have installed the veneer, it is sure to last long without any problem.

• COST EFFECTIVE

The overall cost of LiteStone thin veneer, which includes shipping cost and cost of stone, is much less than natural stone.

HAND MADE

About 90% of the production process which creates LiteStone[®] is executed by hand, making sure that each stone is handled with care and quality checked before making its way to our customers.

• ENERGY EFFICIENT

Concrete's ability to store energy (its thermal mass) helps moderate interior temperature conditions, reducing a building's heating and cooling demands over its service life by up to 8%.

THE SPECS

SIZE (VARIES)

Individual (flats): 2 in - 12 in x 2 in - 4 in x .5 in Individual (corners): free length x 2 in - 4 in x .5 in Per box (flats): 8 square feet Per box (corners): 6 linear feet

2. WEIGHT (VARIES)

Per box (flats): 45 lbs Per box (corners): 31 lbs




For the best results using Koni LiteStone, follow these instructions:1. Apply LiteStone adhesive to the back of the product.2. Place Koni LiteStone on surface & hold in place until secure.

COMPOSITION

Portland Cement Mineral Aggregates Iron Oxide Pigments Concrete Additives DOES NOT CONTAIN LEAD








SHADOW GREY

As one of the most popular shades of LiteStone, Shadow Grey is used across the US for both interior and exterior applications. Coming in flats and corners, this product is perfect for any design you can imagine!







ARTIK

Modern design is all about clean lines, neutral colors, and natural materials. That's where LiteStone comes into play. As one of the most realistic stone veneers, at a fraction of the cost, you can't go wrong with this product.







HIMALAYA

Backsplashes, fireplaces, accent walls and more can all be installed in a simple and painless process using LiteStone. With the ability to add a unique touch to any design, this product will make your rooms eye-catching and unforgettable!





THE BENEFITS

IS LITESTONE A PANEL?

No, LiteStone[®] comes as loose pieces that vary in size. You can see a range of sizes on page 6.

WHATTYPE OF ADHESIVE SHOULD I USE?

LiteStone[®] has an adhesive specifically manufactured for this product. You can use LiteStone® Adhesive for interior applications and a Polyurethane-based construction adhesive for exteriors.

CAN I USE LITESTONE AS FLOORING?

No, LiteStone[®] is a thin veneer and would risk becoming cracked or damaged if used as flooring.



Yes, you can drill into LiteStone[®] using a masonry drill bit made for concrete.

WHAT KIND OF SEALANT SHOULD I USE?

You can use any non film-forming, breathable sealant made for porous materials. Make sure to do a test patch on a spare piece as some sealants cause discoloration.

HOW DO I CUT LITESTONE?

You can cut LiteStone by using an electric saw with a diamond blade or an angle grinder with a masonry blade. We do NOT recommend using a wet saw as coloration from the slurry created with cutting will be affected.

HOW DO I CLEAN THE PRODUCT?

Any masonry cleaner can be used to clean the surface of LiteStone®. If you get adhesive on the product, make sure to clean it before it dries! If the adhesive dries on the product, you can use a mineral solvent to clean it off, or may have to gently chisel it off. Wire brushes will damage the surface and is not recommended to use.

HOW LONG WILL IT TAKE TO GET MY PRODUCT?

LiteStone® is available online at Lowes.com throughout the US. Once an order is received, it typically takes up to 7-10 business days to ship from thier distribution facility. Koni does not ship LiteStone® from its headquarters to customers.

