

Printing: 01/03/2024

Safety data sheet According to UK REACH

### NJORD Sprite Deodoriser

Date of compilation: 01/03/2024 Version: 1

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING **Product identifier:** 1.1 Njord Sprite Deodoriser Other means of identification: Non-applicable Relevant identified uses of the substance or mixture and uses advised against: 1.2 Relevant uses: Deodorizer Uses advised against: All uses not specified in this section or in section 7.3 Details of the supplier of the safety data sheet: 1.3 Njord Chemicals Albion House, Drury Lane OL9 7PS Oldham - United Kingdom Phone: +44 (0) 161 706 1212 sales@njordchemicals.com www.njordchemicals.com Emergency telephone number: +44 (0) 161 706 1212 1.4 SECTION 2: HAZARDS IDENTIFICATION Classification of the substance or mixture: 2.1

## GB CLP Regulation:

Classification of this product has been carried out in accordance with GB CLP Regulation. Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 Eye Dam. 1: Serious eye damage, Category 1, H318

#### 2.2 Label elements:

#### **GB CLP Regulation:**

Danger



### Hazard statements:

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eye Dam. 1: H318 - Causes serious eye damage.

### Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/protective footwear.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

P501: Dispose of the contents and/or its container using the separate collection system in your municipality.

#### Supplementary information:

EUH208: Contains 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 3,7-dimethylnona-1,6-dien-3-ol, Benzyl salicylate. May produce an allergic reaction.

### Substances that contribute to the classification

Alcohol ethoxylated (C9-C11) (8 EO)

#### Labelling for contents:

Component	Concentration interval
Non-ionic surfactants	5 <= % (w/w) < 15
Aliphatic hydrocarbons	% (w/w) < 5
perfumes	



Version: 1

### Printing: 01/03/2024 Date of compilation: 01/03/2024

### SECTION 2: HAZARDS IDENTIFICATION (continued)

Allergenic fragrances: Benzyl salicylate (BENZYL SALICYLATE), Coumarin (COUMARIN), Geraniol (GERANIOL), Similar to CAS 127-51-5 (alpha-ISOMETHYL IONONE).

### 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Non-applicable

#### 3.2 Mixture:

#### Chemical description: Perfume/s

#### Components:

In accordance with Annex II of The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020, the product contains:

	Identification	Chemical name/Classification	Concentration	
CAS:	68439-46-3	Alcohol ethoxylated (C9-C11) (8 EO) Acute Tox. 4: H302; Eye Dam. 1: H318 - Danger	5 - <10 %	
CAS:	54464-57-2	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one           Aquatic Chronic 1: H410; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	0.3 - <0.5 %	
CAS:	118-58-1	Benzyl salicylate Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Sens. 1B: H317 - Warning	0.1 - <0.3 %	
CAS: 65405-77-8 (Z)-3-hexenyl salicylate Aquatic Acute 1: H400 - Warning 0.1 - <				
CAS:	10339-55-6	3,7-dimethylnona-1,6-dien-3-ol Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	0.1 - <0.3 %	
To obtain more information on the hazards of the substances consult sections 11, 12 and 16.				

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

### By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

### By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

## 4.3 Indication of any immediate medical attention and special treatment needed:

#### Non-applicable



Printing: 01/03/2024 Date of compilation: 01/03/2024 Version: 1

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

#### Unsuitable extinguishing media:

Non-applicable

### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...). **Additional provisions:** 

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

### 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

### Methods and material for containment and cleaning up:

It is recommended:

6.3

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

### 6.4 Reference to other sections:

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.



### Printing: 01/03/2024 Date of compilation: 01/03/2024 Version: 1

### SECTION 7: HANDLING AND STORAGE (continued)

#### D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

### 7.2 Conditions for safe storage, including any incompatibilities:

#### A.- Technical measures for storage

Minimum Temp.:2 °CMaximum Temp.:35 °CMaximum time:24 Months

#### B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

There are no applicable occupational exposure limits for the substances contained in the product

#### DNEL (Workers):

		Short e	xposure	Long ex	kposure
Identification	Identification		Local	Systemic	Local
Benzyl salicylate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 118-58-1	Dermal	Non-applicable	Non-applicable	2.21 mg/kg	Non-applicable
EC: 204-262-9	Inhalation	Non-applicable	Non-applicable	7.8 mg/m <sup>3</sup>	Non-applicable
(Z)-3-hexenyl salicylate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 65405-77-8	Dermal	Non-applicable	Non-applicable	0.9 mg/kg	Non-applicable
EC: 265-745-8	Inhalation	Non-applicable	Non-applicable	1.59 mg/m <sup>3</sup>	Non-applicable
3,7-dimethylnona-1,6-dien-3-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 10339-55-6	Dermal	5.5 mg/kg	Non-applicable	2.7 mg/kg	Non-applicable
EC: 233-732-6	Inhalation	18 mg/m <sup>3</sup>	Non-applicable	3 mg/m <sup>3</sup>	Non-applicable

#### **DNEL** (General population):

rt exposure	Long e	exposure
Local	Systemic	Local
Non-applicable	0.79 mg/kg	Non-applicable
Non-applicable	0.79 mg/kg	Non-applicable
Non-applicable	1.37 mg/m <sup>3</sup>	Non-applicable
Non-applicable	0.23 mg/kg	Non-applicable
Non-applicable	0.45 mg/kg	Non-applicable
Non-applicable	0.39 mg/m <sup>3</sup>	Non-applicable
Non-applicable	0.2 mg/kg	Non-applicable
Non-applicable	1.4 mg/kg	Non-applicable
Non-applicable	0.74 mg/m <sup>3</sup>	Non-applicable
No	n-applicable	n-applicable 0.74 mg/m <sup>3</sup>

PNEC:

Identification				
Benzyl salicylate	STP	10 mg/L	Fresh water	0.001 mg/L
CAS: 118-58-1	Soil	1.41 mg/kg	Marine water	0 mg/L
EC: 204-262-9	Intermittent	0.01 mg/L	Sediment (Fresh water)	0.583 mg/kg
	Oral	0.0527 g/kg	Sediment (Marine water)	0.058 mg/kg



Printing: 01/03/2024 Da

Date of compilation: 01/03/2024 Version: 1

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
(Z)-3-hexenyl salicylate	STP	10 mg/L	Fresh water	0.00061 mg/L
CAS: 65405-77-8	Soil	0.022 mg/kg	Marine water	0.000061 mg/L
EC: 265-745-8	Intermittent	0.0061 mg/L	Sediment (Fresh water)	0.11 mg/kg
	Oral	0.04 g/kg	Sediment (Marine water)	0.011 mg/kg
3,7-dimethylnona-1,6-dien-3-ol	STP	10 mg/L	Fresh water	0.023 mg/L
CAS: 10339-55-6	Soil	0.031 mg/kg	Marine water	0.002 mg/L
EC: 233-732-6	Intermittent	0.23 mg/L	Sediment (Fresh water)	0.223 mg/kg
	Oral	0.00853 g/kg	Sediment (Marine water)	0.022 mg/kg

### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<UKCA marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

### B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Remarks
Mandatory hand protection	Protective gloves against minor risks	Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+A1:2010 and EN ISO 374-1:2016+ A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

### D.- Eye and face protection

Pictogram	PPE	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

### E.- Body protection

		Body protection
marks	PPE	Pictogram
pration. For periods of prolonged exposure Istrial users CE III is recommended, in SO 6529:2013, EN ISO 6530:2005, EN ISO 6, EN 464:1994.	Work clothing	
oration. For periods of prolonged exposure Istrial users CE III is recommended, in ISO 20345:2012 y EN 13832-1:2007	Anti-slip work shoes	
N ISO 20345:2012 y EN 1		- Additional emerge

### F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
∕∱ ⁺	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	<b>◎</b> + ⊤	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

### Environmental exposure controls:

Printing: 01/03/2024

Date of compilation: 01/03/2024 Version: 1



Printing: 01/03/2024

### Date of compilation: 01/03/2024 Version: 1 SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Physical state at 20 °C:     Liquid       Appearance:     Enclusion       Colour:     Pleasant       Odour:     Non-applicable *       Odour threshold:     Non-applicable *       Volatiity:     User threshold:       Volatiity:     2347 Pa       Vapour pressure at 20 °C:     2347 Pa       Vapour pressure at 20 °C:     2366 A2 Fa (12.37 kPa)       Vapour pressure at 20 °C:     Non-applicable *       Vapour pressure at 20 °C:     1028.5 kg/m³       Partice description:     1028.5 kg/m³       Postice description:     Non-applicable *       Postice description:     Non-applicable *       Concentration:     Non-applicable *       Kinematic viscosity at 20 °C:     Non-applicable *       Kinematic viscosity at 20 °C:     Non-applicable *       Vapour density at 20 °C:     Non-applicable *       Solubility in water at 20 °C:     Non-applicable *       Vapour density at 20 °C:     Non-applicable *       Vapour density at 20 °C:     Non-applicable *       Solubility in water at 20 °C:     Non-applicable * <td< th=""><th></th><th>Appearance:</th><th></th></td<>		Appearance:	
colour:: <ul> <li>Mitte</li> <li>Colour::</li> <li>Concentration::</li> <li>Concentietet:</li> <li>Concentietet:</li></ul>		Physical state at 20 °C:	Liquid
Odour:PresantOdour threshold:Non-applicable *Volatility:Non-applicable *Volatility:Soliing point at atmospheric pressure:101 °CVapour pressure at 20 °C:2347 PaVapour pressure at 20 °C:12366.42 Pa (12.37 kPa)Evaporation rate at 20 °C:Non-applicable *Product description:1028.5 kg/m³Relative density at 20 °C:1029Dynamic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *Konematic viscosity at 20 °C:Non-applicable *Concentration:Non-applicable *Profuct oviscosity at 20 °C:Non-applicable *Concentration:Non-applicable *Profuct oviscosity at 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Solubility in mater at 20 °C:Non-applicable *Autignition temperature:Non-applicable *Autignition temperature:Non-applicable *Autignition temperature:Non-applicable *Autignition temperature:Non-applicable *Autignition temperature:Non-applicable *Autignition temperature:Non-applicable *Autignition temperature		Appearance:	Emulsion
odour threshold:Non-applicable *Volatility:Valuity:Vapour pressure at 20 °C:12366.42 Pa (12.37 kPa)Vapour pressure at 20 °C:12366.42 Pa (12.37 kPa)Product description:12366.42 Pa (12.37 kPa)Relative density at 20 °C:Non-applicable *Product viscosity at 20 °C:1028.5 kg/m³Non-applicable *Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *Non-applicable		Colour:	White
Volatility:         Value           Boiling point at atmospheric pressure:         101 °C           Vapour pressure at 20 °C:         2347 Pa           Vapour pressure at 20 °C:         2366.42 Pa (12.37 kPa)           Evaporation rate at 20 °C:         Non-applicable *           Product description:         128.5 kg/m³           Product description:         Non-applicable *           Dynamic viscosity at 20 °C:         Non-applicable *           Kinematic viscosity at 20 °C:         Non-applicable *           Kinematic viscosity at 20 °C:         Non-applicable *           Concentration:         Non-applicable *           Vapour density at 20 °C:         Non-applicable *           Solubility in water at 20 °C:         Non-applicable *           Berlon coefficient n-octanol/water 20 °C:         Non-applicable *           Solubility properties:         Completable *           Decomposition temperature:         Non-applicable *           Hetimopoint(freezing point:		Odour:	Pleasant
Boiling point at atmospheric pressure:101 °CVapour pressure at 20 °C:2347 PaVapour pressure at 20 °C:12366.42 Pa (12.37 kPa)Evaporation rate at 20 °C:Non-applicable *Postix d description:1228.5 kg/m³Relative density at 20 °C:1028.5 kg/m³Relative density at 20 °C:1029Dynamic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *Concentration:Non-applicable *Kinematic viscosity at 40 °C:Non-applicable *Concentration:Non-applicable *Solubility in water at 20 °C:Non-applicable *Solubility in mater at 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Non-applicable *Non-applicable *Solubility in water at 20 °C:Non-applicable *Lower farmability limit:Non-applicable *Upper flammability limit:Non-applicable *Lower farmability limit:Non-applicable *Upper flammability limit:Non-applicable		Odour threshold:	Non-applicable *
Vapour pressure at 20 °C:2347 PaVapour pressure at 50 °C:12366.42 Pa (12.37 kPa)Evaporation rate at 20 °C:Non-applicable *Product description:1028.5 kg/m³Belative density at 20 °C:1028.5 kg/m³Relative density at 20 °C:1029Dynamic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 40 °C:>20.5 mm²/sConcentration:Non-applicable *pH:8 - 9 (ASTM D3838-05) (at 100 %)Vapour density at 20 °C:Non-applicable *pH:8 - 9 (ASTM D3838-05) (at 100 %)Vapour density at 20 °C:Non-applicable *pH:8 - 9 (ASTM D3838-05) (at 100 %)Vapour density at 20 °C:Non-applicable *pH:8 - 9 (ASTM D3838-05) (at 100 %)Vapour density at 20 °C:Non-applicable *pH:8 - 9 (ASTM D3838-05) (at 100 %)Vapour density at 20 °C:Non-applicable *pH:8 - 9 (ASTM D3838-05) (at 100 %)Vapour density or pretise:Non-applicable *Solubility in water at 20 °C:Non-applicable *Solubility in propertise:Non-applicable *Particion cemperature:Non-applicable *Autoignition temperature:Non-applicable *Hammability (solid, gas):Non-applicable *Autoignition temperature:Non-applicable *Upper flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Particle characteristics:Non-applicable * <th></th> <th>Volatility:</th> <th></th>		Volatility:	
Vapour pressure at 50 °C:12366.42 Pa (12.37 kPa)Evaporation rate at 20 °C:Non-applicable *Poduct description:1028.5 kg/m³Peadity at 20 °C:10.29Non-applicable *Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *PH:Solopile *Kinematic viscosity at 20 °C:Non-applicable *Vapour density properties:Non-applicable *Solubility in water at 20 °C:Non-applicable *Partition coefficient n-octanol/water 20 °C:Non-applicable *Partition formeparture:Non-applicable *Immability (solid, gas):Non-applicable *Immability (solid, gas): </th <th></th> <th>Boiling point at atmospheric pressure:</th> <th>101 °C</th>		Boiling point at atmospheric pressure:	101 °C
Fvaporation rate at 20 °C:       Non-applicable *         Product description:       128.5 kg/m³         Density at 20 °C:       10.29         Dynamic viscosity at 20 °C:       Non-applicable *         Kinematic viscosity at 20 °C:       Non-applicable *         Kinematic viscosity at 40 °C:       Non-applicable *         Concentration:       Non-applicable *         PH:       8 - 9 (ASTM D3838-05) (at 100 %)         Vapour density at 20 °C:       Non-applicable *         PH:       8 - 9 (ASTM D3838-05) (at 100 %)         Vapour density at 20 °C:       Non-applicable *         PH:       8 - 9 (ASTM D3838-05) (at 100 %)         Vapour density at 20 °C:       Non-applicable *         Solubility in water at 20 °C:       Non-applicable *         Vapour density at 20 °C:       Non-applicable *         Solubility in water at 20 °C:       Non-applicable *         Solubility in water at 20 °C:       Non-applicable *         Baimability       Non-applicable *         Idensity foreign point:       Complety miscible         Vating point/freezing point:       Non-applicable *         Idensity (solid, gas):       Non -applicable *         Vating point/freezing       Non-applicable *         Identend pointertifies:       Non-appli		Vapour pressure at 20 °C:	2347 Pa
Product description:       1028.5 kg/m³         Density at 20 °C:       1029         Relative density at 20 °C:       Non-applicable *         Dynamic viscosity at 20 °C:       Non-applicable *         Kinematic viscosity at 20 °C:       Non-applicable *         Concentration:       >20.5 mm²/s         Concentration:       Non-applicable *         pH:       8 - 9 (ASTM D3838-05) (at 100 %)         Vapour density at 20 °C:       Non-applicable *         pH:       8 - 9 (ASTM D3838-05) (at 100 %)         Vapour density at 20 °C:       Non-applicable *         pArition coefficient n-octanol/water 20 °C:       Non-applicable *         Solubility in water at 20 °C:       Non-applicable *         Solubility properties:       Completely miscible         Solubility properties:       Non-applicable *         Partition coefficient n-octanol/water 20 °C:       Non-applicable *         Solubility properties:       Non-applicable *         Solubility properties:       Non-applicable *         Partition coefficient n-octanol       Non-applicable *         Hetting point/freezing point:       Non-applicable *         Partice characteristics:       Non-applicable *         Immability (solid, gas):       Non-applicable *         Partice charac		Vapour pressure at 50 °C:	12366.42 Pa (12.37 kPa)
Density at 20 °C:1028.5 kg/m³Relative density at 20 °C:1.029Dynamic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 0 °C:Non-applicable *Concentration:>20.5 mm²/sConcentration:Non-applicable *pH:8 - 9 (ASTM D3838-05) (at 100 %)Vapour density at 20 °C:Non-applicable *Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Solubility properties:Completely miscibleSolubility properties:Completely miscibleDecomposition temperature:Non-applicable *Helting point/freezing point:Non-applicable *Helting point/freezing point:Non-applicable *Immability (solid, gas):Non-applicable *Autoignition temperature:Non-applicable *Lower flammability limit:Non-applicable *Iupper flammability limit:Non-applicable * <tr< th=""><th></th><th>Evaporation rate at 20 °C:</th><th>Non-applicable *</th></tr<>		Evaporation rate at 20 °C:	Non-applicable *
Relative density at 20 °C:       1.029         Dynamic viscosity at 20 °C:       Non-applicable *         Kinematic viscosity at 20 °C:       Non-applicable *         Kinematic viscosity at 20 °C:       Non-applicable *         Concentration:       >20.5 mm²/s         Concentration:       Non-applicable *         pH:       8 - 9 (ASTM D3838-05) (at 100 %)         Vapour density at 20 °C:       Non-applicable *         Partition coefficient n-octanol/water 20 °C:       Non-applicable *         Solubility in water at 20 °C:       Non-applicable *         Solubility properties:       Completely miscible         Decomposition temperature:       Non-applicable *         Melting point/freezing point:       Non-applicable *         Hammability (solid, gas):       Non-applicable *         Autoignition temperature:       Non-applicable *         I.over flammability limit:       Non-applicable *         Upper flamability limit:       Non-applicable *         I.over flammability limit:       Non-applicable *         I.over flamability limit:       Non-applicable *		Product description:	
Non-aplicable *Inpamic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 40 °C:>20.5 mm²/sConcentration:Non-applicable *pH:8 - 9 (ASTM D3838-05) (at 100 %)Vapour density at 20 °C:Non-applicable *Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Solubility properties:Completely miscibleSolubility properties:Completely miscibleDecomposition temperature:Non-applicable *Helting point/freezing point:Non-applicable *FlammabilityNon-applicable *Icampability (solid, gas):Non Flammable (>60 °C)Riamability (solid, gas):Non-applicable *Lower flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Median equivalent diameter:Non-applicable *Median equivalent diameter:Non-applicable *Flammability limit:Non-applicable *Median equivalent diameter:Non-applicable *Flormation:Information:Flormation:Non-applicable *Flormation:Non-applicable *Solubility invit:Non-applicable *		Density at 20 °C:	1028.5 kg/m <sup>3</sup>
Kinematic viscosity at 20 °C:       Non-applicable *         Kinematic viscosity at 40 °C:       >20.5 mm²/s         Concentration:       Non-applicable *         pH:       8 - 9 (ASTM D3838-05) (at 100 %)         Vapour density at 20 °C:       Non-applicable *         Partition coefficient n-octanol/water 20 °C:       Non-applicable *         Solubility in water at 20 °C:       Non-applicable *         Solubility in water at 20 °C:       Non-applicable *         Solubility properties:       Completely miscible         Decomposition temperature:       Non-applicable *         Melting point/freezing point:       Non-applicable *         Flammability:       Non-applicable *         Ital point/freezing point:       Non-applicable *         Ital point:       Non-applicable * <tr< th=""><th></th><th>Relative density at 20 °C:</th><th>1.029</th></tr<>		Relative density at 20 °C:	1.029
Kinematic viscosity at 40 °C:>20.5 mm²/sConcentration:Non-applicable *pH:8 - 9 (ASTM D3838-05) (at 100 %)Vapour density at 20 °C:Non-applicable *Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Solubility properties:Completely miscibleDecomposition temperature:Non-applicable *Metting point/freezing point:Non-applicable *Flammability:Non-applicable *Flammability (solid, gas):Non Flammable (>60 °C)Rammability (solid, gas):Non-applicable *I cower flammability limit:Non-applicable *I cower flammability limit:Non-applicable *I per flammability limit:Non-applicable *		Dynamic viscosity at 20 °C:	Non-applicable *
Concentration:Non-applicable *pH:8 - 9 (ASTM D3838-05) (at 100 %)Vapour density at 20 °C:Non-applicable *Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Solubility properties:Completely miscibleDecomposition temperature:Non-applicable *Metting point/freezing point:Non-applicable *Flammability:Non-applicable *Flammability:Non-applicable *Flammability (solid, gas):Non Flammable (>60 °C)Flammability (solid, gas):Non-applicable *Lower flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Median equivalent diameter:Non-applicable *Median equivalent diameter:Non-applicable *Information:Information:Information:Son-applicable *Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Oxidising properties:Non-applicable *		Kinematic viscosity at 20 °C:	Non-applicable *
pH:8 - 9 (ASTM D3838-05) (at 100 %)Vapour density at 20 °C:Non-applicable *Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Solubility properties:Completely miscibleDecomposition temperature:Non-applicable *Melting point/freezing point:Non-applicable *Hammability:Non-applicable *Flammability:Non-applicable *Flammability (solid, gas):Non Flammable (>60 °C)Flammability (solid, gas):Non-applicable *Autoignition temperature:240 °CLower flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Particle characteristics:Non-applicable *Information:Non-applicable *Information:Non-applicable *Information:Non-applicable *Explosive properties:Non-applicable *King properties:Non-applicable *King properties:Non-applicable *Solubility invit:Non-applicable *Solubilit		Kinematic viscosity at 40 °C:	>20.5 mm²/s
Vapour density at 20 °C:Non-applicable *Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Solubility properties:Completely miscibleDecomposition temperature:Non-applicable *Melting point/freezing point:Non-applicable *Flammability:Non-applicable *Flammability:Non-applicable *Flammability (solid, gas):Non Flammable (>60 °C)Flammability (solid, gas):Non-applicable *Autoignition temperature:240 °CLower flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Median equivalent diameter:Non-applicable *Median equivalent diameter:Non-applicable *Information:Information:Information:Information:Explosive properties:Non-applicable *King properties:Non-applicable *Solubility ing properties:Non-applicable *Solubility ing temperature:240 °CLower flammability limit:Non-applicable *Particle characteristics:Non-applicable *Particle characteristics:Non-applicable *Soluberties:Non-applicable *Soluberties:Non-applicable *Soluberties:Non-applicable *Soluberties:Non-applicable *Soluberties:Non-applicable *Soluberties:Non-applicable *Soluberties:Non-applicable *Soluberties:Non-applicable *Soluber		Concentration:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Solubility properties:Completely miscibleDecomposition temperature:Non-applicable *Melting point/freezing point:Non-applicable *Hamability:Non-applicable *Flamability:Non-applicable *Flamability:Non-applicable *Flamability (solid, gas):Non Flammabile >60 °C)Flamability (solid, gas):Non-applicable *Autoignition temperature:240 °CLower flammability limit:Non-applicable *Upper flamability limit:Non-applicable *Upper flamability limit:Non-applicable *Median equivalent diameter:Non-applicable *Information:Tinformation:Explosive properties:Non-applicable *Non-applicable *Non-applicable *Solubility limit:Non-applicable *Non-applicable *Non-applicable *Solubility imit:Non-applicable *Non-applicable *Non-applicable *Solubility imit:Non-applicable *Solubility imit: <td< th=""><th></th><th>pH:</th><th>8 - 9 (ASTM D3838-05) (at 100 %)</th></td<>		pH:	8 - 9 (ASTM D3838-05) (at 100 %)
Solubility in water at 20 °C:Non-applicable *Solubility properties:Completely miscibleDecomposition temperature:Non-applicable *Melting point/freezing point:Non-applicable *Flammability:Non-applicable *Flammability:Non Flammable (>60 °C)Flammability (solid, gas):Non -applicable *Autoignition temperature:240 °CLower flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Median equivalent diameter:Non-applicable *Information:Information:Explosive properties:Non-applicable *Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Solubility limit:Non-applicable *Solubility limit:		Vapour density at 20 °C:	Non-applicable *
Solubility properties:Completely miscibleDecomposition temperature:Non-applicable *Melting point/freezing point:Non-applicable *Flammability:Flammability:Flammability:Non Flammable (>60 °C)Flammability (solid, gas):Non-applicable *Autoignition temperature:240 °CLower flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Particle characteristics:Non-applicable *Median equivalent diameter:Non-applicable *Median equivalent diameter:Non-applicable *Information:Information:Explosive properties:Non-applicable *Oxidising properties:Non-applicable *		Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Decomposition temperature:Non-applicable *Melting point/freezing point:Non-applicable *Flammability:Non-applicable *Flammability:Non Flammable (>60 °C)Flammability (solid, gas):Non Flammable (>60 °C)Flammability (solid, gas):Non-applicable *Autoignition temperature:240 °CLower flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Particle characteristics:Non-applicable *Median equivalent diameter:Non-applicable *Information:Information:Explosive properties:Non-applicable *Oxidising properties:Non-applicable *		Solubility in water at 20 °C:	Non-applicable *
Melting point/freezing point:       Non-applicable *         Flammability:       Flammability:         Flash Point:       Non Flammable (>60 °C)         Flammability (solid, gas):       Non-applicable *         Autoignition temperature:       240 °C         Lower flammability limit:       Non-applicable *         Upper flammability limit:       Non-applicable *         Verticle characteristics:       Non-applicable *         Median equivalent diameter:       Non-applicable *         Median equivalent diameter:       Non-applicable         Information:       Information:         Explosive properties:       Non-applicable *         Oxidising properties:       Non-applicable *		Solubility properties:	Completely miscible
Flammability:       Flammability:         Flash Point:       Non Flammable (>60 °C)         Flammability (solid, gas):       Non-applicable *         Autoignition temperature:       240 °C         Lower flammability limit:       Non-applicable *         Upper flammability limit:       Non-applicable *         Particle characteristics:       Non-applicable *         Median equivalent diameter:       Non-applicable         9.2       Other information:         Information with regard to physical hazard classet       Information:         Explosive properties:       Non-applicable *         Oxidising properties:       Non-applicable *		Decomposition temperature:	Non-applicable *
Flash Point:Non Flammable (>60 °C)Flammability (solid, gas):Non-applicable *Autoignition temperature:240 °CLower flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Particle characteristics:Non-applicable *Median equivalent diameter:Non-applicableOther information:Non-applicableInformation:Information:Explosive properties:Non-applicable *Oxidising properties:Non-applicable *		Melting point/freezing point:	Non-applicable *
Flammability (solid, gas):       Non-applicable *         Autoignition temperature:       240 °C         Lower flammability limit:       Non-applicable *         Upper flammability limit:       Non-applicable *         Particle characteristics:       Non-applicable *         Median equivalent diameter:       Non-applicable         9.2       Other information:         Information with regard to physical hazard classe:       Non-applicable *         Explosive properties:       Non-applicable *         Oxidising properties:       Non-applicable *		Flammability:	
Autoignition temperature:240 °CLower flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Particle characteristics:Non-applicable *Median equivalent diameter:Non-applicable9.2Other information:Information with regard to physical hazard classerExplosive properties:Non-applicable *Oxidising properties:Non-applicable *		Flash Point:	Non Flammable (>60 °C)
Lower flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Particle characteristics:Non-applicable *Median equivalent diameter:Non-applicable9.2Other information:Information with regard to physical hazard classes:Explosive properties:Non-applicable *Oxidising properties:Non-applicable *		Flammability (solid, gas):	Non-applicable *
Upper flammability limit:Non-applicable *Particle characteristics:Non-applicable *Median equivalent diameter:Non-applicable9.2Other information:Information with regard to physical hazard classes:Explosive properties:Non-applicable *Oxidising properties:Non-applicable *		Autoignition temperature:	240 °C
Particle characteristics:       Non-applicable         Median equivalent diameter:       Non-applicable         9.2       Other information:         Information with regard to physical hazard classes:       Explosive properties:         Non-applicable *       Non-applicable *         Oxidising properties:       Non-applicable *		Lower flammability limit:	Non-applicable *
Median equivalent diameter:Non-applicable9.2Other information:Information with regard to physical hazard classes:Explosive properties:Non-applicable *Oxidising properties:Non-applicable *		Upper flammability limit:	Non-applicable *
9.2       Other information:         Information with regard to physical hazard classes:         Explosive properties:       Non-applicable *         Oxidising properties:       Non-applicable *		Particle characteristics:	
Information with regard to physical hazard classes:Explosive properties:Non-applicable *Oxidising properties:Non-applicable *		Median equivalent diameter:	Non-applicable
Explosive properties:Non-applicable *Oxidising properties:Non-applicable *	9.2	Other information:	
Oxidising properties: Non-applicable *		Information with regard to physical hazard class	es:
		Explosive properties:	Non-applicable *
*Not relevant due to the nature of the product, not providing information property of its bazards		Oxidising properties:	Non-applicable *
Not relevant due to the hattie of the product, not providing information property of its nazards.		*Not relevant due to the nature of the product, not providing inform	nation property of its hazards.



Printing: 01/03/2024 Date of compilation: 01/03/2024	Version: 1	
SECTION 9: PHYSICAL AND CHEMICAL PROPERTI	ES (continued)	
Corrosive to metals:	Non-applicable *	
Heat of combustion:	Non-applicable *	
Aerosols-total percentage (by mass) of flammable components:	Non-applicable *	
Other safety characteristics:		
Surface tension at 20 °C:	Non-applicable *	
Refraction index:	Non-applicable *	
*Not relevant due to the nature of the product, not providing information property of its hazards.		

### SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

### **10.3** Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### **10.4** Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable Not applicable Not applicable		Not applicable	Not applicable

#### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

### SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

### **Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):

Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 Contact with the eyes: Produces serious eye damage after contact.



Printing: 01/03/2024 Date of compilation: 01/03/2024 Version: 1

### SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
  - IARC: Coumarin (3); White mineral oil, >=20.5mm2/s (40°C) (3)
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as
  - hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

### Other information:

### Non-applicable

#### Specific toxicology information on the substances:

Identification	A	Acute toxicity	
Alcohol ethoxylated (C9-C11) (8 EO)	LD50 oral	500 mg/kg (ATEi)	
CAS: 68439-46-3	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>20 mg/L	
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	LD50 oral	>5000 mg/kg	
CAS: 54464-57-2	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>20 mg/L	
Benzyl salicylate	LD50 oral	2200 mg/kg	Rat
CAS: 118-58-1	LD50 dermal	14150 mg/kg	Rabbit
	LC50 inhalation	>5 mg/L	
(Z)-3-hexenyl salicylate	LD50 oral	3339 mg/kg	Rat
CAS: 65405-77-8	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>20 mg/L	
3,7-dimethylnona-1,6-dien-3-ol	LD50 oral	5283 mg/kg	Mouse
CAS: 10339-55-6	LD50 dermal	>5000 mg/kg	Rabbit
	LC50 inhalation	>20 mg/L	

### Acute Toxicity Estimate (ATE mix):

	ATE mix	
Oral	6666.67 mg/kg (Calculation method)	0 %
Dermal	>5000 mg/kg (Calculation method)	Non-applicable
Inhalation	>20 mg/L (4 h) (Calculation method)	Non-applicable

### SECTION 12: ECOLOGICAL INFORMATION



Printing: 01/03/2024

Date of compilation: 01/03/2024 Version: 1

### SECTION 12: ECOLOGICAL INFORMATION (continued)

The experimental information related to the eco-toxicological properties of the product itself is not available

### 12.1 Toxicity:

### Acute toxicity:

Identification	Concentration		Species	Genus
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one		>0.1 - 1 mg/L (96 h)		Fish
CAS: 54464-57-2	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
	EC50	>0.1 - 1 mg/L (72 h)		Algae
Benzyl salicylate	LC50	1.03 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 118-58-1	EC50	1.2 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	1.3 mg/L (72 h)	Selenastrum capricornutum	Algae
(Z)-3-hexenyl salicylate	LC50	0.65 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 65405-77-8	EC50	0.6 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	0.61 mg/L (72 h)	Desmodesmus subspicatus	Algae

### 12.2 Persistence and degradability:

### Substance-specific information:

Identification	Deg	radability	Biodegradability	
Benzyl salicylate	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 118-58-1	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	93 %
(Z)-3-hexenyl salicylate	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 65405-77-8	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	89 %
3,7-dimethylnona-1,6-dien-3-ol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 10339-55-6	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	91 %

### 12.3 Bioaccumulative potential:

### Substance-specific information:

Identification	Bio	Bioaccumulation potential	
Benzyl salicylate	BCF	311	
CAS: 118-58-1	Pow Log	4	
	Potential	High	

### 12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
Benzyl salicylate	Кос	5600	Henry	Non-applicable
CAS: 118-58-1	Conclusion	Immobile	Dry soil	Non-applicable
	Surface tension	Non-applicable	Moist soil	Non-applicable

### 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

### 12.6 Other adverse effects:

Not described

### SECTION 13: DISPOSAL CONSIDERATIONS

### **13.1 Waste treatment methods:**

Code	Description	Waste class		
It is not possible to assign a specific code, as it depends on the intended use by the user Dangerous				
Type of wast	re:			
HP14 Ecotoxic				



Printing: 01/03/2024 Date of compilation: 01/03/2024 Version: 1

### SECTION 13: DISPOSAL CONSIDERATIONS (continued)

### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

### Regulations related to waste management:

In accordance with Annex II of UK REACH the provisions related to waste management are stated:

UK legislation: The Waste Regulations 2011.

### SECTION 14: TRANSPORT INFORMATION

### Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

14.1	UN number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
14.4	Packing group:	Non-applicable
14.5	Environmental hazards:	No
14.6	Special precautions for user	
	Tunnel restriction code:	Non-applicable
	Physico-Chemical properties:	see section 9
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable
Transpor	t of dangerous goods by sea:	
With rega	rd to IMDG 40-20:	
14.1	UN number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
14.4	Packing group:	Non-applicable
14.5	Marine pollutant:	No
14.6	Special precautions for user	
	Special regulations:	Non-applicable
	EmS Codes:	
	Physico-Chemical properties:	see section 9
	Limited quantities:	Non-applicable
	Segregation group:	Non-applicable
14.7	Transport in bulk according	Non-applicable
	to Annex II of Marpol and	
	the IBC Code:	
Transpor	t of dangerous goods by air:	
With rega	rd to IATA/ICAO 2022:	



#### Printing: 01/03/2024 Date of compilation: 01/03/2024 Version: 1 SECTION 14: TRANSPORT INFORMATION (continued) 14.1 UN number: Non-applicable 14.2 UN proper shipping name: Non-applicable 14.3 Transport hazard class(es): Non-applicable Labels: Non-applicable 14.4 Packing group: Non-applicable 14.5 Environmental hazards: No 14.6 Special precautions for user Physico-Chemical properties: see section 9 14.7 Transport in bulk according Non-applicable to Annex II of Marpol and the IBC Code:

### SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Substances listed in UK candidate list of substances of very high concern (SVHCs): Non-applicable

### - Substances listed in UK REACH Authorisation List (Annex 14): Non-applicable

### The Detergents (Amendment) (EU Exit) Regulations:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in The Detergents (Amendment) (EU Exit) Regulations. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

#### Labelling for contents:

Component	Concentration interval
Non-ionic surfactants	5 <= % (w/w) < 15
Aliphatic hydrocarbons	% (w/w) < 5
perfumes	

Allergenic fragrances: Benzyl salicylate (BENZYL SALICYLATE), Coumarin (COUMARIN), Geraniol (GERANIOL), Similar to CAS 127-51-5 (alpha-ISOMETHYL IONONE).

#### The Control of Major Accident Hazards Regulations 2015:

Non-applicable

# Restrictions to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII UK REACH, etc ....):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

### Other legislation:

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.

Control of Substances Hazardous to Health Regulations 2002 (as amended)

EH40/2005 Workplace exposure limits.

COSHH-SR24 Storing chemical products (small scale).

COSHH-SR2 Diluting chemical concentrates.

COSHH-SR4 Manual cleaning and disinfecting surfaces.

The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019: SCHEDULE 34 - Amendment of Regulation (EC) No 1223/2009 and related amendments.

The Detergents (Amendment) (EU Exit) Regulations 2020.



Printing: 01/03/2024 Date of compilation: 01/03/2024 Version: 1

### SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

#### Texts of the legislative phrases mentioned in section 2:

H318: Causes serious eye damage.

H412: Harmful to aquatic life with long lasting effects.

### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### GB CLP Regulation:

Acute Tox. 4: H302 - Harmful if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1B: H317 - May cause an allergic skin reaction.

#### **Classification procedure:**

Eye Dam. 1: Calculation method

Aquatic Chronic 3: Calculation method

#### Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

#### Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.