

ELIOS

EA26-550



12Volts
55Amps

**Flooded Sealed
Lead Acid**

Battery



Reliable Power



Enjoy **Green** Life

ELIOS | EA26-550

Rechargeable Lead Acid Battery Long-Lasting Power



Meet the Elios EA26-550 Flooded Sealed Lead Acid Battery – a powerful 12V-55Ah solution, making it the ideal choice as a battery starter, especially for generators and compressor. Engineered to deliver rugged durability and exceptional performance, the EA26-550 stands as your trusted companion for various scenarios. This battery exemplifies Elios' commitment to offering high-quality, efficient, and long-lasting energy solutions.



Applications


Generators | Air Compressor | Golf Cart | Light Tower
Portable Equipment Vehicle Auxiliary Power | Security

SPECIFICATIONS


Voltage Per Unit	12
Capacity	55Ah@20hr-rate to 1.75Vper cell@25°C
Weight	12.7kg / 28lbs
CCA(-18°C)	550A
Reserve Capacity	60min
Operating Temperature Range	Discharge: -20°C ~ 50°C Charge: -20°C ~ 50°C Storage: -20°C ~ 50°C
Self Discharge	The batteries can be stored for more than 6 months at 25°C . Please charge batteries before using. For high temperature, the time interval will be shorter.
Dimensions	211*175*175mm
Container Material	PP



TERMINAL POSITION



TERMINAL TYPE



Charge the batteries at least once every 6 months, if they are stored at 25°C .

Charging Method

Constant Voltage	14.7~15.0V, 5~11h, Max. Current 0.3CA
Constant Current	0.1CA×5h
Fast	0.3CA×1.7h

