surface cleaning and disinfection

ProMax







Kitchen

Laundry

| Janitorial

| Commercial

| Car Wash

ProMax

Originating from **SEKO**'s industry renowned R&D laboratories is the latest, most intuitive and cost effective dispensing system available in the market today.

By combining the revolutionary technology of patented hydrodynamics and user friendly, image enhancing features unique to **ProMax**, **seko** has produced the perfect solution for all institutional and light industrial chemical dilution applications.

Hydraulic

"State of the art, revolutionary hydraulics sets a new industry standard of performance and reliability"



Ability to customize

"Easily personalized facing allows customization without costly printing minimums and set up charges"

Tool free

"Mount the bracket on the wall and put away your tools"

Modular

"The Modular ProMax system, reduces and simplifies inventory"

Models available to safely and efficiently fil small, medium and large containers with accurately diluted use solutions from chemical concentrates:

Spray Bottle (4 l/min. Flow Rate) Mop Bucket (16 l/min. Flow Rate) Floor Scrubber (30 l/min. Flow Rate)



Working temperature up to 70° C Working pressure from 1 to 9 bar





| Model | Chemical | Flow Rate | Activated |
|-------------|----------|-----------|--|
| PX B 1 F 04 | 1 | 4 l/min | BUTTON to fill bucket and bottle |
| PX B 1 F 16 | | 16 l/min | |
| PX B 1 F 30 | | 30 l/min | BUTTON to fill bucket or scrubber machine |
| PX S 1 F 04 | 1 | 4 l/min | SLIDE to fill bottle |
| PX B 4 F 04 | 4 | 4 l/min | BUTTON to fill bucket and bottle |
| PX B 4 F 16 | | 16 l/min | |
| PX B 4 F 30 | | 30 l/min | BUTTON to fill bucket or scrubber machine |
| PX S 4 F 04 | 4 | 4 l/min | SLIDE to fill bottle |



ProMax allows additional units to be easily added to an existing installation.

Wall bracket mounting eliminated need to open enclosure during installation for tool free mounting

The entire system can be easily disassembled and reassembled.

Installation times are minimized. No screws to remove... no need to open the dispenser to install

Auto-locking connection

Robust and durable PP enclosure

Cartridge Filter

The optional head filter. enhances filtration where needed in troublesome water conditions reducing service calls.

Head filters will not affect flow rate regardless of the number of units in line.

4 products selector


The 4 product **ProMax** is equipped with a new selector with O Rings of specially formulated elastomers. It offers the highest resistance in the industry to the widest range chemicals



Tip seats on the external induction barb.

Accurate dilution rates; select from a full range of supplied metering tips.

Product pick-up connections are external.





Project Your Company Image





- 95% of the facing available for proprietary graphics using underlays and removable clear faceplates
- Customize the facing to identify product and/or establish color coding for employee safety

Tamper proof housing and activating mechanism

Magnetic solenoid type activating valve

The large membrane activation ensures perfect operation, up to 9 bar pressure and 70 °C



Venturi

FLEX GAP is equipped with a patented backflow device, minimizing restriction ensuring maximum flow performance and complies with universal plumbing standards

- Fast connections
- Three colors for three different flow rates:

4 l/min. - Grey - Yellow 16 l/min. 30 l/min. - Blue

- Same size discharge hose for all models
- The venturi is self-activating, no flow restrictors needed
- Single product units can be easily converted to a 4 product model in the field
- Maximum strength
- Ease of maintenance
- Fully Interchangeable parts
- Excellent performance
- Tool free maintenance

ALSO AVAILABLE AIR GAP

- Two colors for two flow rates
 - Grey 4 l/min. - Yellow 16 l/min.

future

A Worldwide Group at your service

seko has been a significant manufacturer of metering pumps and dosing systems for over 40 years. This long activity allowed seko to acquire a vast experience in diversified applications and to confirm its international success in many industrial fields through the supply of reliable solutions for the dosing, injection and transfer of liquids

Today **seko** is an International Group, developing, manufacturing and delivering its products in more than 50 countries, through its 15 subsidiaries and an extended network of distributors, agents and authorized dealers



BRAZIL Seko do Brasil Commercio de Sistemas de Dosagem

03170-050 São Paulo (SP)
Phone: +55 11 2606 9878
Fax: +55 11 2606 9878
sekobrasil@sekobrasil.com.br
www.sekobrasil.com.br

CHINA Seko China Ltd

Phone: +86 312 552 0904
Fax: +86 312 552 0901
china@seko.com

DENMARK Seko Denmark

DK-4930 Maribo
Phone: +45 5475 7545
Fax: +45 5474 7545
info@ceko com

FRANCE Seko Lefranc-Bosi S.A.

77435 - Marne La Vallee Cedex 2
Phone: +33 1 6005 9060
Fax: +33 1 6480 4104
lefrancbosi@lefrancbosi.com
service.commercial@seko.fr

GERMANY Seko Deutschland GmbH

55252 Mainz - Kastel
Phone: +49 6134 2858 10
Fax: +49 6134 2858 29
info@seko-messtechnik.de
www.seko-germany.com

ITALY Seko Spa

Via Salaria Km. 92,200 02010 S.Rufina - Rieti Phone: +39 0746 605801 Fax: +39 0746 607072 sales@seko.com

Seko Spa [Process & Sytems]

Via Di Vittorio, 25 - 20068 Peschiera Borromeo - Milano Phone: +39 02 97372411 Fax: +39 02 55301744 info.psd@seko.com info@seko.com

ROMANIA Seko Sieta S.r.l.

400393 Cluj-Napoca Phone: +40 264 415 251 Fax: +40 264 415 622 info.dpro@seko.com

RUSSIA 000 Seko

129347 - Moscow Phone: +74 99 182 52 36 Fax: +74 99 182 52 36 sekorussia@seko.com www.sekorussia.ru

SINGAPORE Seko Dosing Systems Asia Pacific Pte Ltd

608838 Singapore Phone: +65 6515 6996 Fax: +65 6515 5079 asiapacific@seko.com

SOUTH AFRICA Seko Southern Africa (PTY) Ltd

Gauteng
Phone: +27 11 704 6589
Fax: +27 11 704 6588
sales@sekosa.co.za

SPAIN Seko Ibérica Sistemas de Dosificación S.A. 08960 Sant Just Desvern -

Barcelona Phone: +34 93 4802 570 Fax: +34 93 4802 571 sekoiberica@sekoiberica.com

SWEDEN Seko Sweden

26123 Landskrona Phone: +46 418 448 482 Fax: +46 418 448 483 infn@seko.com

TURKEY Seko Endüstriyel Pompalar ve Proses Sistemleri San. ve Tic. Ltd. Şti.

Rartal Istanbul Phone: +90 216 353 2542 Fax: +90 216 353 1450 info@seko.com.tr

UAE Seko Middle East FZE

P.O. Box 42090 – Hamriyah Free Zone, Sharjah

Zone, Sharjah Phone: +971 65264982 Fax: +971 65264983

UNITED KINGDOM Seko UK - Chemical Controls

Harlow, Essex - CM19 5JH Phone: +44 1279 423550 Fax: +44 1279 423993 seko.uk@seko.com

USA Seko Dosing Systems Corporation USA

Tullytown - PA 19007 Phone: +1 215 945 01 25 Fax: +1 215 945 09 37 sales@sekousa.com For more information www.seko.com

