



**SIGHTRON**<sup>®</sup>  
PRECISION OPTICS

2024

## Lifetime Performance Guarantee

Sightron Lifetime Performance Guarantee includes all Sightron products and is fully transferable. Sightron warrants our product to be free from defects in materials and workmanship for the lifetime of the product. Should your Sightron product fail due to workmanship or materials return it to us and we will repair to factory specifications or replace at our option. This Lifetime Performance Guarantee does not cover damage that occurs in shipment or failures that result from accidents, misuse, abuse, unauthorized alterations, modifications, theft or other actions or events beyond our reasonable control.

Visit [www.sightron.com](http://www.sightron.com) for complete details.



# CONTENTS

|                    |    |
|--------------------|----|
| <b>RIFLESCOPES</b> | 02 |
| <b>S 1</b> ———     | 05 |
| <b>SIH</b> ———     | 09 |
| <b>SII</b> ———     | 10 |
| <b>S-TAC</b> ———   | 12 |
| <b>SIII</b> ———    | 18 |
| <b>SV</b> ———      | 27 |
| <b>S 6</b> ———     | 29 |
| <b>SVIII</b> ———   | 33 |

|                       |    |
|-----------------------|----|
| <b>RED DOT SIGHTS</b> | 34 |
|-----------------------|----|

|                        |    |
|------------------------|----|
| <b>SPOTTING SCOPES</b> | 35 |
|------------------------|----|

|                  |    |
|------------------|----|
| <b>OUR STORY</b> | 36 |
|------------------|----|

|                     |    |
|---------------------|----|
| <b>RETICLES</b> ——— | 38 |
| <b>SPECS</b> ———    | 44 |
| <b>WARRANTY</b> ——— | 48 |

# NEW PRODUCTS

SIGHTRON PRECISION OPTICS



**S-TAC**  
1 - 4.5 x 24  
Page 12



**S-TAC**  
1 - 6 x 24  
Page 13

**S6**  
10 - 60 x 56 FT  
Page 31

AVAILABLE SUMMER 2024



# S1 SERIES

SIGHTRON PRECISION OPTICS





# S1


## 1.75 - 5 x 32

The Sightron S1 1.75-5x32 G2 Scope is tailor-made for hunting enthusiasts, delivering an ideal 1.75x to 5x magnification range for seamless target acquisition in diverse shooting environments. With superior multi-coated lenses and a compact design, this scope ensures unmatched clarity and maneuverability, empowering you to conquer every hunting adventure.



| PART NUMBER | RETICLE | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL  | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE | TUBE SIZE | WEIGHT  | LENGTH  |
|-------------|---------|-------------|--------------|-----------------|-----------------------|-------------|--------------------|-----------|--------------|-----------|---------|---------|
| 32000       | Duplex  | Second      | No           | 3.4 - 3.3       | 1/4 MOA               | 125/125 MOA | 15 MOA             | No        | Hunting      | 1 inch    | 12.7 oz | 10.3 in |

### AVAILABLE RETICLES



DUPLEX

### STANDARD FEATURES

- NEW Optical Design for Close Range Hunting
- Compact, Lightweight 1-inch Aircraft Aluminum Tube
- Waterproof, Shockproof & Fogproof Design
- Classic Duplex Reticle Design
- Backed by Sightron's Lifetime Performance Guarantee



# S1


## 3 - 9 x 40

The Sightron S1 3-9x40 G2 Scope is the ultimate hunting companion, offering a versatile 3x to 9x magnification range for precision in various hunting scenarios. Its premium multi-coated lenses and durable construction guarantee optimal clarity and reliability, enhancing your hunting experience like never before.



| PART NUMBER | RETICLE | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE | TUBE SIZE | WEIGHT  | LENGTH  |
|-------------|---------|-------------|--------------|-----------------|-----------------------|------------|--------------------|-----------|--------------|-----------|---------|---------|
| 32001       | Duplex  | Second      | No           | 4.1 - 3.3       | 1/4 MOA               | 70/70 MOA  | 15 MOA             | No        | Hunting      | 1 inch    | 13.6 oz | 11.9 in |
| 32002       | HHR     | Second      | No           | 4.1 - 3.3       | 1/4 MOA               | 70/70 MOA  | 15 MOA             | No        | Hunting      | 1 inch    | 13.6 oz | 11.9 in |
| 32003       | Mil-Dot | Second      | No           | 4.1 - 3.3       | 1/4 MOA               | 70/70 MOA  | 15 MOA             | No        | Hunting      | 1 inch    | 13.6 oz | 11.9 in |

### AVAILABLE RETICLES



### STANDARD FEATURES

- NEW Classic Hunting Riflescope Modernized
- Compact, Lightweight 1-inch Aircraft Aluminum Tube
- Waterproof, Shockproof & Fogproof Design
- Three Classic Reticle Designs
- Backed by Sightron's Lifetime Performance Guarantee









# S1 3.5 - 10x50

Experience unparalleled accuracy with the Sightron S1 3.5-10x50 G2 Scope, offering a dynamic range of 3.5x to 10x magnification for exceptional clarity across various shooting scenarios. Its large 50mm objective lens gathers ample light, ensuring vivid images and heightened performance in any condition.



| PART NUMBER | RETICLE | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE | TUBE SIZE | WEIGHT  | LENGTH  |
|-------------|---------|-------------|--------------|-----------------|-----------------------|------------|--------------------|-----------|--------------|-----------|---------|---------|
| 32004       | Duplex  | Second      | No           | 4.1 - 3.3       | 1/4 MOA               | 65/65 MOA  | 15 MOA             | No        | Hunting      | 1 inch    | 15.2 oz | 12.6 in |

## AVAILABLE RETICLES



DUPLEX

## STANDARD FEATURES

- NEW Optical Design for Lower Light Hunting
- Compact, Lightweight 1-inch Aircraft Aluminum Tube
- Waterproof, Shockproof & Fogproof Design
- Classic Duplex Reticle Design
- Backed by Sightron's Lifetime Performance Guarantee

# S1

## 4-12x40 / AO

Elevate your hunting prowess with the Sightron S1 4-12x40 G2 Scope, tailored for precision and versatility in the field. Its 4x to 12x magnification range and 40mm objective lens enables accurate shots across different hunting scenarios, making it an essential companion for every hunting expedition.” Upgrade this experience further with the 4-12x 40 AO. Featuring an adjustable objective for precise parallax correction, this innovative feature, combined with its versatile magnification range, ensures crystal-clear visuals and impeccable performance, making it an essential asset for any shooting endeavor.



Capped  
Hunting  
Turrets



Exclusive  
MC-333  
Multicoatings  
w/All Glass  
Optical Grade  
Lenses


Precision Focus  
Eyepiece

1 inch, Waterproof,  
Shockproof and  
Fogproof Aluminum  
Tube

Model Shown: 32007 / 32008

| PART NUMBER | RETICLE | FOCAL PLANE | ADJUSTABLE OBJECTIVE | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE | TUBE SIZE | WEIGHT  | LENGTH  |
|-------------|---------|-------------|----------------------|-----------------|-----------------------|------------|--------------------|-----------|--------------|-----------|---------|---------|
| 32005       | Duplex  | Second      | No                   | 3.5 - 3.2       | 1/4 MOA               | 60/60 MOA  | 15 MOA             | No        | Hunting      | 1 inch    | 13.6 oz | 12.3 in |
| 32006       | HHR     | Second      | No                   | 3.5 - 3.2       | 1/4 MOA               | 60/60 MOA  | 15 MOA             | No        | Hunting      | 1 inch    | 13.6 oz | 12.3 in |
| 32009       | Mil-Dot | Second      | No                   | 3.5 - 3.2       | 1/4 MOA               | 60/60 MOA  | 15 MOA             | No        | Hunting      | 1 inch    | 13.6 oz | 12.3 in |
| 32007       | Duplex  | Second      | Yes                  | 3.5 - 3.2       | 1/4 MOA               | 60/60 MOA  | 15 MOA             | No        | Hunting      | 1 inch    | 17.1 oz | 12.9 in |
| 32008       | MOA-20  | Second      | Yes                  | 3.5 - 3.2       | 1/4 MOA               | 60/60 MOA  | 15 MOA             | No        | Hunting      | 1 inch    | 17.1 oz | 12.9 in |

### AVAILABLE RETICLES



DUPLEX

HHR

Mil-Dot

MOA-20

### STANDARD FEATURES

- NEW Classic Hunting Riflelescope Modernized
- Compact, Lightweight 1-inch Aircraft Aluminum Tube
- Waterproof, Shockproof & Fogproof Design
- Three Classic Reticle Designs
- Backed by Sightron's Lifetime Performance Guarantee





# SIH 3-9x32 RF

Designed for the ever popular .22 rifle. It is the perfect scope for the small game hunter or short-range target shooter. Combine the fixed parallax at 50 yards, crosshair reticle, 12-ounce weight, and measuring only 11.2 inches long and you have the ultimate .22 rifle setup.



Fully Multicoated All Glass Optical Grade Lenses


Capped Hunting Turrets

Magnification Adjustment Ring

1 inch, Waterproof, Shockproof and Fogproof Aluminum Tube

| PART NUMBER | RETICLE   | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE | TUBE SIZE | WEIGHT  | LENGTH  |
|-------------|-----------|-------------|--------------|-----------------|-----------------------|------------|--------------------|-----------|--------------|-----------|---------|---------|
| 31019       | Crosshair | Second      | No           | 4.0-3.6         | 1/4 MOA               | 70/70 MOA  | 15 MOA             | No        | Hunting      | 1 inch    | 11.6 oz | 11.2 in |

### AVAILABLE RETICLES



Crosshair

### STANDARD FEATURES

- Capped Hunting Turrets
- Fully multi-coated lens for excellent light transmission
- 32mm Front Objective for light weight and low profile
- 1-inch one-piece tube design for maximum durability
- Crosshair Reticle

## SII 36x42 BRD

This Competition Scope puts all the required features in an affordable package. The adjustable objective has 720 degrees of fine focus adjustment and will focus from 45 feet to infinity. The 42mm objective comes with a locking ring for precise objective placement and prevents objective movement under recoil. The capped target knobs provide positive audible click adjustments in 1/8 MOA and are resettable to zero. The scope uses a fine cross hair reticle with a .125 MOA dot.

Fully  
Multicoated  
All Glass  
Optical Grade  
Lenses

Capped Target  
Turrets


Exactrack Windage  
And Elevation  
Adjustment System

1 inch, Waterproof,  
Shockproof and  
Fogproof Aluminum  
Tube



| PART NUMBER | RETICLE         | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE | TUBE SIZE | WEIGHT  | LENGTH  |
|-------------|-----------------|-------------|--------------|-----------------|-----------------------|------------|--------------------|-----------|--------------|-----------|---------|---------|
| 30156       | Target Dot .125 | Second      | No           | 3.2             | 1/8 MOA               | 60/60 MOA  | 7.5 MOA            | No        | Target       | 1 inch    | 17.3 oz | 15.3 in |

### AVAILABLE RETICLES



.125 MOA Dot

### STANDARD FEATURES

- Capped Target Turrets
- Fully multi-coated lens for excellent light transmission
- Exclusive Exactrack Windage and Elevation adjustment system
- 1-inch one-piece tube design for maximum durability
- Target Dot .125 MOA Reticle



# S-TAC SERIES



# S-TAC

## 1 - 4.5 x 24

The S-TAC 1-4.5x24 SR1 Service Rifle Scope is the ultimate tool for competitive shooters that demand the very best optical technology. Designed and engineered for Civilian Marksmanship Program's Service Rifle and NRA High Power Rifle competition use, the S-TAC 1-4.5x24 SR1 utilizes Sightron custom optical glass with exclusive MC-333 lens multi-coatings.

Exclusive MC-333  
Advanced Lens  
Multi-Coatings



| PART NUMBER | RETICLE | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE | TUBE SIZE | WEIGHT  | LENGTH  |
|-------------|---------|-------------|--------------|-----------------|-----------------------|------------|--------------------|-----------|--------------|-----------|---------|---------|
| 26021       | SR1     | Second      | No           | 3.9 - 3.3       | 1/4 MOA               | 60/100 MOA | 25 MOA             | Yes       | Tactical     | 30mm      | 20.8 oz | 10.3 in |

### AVAILABLE RETICLES



SR1

### STANDARD FEATURES

- New Optical Design
- Exclusive MC-333 Advanced Lens Multi-Coatings
- Rugged 30mm Aircraft Aluminum Tube
- Bright, Clean Turret Markings
- Re-positionable Throw Lever
- Sightron's Lifetime Performance Guarantee





# S-TAC

## 1 - 6 x 24

The S-TAC 1-6x24 IR AR1 is the perfect complement to the modern sporting rifle chambered in .223 / 5.56mm. Designed and engineered for modern sporting rifle use, the S-TAC 1-6x24 IR AR1 utilizes Sightron's custom optical glass with exclusive MC-333 lens multi-coatings. This combination provides exceptional light transmission all while reducing flare so the shooter can easily acquire their target.

Exclusive MC-333  
Advanced Lens  
Multi-Coatings



| PART NUMBER | RETICLE | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE       | TUBE SIZE | WEIGHT  | LENGTH   |
|-------------|---------|-------------|--------------|-----------------|-----------------------|------------|--------------------|-----------|--------------------|-----------|---------|----------|
| 26022       | IRAR1   | Second      | Yes          | 3.9 - 3.3       | 1/4 MOA               | 60/100 MOA | 25 MOA             | No        | Capped Low Profile | 30mm      | 22.4 oz | 10.24 in |

### AVAILABLE RETICLES



IRAR1

### STANDARD FEATURES

- New Optical Design
- Capped Low Profile Turrets
- Re-positionable Throw Lever
- Rugged 30mm Aircraft Aluminum Tube
- Exclusive MC-333 Advanced Lens Multi-Coatings
- Sightron's Lifetime Performance Guarantee





# S-TAC

## 3 - 16 x 42

The ideal scope for target, varmint, and hunting applications is available in SFP and FFP versions. The unique flip-up lever built into the zoom ring makes magnification adjustments fast and easy.



26012 / 26013


ZACT-7 REVCOAT®  
LENS COATING



Model Shown: 26017

| PART NUMBER | RETICLE | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL     | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE | TUBE SIZE | WEIGHT  | LENGTH  |
|-------------|---------|-------------|--------------|-----------------|-----------------------|----------------|--------------------|-----------|--------------|-----------|---------|---------|
| 26012       | Duplex  | Second      | No           | 4.1 - 3.8       | 1/4 MOA               | 70/70 MOA      | 15 MOA             | No        | Target       | 30mm      | 23.3 oz | 12.9 in |
| 26013       | MOA-3   | Second      | No           | 4.1 - 3.8       | 1/4 MOA               | 70/70 MOA      | 15 MOA             | No        | Target       | 30mm      | 23.3 oz | 12.9 in |
| 26017       | MH-2    | First       | Yes          | 4.1 - 3.6       | .1 MRAD               | 20.4/20.4 MRAD | 5 MRAD             | Yes       | Tactical     | 30mm      | 24.8 oz | 13 in   |
| 26020       | MOA-5   | First       | Yes          | 4.1 - 3.6       | 1/4 MOA               | 70/70 MOA      | 15 MOA             | Yes       | Tactical     | 30mm      | 24.8 oz | 13 in   |

### AVAILABLE RETICLES



### STANDARD FEATURES

- FFP and SFP models
- Tactical or Target Turrets
- Easy to set Zero Stop on FFP models
- Zact-7 Revcoat® Multi-Coating for excellent light transmission
- Exclusive ExacTrack Windage and Elevation adjustment system
- 30mm one-piece tube design for maximum durability



# S-TAC 4 - 20x50

When you need a little more reach on those long-range shots, the S-TAC 4-20x50 is the choice for target, varmint, and hunting shooters. Available in SFP and FFP versions along with 4 reticle options. The unique flip-up lever built into the zoom ring makes magnification adjustments fast and easy too.



26014 / 26015

ZACT-7 REVCOAT®  
LENS COATING



30mm, Waterproof, Shockproof and Fogproof Aluminum Tube

Tactical Turrets



Flip Up Zoom Ring Lever


Side Focus 10 Yards to Infinity & 11 Position Illumination Dial




Model Shown: 26019

| PART NUMBER | RETICLE    | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL   | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE | TUBE SIZE | WEIGHT  | LENGTH  |
|-------------|------------|-------------|--------------|-----------------|-----------------------|--------------|--------------------|-----------|--------------|-----------|---------|---------|
| 26014       | Duplex     | Second      | No           | 4.0 - 3.7       | 1/4 MOA               | 40/80 MOA    | 15 MOA             | No        | Target       | 30mm      | 23.6 oz | 14.7 in |
| 26015       | MOA-2      | Second      | No           | 4.0 - 3.7       | 1/4 MOA               | 40/80 MOA    | 15 MOA             | No        | Target       | 30mm      | 23.6 oz | 14.7 in |
| 26016       | Mil-Hash-4 | First       | Yes          | 3.9 - 3.7       | .1 MRAD               | 12/23.3 MRAD | 5 MRAD             | Yes       | Tactical     | 30mm      | 25.6 oz | 15 in   |
| 26019       | MOA-3      | First       | Yes          | 3.9 - 3.7       | 1/4 MOA               | 40/80 MOA    | 15 MOA             | Yes       | Tactical     | 30mm      | 25.6 oz | 15 in   |


## AVAILABLE RETICLES




DUPLEX



MOA-2



MOA-3



MH-4


ILLUMINATED

## STANDARD FEATURES

- FFP and SFP models
- Tactical or Target Turrets
- Easy to set Zero Stop on FFP models
- Zact-7 Revcoat® Multi-Coating for excellent light transmission
- Exclusive ExacTrack Windage and Elevation adjustment system
- 30mm one-piece tube design for maximum durability



# SIII SERIES




# SIII 6 - 24 x 50

The SIII 6-24x50 LR is great for those target and field applications when you need a scope to be accurate beyond 1,000 yards. With Sightron's patented ExacTrack technology you have precise windage and elevation adjustments while maintaining a positive point of contact with the erector tube. From zero to the most extreme adjustments, you will never experience drift again.



| PART NUMBER | RETICLE  | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL     | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE | TUBE SIZE | WEIGHT  | LENGTH  |
|-------------|----------|-------------|--------------|-----------------|-----------------------|----------------|--------------------|-----------|--------------|-----------|---------|---------|
| 25133       | Mil-Dot  | Second      | No           | 3.8 - 3.6       | 1/4 MOA               | 100/100 MOA    | 15 MOA             | No        | TARGET       | 30mm      | 24.3 oz | 15.1 in |
| 25127       | MOA-2    | Second      | No           | 3.8 - 3.6       | 1/4 MOA               | 100/100 MOA    | 15 MOA             | No        | TACTICAL     | 30mm      | 24.3 oz | 15.1 in |
| 25171       | Mil-Hash | First       | No           | 3.8 - 3.6       | .1 MRAD               | 23.3/23.3 MRAD | 5 MRAD             | Yes       | TACTICAL     | 30mm      | 24.3 oz | 15.1 in |
| 25170       | MOA-2    | First       | No           | 3.8 - 3.6       | 1/4 MOA               | 80/80 MOA      | 15 MOA             | Yes       | TACTICAL     | 30mm      | 24.3 oz | 15.1 in |
| 25168       | MOA-2    | Second      | No           | 3.8 - 3.6       | 1/4 MOA               | 100/100 MOA    | 15 MOA             | Yes       | TACTICAL     | 30mm      | 24.3 oz | 15.1 in |

## AVAILABLE RETICLES



## STANDARD FEATURES

- FFP and SFP models
- Tactical or Capped Target Turrets
- Zact-7 Revcoat® Multi-Coating for excellent light transmission
- Exclusive ExacTrack Windage and Elevation adjustment system
- 30mm one-piece tube design for maximum durability
- Waterproof, Fogproof, and Shockproof


## SIII PLR 6 - 24 x 50

The SIII PLR 6-24x50 Zero-Stop riflescope features a new internal zero-stop mechanism, more precise windage and elevation adjustments, improved light transmission, and clarity. Engineered for long range target shooting and hunting, the scope provides you with all the tools you need to get on target and stay there.




| PART NUMBER | RETICLE | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL     | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE | TUBE SIZE | WEIGHT  | LENGTH  |
|-------------|---------|-------------|--------------|-----------------|-----------------------|----------------|--------------------|-----------|--------------|-----------|---------|---------|
| 28000       | MOA-H   | First       | Yes          | 3.8 - 3.6       | 1/4 MOA               | 80/80 MOA      | 20 MOA             | Yes       | Tactical     | 30mm      | 28.2 oz | 15.4 in |
| 28001       | MH-H    | First       | Yes          | 3.8 - 3.6       | .1 MRAD               | 23.3/23.3 MRAD | 10 MRAD            | Yes       | Tactical     | 30mm      | 28.2 oz | 15.4 in |
| 28002       | MOA-H   | Second      | Yes          | 3.8 - 3.6       | 1/4 MOA               | 100/100 MOA    | 20 MOA             | Yes       | Tactical     | 30mm      | 28.2 oz | 15.4 in |
| 28003       | MH-5    | Second      | Yes          | 3.8 - 3.6       | .1 MRAD               | 29.1/29.1 MRAD | 10 MRAD            | Yes       | Tactical     | 30mm      | 28.2 oz | 15.4 in |
| 28008       | MOA-2   | Second      | Yes          | 3.8 - 3.6       | 1/4 MOA               | 100/100 MOA    | 20 MOA             | Yes       | Tactical     | 30mm      | 28.2 oz | 15.4 in |

### AVAILABLE RETICLES




MH-H




MOA-H

First




MH-5



MOA-H

Second



MOA-2

### STANDARD FEATURES

- Precision Tactical Turrets with internal zero stop
- 11 position off/on side mounted illumination dial
- Zact-7 Revcoat Plus® Multi-coating for superior light transmission
- Exclusive ExacTrack Windage and Elevation adjustment system
- Waterproof, Fogproof, and Shockproof

# S III


## 8 - 32 x 56

The SIII 8-32x56 LR is great for those target and field applications when you need a scope to be accurate beyond 1,000 yards. With Sightron's patented ExacTrack technology you have precise windage and elevation adjustments while maintaining a positive point of contact with the erector tube. From zero to the most extreme adjustments, you will never experience drift again.




| PART NUMBER | RETICLE         | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE | TUBE SIZE | WEIGHT  | LENGTH  |
|-------------|-----------------|-------------|--------------|-----------------|-----------------------|------------|--------------------|-----------|--------------|-----------|---------|---------|
| 25137       | Fine Cross Hair | Second      | No           | 4.0 - 3.6       | 1/4 MOA               | 70/70 MOA  | 15 MOA             | No        | Target       | 30mm      | 26.5 oz | 15.4 in |
| 25147       | Target Dot .125 | Second      | No           | 4.0 - 3.6       | 1/8 MOA               | 70/70 MOA  | 10 MOA             | No        | Target       | 30mm      | 26.5 oz | 15.4 in |
| 25149       | MOA-2           | Second      | No           | 4.0 - 3.6       | 1/4 MOA               | 70/70 MOA  | 15 MOA             | No        | Tactical     | 30mm      | 26.5 oz | 15.4 in |
| 25173       | MOA-2           | Second      | No           | 4.0 - 3.6       | 1/4 MOA               | 70/70 MOA  | 15 MOA             | Yes       | Tactical     | 30mm      | 26.5 oz | 15.4 in |


### AVAILABLE RETICLES



.125 MOA Dot



Fine Crosshair



MOA-2

### STANDARD FEATURES

- Tactical or Capped Target Turrets
- Zact-7 Revcoat® Multi-Coating for excellent light transmission
- Exclusive ExacTrack Windage and Elevation adjustment system
- 30mm one-piece tube design for maximum durability
- Waterproof, Fogproof, and Shockproof




# SIII PLR 8 - 32 x 56

The SIII PLR 8-32x56 Zero-Stop riflescope features a new internal zero-stop mechanism, more precise windage and elevation adjustments, improved light transmission, and clarity. Engineered for long range target shooting and hunting, the scope provides you with all the tools you need to get on target and stay there.



| PART NUMBER | RETICLE | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE | TUBE SIZE | WEIGHT  | LENGTH  |
|-------------|---------|-------------|--------------|-----------------|-----------------------|------------|--------------------|-----------|--------------|-----------|---------|---------|
| 28004       | MOA-H   | Second      | Yes          | 4.0 - 3.6       | 1/4 MOA               | 70/70 MOA  | 20 MOA             | Yes       | Tactical     | 30mm      | 30.3 oz | 15.9 in |
| 28005       | MH-5    | Second      | Yes          | 4.0 - 3.6       | .1 MRAD               | 20.4 MRAD  | 10 MRAD            | Yes       | Tactical     | 30mm      | 30.3 oz | 15.9 in |
| 28009       | MOA-2   | Second      | Yes          | 4.0 - 3.6       | 1/4 MOA               | 70/70 MOA  | 20 MOA             | Yes       | Tactical     | 30mm      | 30.3 oz | 15.9 in |

## AVAILABLE RETICLES



## STANDARD FEATURES

- Precision Tactical Turrets with internal zero stop
- 11 position off/on side mounted illumination dial
- Zact-7 Revcoat Plus® Multi-coating for superior light transmission
- Exclusive ExacTrack Windage and Elevation adjustment system
- Waterproof, Fogproof, and Shockproof




# SIII 10-50x60

The SIII 10-50x60 LR is great for those target and field applications when you need a scope to be accurate beyond 1,000 yards. With Sightron's patented ExacTrack technology you have precise windage and elevation adjustments while maintaining a positive point of contact with the erector tube. From zero to the most extreme adjustments, you will never experience drift again.




| PART NUMBER | RETICLE         | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE | TUBE SIZE | WEIGHT  | LENGTH  |
|-------------|-----------------|-------------|--------------|-----------------|-----------------------|------------|--------------------|-----------|--------------|-----------|---------|---------|
| 25003       | MOA-2           | Second      | No           | 4.5 - 3.8       | 1/4 MOA               | 50/50 MOA  | 10 MOA             | No        | Tactical     | 30mm      | 30.1 oz | 16.9 in |
| 25138       | Target Dot .1   | Second      | No           | 4.5 - 3.8       | 1/8 MOA               | 50/50 MOA  | 10 MOA             | No        | Target       | 30mm      | 30.1 oz | 16.9 in |
| 25139       | Fine Cross Hair | Second      | No           | 4.5 - 3.8       | 1/8 MOA               | 50/50 MOA  | 10 MOA             | No        | Target       | 30mm      | 30.1 oz | 16.9 in |
| 25176       | MOA-2           | Second      | No           | 4.5 - 3.8       | 1/4 MOA               | 50/50 MOA  | 10 MOA             | Yes       | Tactical     | 30mm      | 30.1 oz | 16.9 in |


### AVAILABLE RETICLES



TD .1



Fine Crosshair



MOA-2

### STANDARD FEATURES

- Tactical or Capped Target Turrets
- Zact-7 Revcoat® Multi-Coating for excellent light transmission
- Exclusive ExacTrack Windage and Elevation adjustment system
- 30mm one-piece tube design for maximum durability
- Waterproof, Fogproof, and Shockproof






## SIII PLR 10-50x60

The favorite of long range and competitive shooters SIII PLR 10-50x60 Zero-Stop rifle scope features a new internal zero-stop mechanism, more precise windage and elevation adjustments, improved light transmission, and clarity. Engineered for long range target shooting and hunting, the scope provides you with all the tools you need to get on target and stay there.



| PART NUMBER | RETICLE | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE | TUBE SIZE | WEIGHT  | LENGTH  |
|-------------|---------|-------------|--------------|-----------------|-----------------------|------------|--------------------|-----------|--------------|-----------|---------|---------|
| 28006       | MOA-H   | Second      | Yes          | 4.5 - 3.8       | 1/4 MOA               | 50/50 MOA  | 20 MOA             | Yes       | Tactical     | 30mm      | 33.5 oz | 17.4 in |
| 28010       | MOA-2   | Second      | Yes          | 4.5 - 3.8       | 1/4 MOA               | 50/50 MOA  | 20 MOA             | Yes       | Tactical     | 30mm      | 33.5 oz | 17.4 in |

### AVAILABLE RETICLES



### STANDARD FEATURES

- Precision Tactical Turrets with internal zero stop
- 11 position off/on side mounted illumination dial
- Zact-7 Revcoat Plus® Multi-coating for superior light transmission
- Exclusive ExacTrack Windage and Elevation adjustment system
- Waterproof, Fogproof, and Shockproof

# SIII FIELD TARGET 10-50x60

The SIII 10-50x60 FT is designed for competitive air gun shooters. It provides precision parallax adjustments between 10 and 300 yards for precise ranging. With a total travel of 50 MOA the shooter has enough travel for targets in any conditions. Sightron's patented ExacTrack technology provides precise windage and elevation adjustments while maintaining a positive point of contact with the erector tube. From zero to the most extreme adjustments, you will never experience drift again.

ZACT-7 Revcoat®  
Lens Coating



Tactical or Capped  
Target Turrets



11-Level  
Illumination  
Dial


30mm, Waterproof,  
Shockproof and  
Fogproof Aluminum  
Tube

Side Focus  
10 to 300  
Yards w/5"  
Focus Wheel  
(Included)




| PART NUMBER | RETICLE  | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL     | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE | TUBE SIZE | WEIGHT  | LENGTH  |
|-------------|----------|-------------|--------------|-----------------|-----------------------|----------------|--------------------|-----------|--------------|-----------|---------|---------|
| 25010       | MOA-2    | Second      | Yes          | 4.5 - 3.8       | 1/8 MOA               | 50/50 MOA      | 10 MOA             | No        | Target       | 30mm      | 30.8 oz | 16.9 in |
| 25011       | Mil-Hash | Second      | Yes          | 4.5 - 3.8       | .05 MRAD              | 14.5/14.5 MRAD | 2.5 MRAD           | No        | Tactical     | 30mm      | 30.8 oz | 16.9 in |
| 25018       | MOA-H    | Second      | Yes          | 4.5 - 3.8       | 1/8 MOA               | 50/50 MOA      | 10 MOA             | No        | Target       | 30mm      | 30.8 oz | 16.9 in |


## AVAILABLE RETICLES



MOA-2



MOA-H



Mil-Hash

ILLUMINATED

## STANDARD FEATURES

- Tactical or Capped Target Turrets
- Zact-7 Revcoat® Multi-Coating for excellent light transmission
- Exclusive ExacTrack Windage and Elevation adjustment system
- 30mm one-piece tube design for maximum durability
- Waterproof, Fogproof, and Shockproof



**FIELD TARGET**

## SIII ED COMPETITION

The 45x45 ED and the 36x45 ED are designed for competitive shooters and have all the features of a winning combination. The ED glass objective provides high quality images and superior target definition. The side focus knob will focus from 10 yards to infinity for all kinds of competition and target shooting. The scope weighs in at 20.5 oz.

ED (Extra Low Dispersion) Glass



Capped Target Turrets




Side Focus 10 Yards to Infinity


30mm, Waterproof, Shockproof and Fogproof Aluminum Tube

| PART NUMBER | MAGNIFICATION | RETICLE         | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL | MIN Per REVOLUTION | TURRET STYLE | TUBE SIZE | WEIGHT  | LENGTH  |
|-------------|---------------|-----------------|-------------|--------------|-----------------|-----------------------|------------|--------------------|--------------|-----------|---------|---------|
| 25150       | <b>45x45</b>  | Target Dot .1   | Second      | No           | 3.6             | 1/10 MOA              | 50/50 MOA  | 5 MOA              | Target       | 30mm      | 20.5 oz | 14.9 in |
| 25184       | <b>45x45</b>  | Fine Cross Hair | Second      | No           | 3.6             | 1/10 MOA              | 50/50 MOA  | 5 MOA              | Target       | 30mm      | 20.5 oz | 14.9 in |
| 25185       | <b>36x45</b>  | Target Dot .125 | Second      | No           | 3.6             | 1/10 MOA              | 50/50 MOA  | 5 MOA              | Target       | 30mm      | 20.5 oz | 14.9 in |
| 25186       | <b>36x45</b>  | Fine Cross Hair | Second      | No           | 3.6             | 1/10 MOA              | 50/50 MOA  | 5 MOA              | Target       | 30mm      | 20.5 oz | 14.9 in |


### AVAILABLE RETICLES



TD .1



Fine Crosshair



TD .125

### STANDARD FEATURES

- ED Glass for superior light transmission
- Capped Target Turrets
- Precision Parallax correction 10 yards to infinity
- Exclusive ExacTrack Windage and Elevation adjustment system
- Waterproof, Fogproof, Shockproof

**COMPETITION**

# SV SERIES

SIGHTRON PRECISION OPTICS




# SV ED 10-50x60

The SV 10-50x60 ED is designed purely for long range target shooting. The 34mm body tube with ED glass provides 70 MOA elevation and 60 MOA windage. Large oversized tactical turrets with 1/8 MOA clicks provide 10 MOA per revolution. The patented F.A.S.T focus system provides two focus dials; the first operates like a standard quick acquisition focus knob, and the second provides a 4 to 1 gear reduction for smooth fine focus.



| PART NUMBER | RETICLE       | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE | TUBE SIZE | WEIGHT  | LENGTH  |
|-------------|---------------|-------------|--------------|-----------------|-----------------------|------------|--------------------|-----------|--------------|-----------|---------|---------|
| 27008       | Target Dot .1 | Second      | No           | 4.5 - 3.8       | 1/8 MOA               | 60/70 MOA  | 10 MOA             | No        | Tactical     | 34mm      | 42.7 oz | 16.5 in |
| 27012       | Target Dot .1 | Second      | No           | 4.5 - 3.8       | 1/8 MOA               | 60/70 MOA  | 10 MOA             | Yes       | Tactical     | 34mm      | 42.7 oz | 16.5 in |

## AVAILABLE RETICLES



.1 MOA Dot

## STANDARD FEATURES

- Locking Precision Tactical Turrets\*
  - Zero-stop and non-Zero-Stop options
  - ED (extra Low Dispersion) Glass for superior viewing
  - F.A.S.T focus system for super-fine focus adjustments
  - Exclusive ExacTrack Windage and Elevation adjustment system
  - Waterproof, Fogproof and Shockproof
  - Focus 10 Yards to Infinity
- \*Zero-Stop model offers locking windage knob only



# S6 SERIES

SIGHTRON PRECISION OPTICS



## S6 1-6x24

The Sightron S6 1-6x24 SFP features a 30mm one-piece aluminum tube with the new IR4A illuminated dot reticle. The new optical design features Sightron's new proprietary MC-777 Multi-Coating technology to set a new standard in clarity, light transmission, color accuracy and sharpness. Excellent eye relief and a forgiving eye box provides fast target acquisition for all hunting and speed shooting requirements. The turrets are resettable to zero with 130 MOA adjustments for the most extreme shooting conditions. Sightron's exclusive ExacTrack erector tube system provides constant, positive and flush contact that eliminates drift at any windage and elevation adjustment.



| PART NUMBER | RETICLE | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL  | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE       | TUBE SIZE | WEIGHT  | LENGTH  |
|-------------|---------|-------------|--------------|-----------------|-----------------------|-------------|--------------------|-----------|--------------------|-----------|---------|---------|
| 66001       | LRT     | First       | Yes          | 3.8             | .1 MRAD               | 35/35 MRAD  | 10 MRAD            | No        | Capped Low Profile | 34mm      | 24 oz   | 10.2 in |
| 66000       | IR4A    | Second      | Yes          | 3.9 - 3.7       | 1/2 MOA               | 130/130 MOA | 50 MOA             | No        | Capped Low Profile | 30mm      | 21.6 oz | 10.6 in |

### AVAILABLE RETICLES



IR4A

— Second —



LRT

— First —

### STANDARD FEATURES

- 11-Position Illumination Dial
- MC-777 Multi-Coating Technology
- NEW IR4A Illuminated Reticle
- Exclusive ExacTrack Windage and Elevation adjustment system
- Waterproof, Fogproof, Shockproof


# S6 ED 5 - 30x56

The S6 5-30x56 ED features Extra-Low Dispersion (ED) elements to enhance contrast, improve clarity and reduce chromatic aberration for the cleanest and sharpest sight picture possible. The 34mm tube combined with Sightron's exclusive Zact-7 Revcoat Plus® anti-reflection multi-coatings provide shooters with excellent light transmission and flare reduction when performance matters most. The side-adjusted parallax correction will focus from 10 yards to infinity for competitive close and long-range shooting.



| PART NUMBER | RETICLE | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL     | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE | TUBE SIZE | WEIGHT  | LENGTH  |
|-------------|---------|-------------|--------------|-----------------|-----------------------|----------------|--------------------|-----------|--------------|-----------|---------|---------|
| 66002       | MOA-7   | Second      | Yes          | 3.6 - 3.4       | 1/4 MOA               | 60/80 MOA      | 20 MOA             | Yes       | Tactical     | 34mm      | 33.3 oz | 16.7 in |
| 66003       | MH-7    | First       | Yes          | 3.6 - 3.4       | .1 MRAD               | 17.5/23.3 MRAD | 10 MRAD            | Yes       | Tactical     | 34mm      | 33.3 oz | 16.7 in |
| 66004       | MOA-8   | First       | Yes          | 3.6 - 3.4       | 1/4 MOA               | 60/80 MOA      | 20 MOA             | Yes       | Tactical     | 34mm      | 33.3 oz | 16.7 in |

## AVAILABLE RETICLES



## STANDARD FEATURES

- SFP and FFP models
- Extra-Low Dispersion (ED) Glass
- 34mm Aluminum Tube Design
- NEW - Zact-7 Revcoat Plus® Fully multi-coated optics for superior light transmission
- Precision Tactical Turrets with internal Zero Stop
- Exclusive ExacTrack Windage and Elevation adjustment system
- Waterproof, fogproof and shockproof





AVAILABLE SUMMER 2024

# S6 ED FIELD TARGET 10-60x56

The S6 10-60x56 features Extra-Low Dispersion (ED) elements to enhance contrast, improve clarity and reduce chromatic aberration for the cleanest and sharpest sight picture possible. The 34mm tube combined with Sightron's exclusive Zact-7 Revcoat Plus® anti-reflection multi-coatings provide shooters with excellent light transmission and flare reduction when performance matters most. The side-adjusted parallax correction will focus from 9 to 300 yards.

ED (Extra Low Dispersion) Glass w/ Zact-7 Revcoat Plus®

Precision Tactical Turrets w/Internal Zero Stop

Removable Zoom Throw Lever

34mm, Waterproof, Shockproof and Fogproof Aluminum Tube




Side Focus 9 Yards to 300 Yards & 11 Position Illumination Dial

RIFLESCOPES

| PART NUMBER | RETICLE | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL     | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE | TUBE SIZE | WEIGHT | LENGTH  |
|-------------|---------|-------------|--------------|-----------------|-----------------------|----------------|--------------------|-----------|--------------|-----------|--------|---------|
| 66007       | MH-FT   | Second      | Yes          | 3.6 - 3.4       | .05 MRAD              | 11.7 / 16 MRAD | 5 MRAD             | Yes       | Tactical     | 34mm      | 36 oz  | 16.7 in |
| 66008       | MOA-2FT | Second      | Yes          | 3.6 - 3.4       | 1/8 MOA               | 40 / 55 MOA    | 10 MOA             | Yes       | Tactical     | 34mm      | 36 oz  | 16.7 in |

## AVAILABLE RETICLES



## STANDARD FEATURES

- Extra-Low Dispersion (ED) Glass
- 34mm Aluminum Tube Design
- NEW - Zact-7 Revcoat Plus® Fully multi-coated optics for superior light transmission
- Precision Tactical Turrets with internal Zero Stop
- Exclusive ExacTrack Windage and Elevation adjustment system
- Waterproof, fogproof and shockproof



# SVIII SERIES

SIGHTRON PRECISION OPTICS




## SVIII ED 5 - 40 x 56

The SVIII 5-40x56 ED is a First Focal Plane Zero-Stop rifle scope. It features ED Glass, a new internal zero-stop mechanism, and First Focal Plane illuminated reticles. Designed for long range target shooting and hunting, the scope provides 20 MILS of windage and 40 MILS of elevation with .1 Mil tactical knobs. The windage and elevation knobs have 10 MILS per revolution. The new 40mm body tube is waterproof, shockproof and nitrogen charged. Minimum focus is 10 meters.



| PART NUMBER | RETICLE | FOCAL PLANE | ILLUMINATION | EYE RELIEF (in) | CLICK VALUE @ 100 yds | W/E TRAVEL | MIN Per REVOLUTION | ZERO STOP | TURRET STYLE | TUBE SIZE | WEIGHT  | LENGTH  |
|-------------|---------|-------------|--------------|-----------------|-----------------------|------------|--------------------|-----------|--------------|-----------|---------|---------|
| 29000       | MH-6    | First       | Yes          | 3.8 - 3.7       | .1 MRAD               | 20/40 MRAD | 10 MRAD            | Yes       | Tactical     | 40mm      | 49.0 oz | 16.8 in |
| 29001       | LRM     | First       | Yes          | 3.8 - 3.7       | .1 MRAD               | 20/40 MRAD | 10 MRAD            | Yes       | Tactical     | 40mm      | 49.0 oz | 16.8 in |

### AVAILABLE RETICLES



### STANDARD FEATURES

- Extra-Low Dispersion (ED) Glass
- 40mm Tube Design for Extreme W/E Adjustments
- NEW - MC-777 Fully multi-coated optics for superior light transmission
- Precision Tactical Turrets with internal Zero Stop
- Exclusive ExacTrack Windage and Elevation adjustment system
- Illuminated LRM and MH-6 First Focal Plane reticle design
- Sightron custom aluminum lens covers



SIGHTRON PRECISION OPTICS

# S 30 - 5 RED DOT

30mm TUBE



Nitrogen  
Charged  
Waterproof  
Body

5 MOA Red Dot  
Reticle




11 Position Rheostat

| PART NUMBER | RETICLE   | TUBE DIAMETER | EYE RELIEF (in) | LENS COATINGS      | WEIGHT | LENGTH | FINISH |
|-------------|-----------|---------------|-----------------|--------------------|--------|--------|--------|
| 40011       | 5 MOA Dot | 30mm          | Unlimited       | Fully Multi-Coated | 5oz    | 4.6in  | Black  |

This unique Red Dot Sight is an excellent choice for those who are looking for the latest technology in electronic aiming devices. The RDS series is an excellent choice for shotguns, rifles and handguns in virtually any shooting situation. The S30-5 features an 11-position rheostat that will adjust the 5 MOA dot brightness for differing ambient lighting conditions.

## AVAILABLE RETICLES



5 MOA Red Dot

## STANDARD FEATURES

- 11-position rheostat to control brightness
- Nitrogen charged
- Comes with rings, battery, honeycomb filter, allen wrench and sunshade

# SII BL HD

## 20-60x85

Designed for hunting or at the range the SII BL HD spotting scope is built for all weather conditions. With a waterproof and fogproof construction, this spotting scope is made to resist the elements. The optical performance rivals its competitors with features like ED extra low dispersion glass, fully multi-coated lenses, an 85mm objective lens and a 3-inch sunshade extension. The SII BL HD 20-60x85 spotting scope comes with a protective cordura field cover.



RED DOTS

| PART NUMBER | MODEL            | MAGNIFICATION | EXIT PUPIL DIA (MM) | EYE RELIEF (mm) | FoV @100yds | MINIMUM FOCUS | COATINGS           | WEIGHT | LENGTH | FINISH |
|-------------|------------------|---------------|---------------------|-----------------|-------------|---------------|--------------------|--------|--------|--------|
| 23010       | SIIBL2060X85HD-A | 20-60         | 3.9-1.35            | 15-14.8         | 96-48 ft    | 24ft          | Fully Multi-Coated | 66oz   | 17in   | Green  |

### STANDARD FEATURES

- ED Glass (Extra Low Dispersion) for increased contrast and reduction of chromatic aberrations
- Fully Multi-Coated - Maximum optical quality and light transmission
- Nitrogen Charged - Prevents fogging and internal water buildup
- Dual focus adjustment
- Waterproof



# OUR STORY

Sightron Optics has a rich history dating back to 1993 when it was founded in Miami, Florida. From its inception, the company focused on producing high-quality and innovative optical products. Sightron quickly gained recognition for its precision-engineered rifle scopes, binoculars, and spotting scopes that met the demands of both professional shooters and outdoor enthusiasts. Over the years, Sightron established a reputation for exceptional performance, durability, and optical clarity in their products. With continuous advancements in technology and a commitment to meeting customer needs, Sightron has become a trusted name in the optics industry, catering to hunters, sports shooters, and nature observers worldwide.



## Quality

Sightron products are designed and engineered to provide a lifetime of durability and reliability. Setting industry standards for optical excellence is our mission. Sightron has created industry-leading features like the ExacTrack windage and elevation adjustment system and our new MC-777 seven layer fully multicoating system. This new revolutionary coating allows even more superior light transmission and clarity than previously achieved. All Sightron products must surpass the highest quality control standards to ensure every scope is built to withstand the most punishing environment, guaranteeing reliable performance year after year.

## Technology & Design

Sightron products are designed and engineered to provide a lifetime of durability and reliability. Setting industry standards for optical excellence is our mission statement. Sightron has created industry-leading features like the ExacTrack windage and elevation adjustment system and our NEW Zact-7 Revcoat Plus™ seven layer fully multicoating system. This new revolutionary coating allows even more superior light transmission and clarity than previously achieved. Zact-7 Revcoat Plus™ also provides excellent visibility and protection in the harshest conditions. All Sightron products must surpass the highest quality control standards to ensure every scope is built to withstand the most punishing environment, guaranteeing reliable performance year after year.

## Superior Optics

No matter how good your aim, if the optics in your scope aren't functioning properly, you'll miss. To make sure you're always on target, at Sightron we use specially ground lenses that provide unparalleled image resolution. All SVIII, S6, SIII PLR S1 G2, SV, SIII, S-TAC, SII36X42BRD and SIH lenses feature multiple layers of coating to eliminate glare, increase contrast and maximize light transmission. Finally, each optic is hand fit into the sighting device for precise placement and perfectly matched alignment. That's why when you look through a Sightron instrument, your targets will appear sharper and clearer than ever before. In today's marketplace with all the choices available to the consumer there are many quality products but none that combine the features and cost that really provide a great buy for customers of all types and needs.

## ExacTrack

The accuracy and repeatability of any scope is based on quality lenses, design of the main body tube, the erector tube and the windage and elevation assembly.




Figure 1.  
Conventional riflescope at zero adjustment

Figure 2.  
Conventional riflescope off zero adjustment

Figure 3.  
Sightron riflescope at zero adjustment


Figure 4.  
Sightron riflescope off zero adjustment

## ExacTrack

The Sightron SVIII, S6, SV, SIII PLR, SIII, S-TAC, and the SII36X42BRD feature ExacTrack, our unique windage and elevation adjustment system. This simple yet innovative advancement features an exclusive erector tube that keeps a positive, flush point of contact from zero alignment through even the most dramatic adjustments, so you will never experience drift. Within your riflescope is an erector or pivot tube, and windage and elevation adjustments move this tube for proper alignment. Conventional scopes have a curved surface against a flat surface. This contact is only complete at zero adjustment (when the erector tube is in the ideal centered position, see Figure 1). As the adjustments press the erector tube in any direction, the contact becomes imperfect (see Figure 2), causing the reticle to drift from the optical center (horizontal and vertical reticle trajectory or movement). Also, in many cases since the point of contact is less than what is required to hold the erector tube in position, the result is known as point-of-impact shift. Sightron

has developed a new erector tube with an integral ring. This ring and the redesigned adjustment screws have become the first positive contact system in the market. ExacTrack will keep constant and perfect point-of-impact, at or off zero (see Figures 3 & 4). This constant pressure point will ensure the accuracy of all Sightron scopes during the most rugged conditions. **At Sightron, quality is not a luxury, but a necessity.**


# RETICLES



**MOA-2FT** MOA **NEW 2024**  
Illuminated

Get the upper hand at the next Field Target Competition with our newly designed Illuminated MOA based Field Target Reticle.


AVAILABLE ON  
**S6** 10-60x56 FT **Page 31**



**SR1** MOA **NEW 2024**

Designed for service rifle competitions, this clean reticle helps keep you engaged and on target in the heat of competition.


AVAILABLE ON  
**STAC** 1-4.5x24 **Page 12**



**IRAR1** MOA **NEW 2024**  
Illuminated

Target acquisition just got easier with this newly designed reticle. The IRAR1 provides easy to see drop bars out to 600 yards and aim points for 5 / 10 mph wind at each range.

AVAILABLE ON  
**STAC** 1-6x24 **Page 13**



**MH-FT** MRAD **NEW 2024**  
Illuminated

Dominate the competition at your next Field Target Competition with our newly designed Illuminated Mil based Field Target Reticle.

AVAILABLE ON  
**S6** 10-50x56 FT **Page 31**



**FFP**  
FIRST FOCAL PLANE


### LRT MRAD Illuminated

A dual purpose illuminated mil-reticle for quick acquisition and general -purpose shooting with windage and elevation hold off points for bullet trajectory.

AVAILABLE ON

**S6** 1-6x24


Page 29



### MOA-2 MOA MOA-2 Illuminated

A MOA ranging reticle with an illuminated center dot and 2 MOA spacing at its designated index power. The MOA-2 has 20 MOA of spacing for holdover.


AVAILABLE ON

**S-TAC** 4-20x50 Page 15  
**SIII PLR SERIES** Page 19-23  
**SIII Field Target** Page 24  
**SIII SERIES** Page 18-22

### MOA-3 MOA MOA-3 Illuminated

A MOA ranging reticle with 3 MOA spacing at its designated index power. The MOA-3 has 30 MOA of spacing for holdover.


AVAILABLE ON

**S-TAC** 3-16x42 Page 14  
**S-TAC** 4-20x50 Page 15**FFP**  
FIRST FOCAL PLANE

### MOA-5 MOA Illuminated

A FFP MOA ranging reticle with 5 MOA spacing at its designated index power. The MOA-5 has 50 MOA of spacing for holdover.

AVAILABLE ON


**S-TAC** 3-16x42 Page 14

### MOA-H MOA Illuminated

A dual purpose illuminated MOA-2-reticle for ranging and target shooting with windage and elevation hold off points for bullet trajectory.

AVAILABLE ON

**SIII PLR SERIES** Page 19-23  
**SIII Field Target** Page 24

FFP  
FIRST FOCUS PLANE


### MH-4 MRAD Illuminated

An illuminated mil-based FFP reticle with half mil spacing on windage and elevation lines.

AVAILABLE ON

**S-TAC** 4-20x50

Page 15



### MH-5 MRAD Illuminated

An illuminated mil-based FFP reticle with .2 mil spacing on windage and elevation lines and a center dot.


AVAILABLE ON

**SIII PLR** 6-24x50

Page 19

**SIII PLR** 8-32x56

Page 21

FFP  
FIRST FOCUS PLANE


### MH-6 MRAD Illuminated

An illuminated mil-based FFP reticle with .2 mil spacing on windage and elevation lines and a center dot. Windage dots are .5 mil spacing.

AVAILABLE ON

**SVIII** 5-40x56

Page 33

FFP  
FIRST FOCUS PLANE


### MH-H MRAD Illuminated

An illuminated mil-based FFP reticle with .2 mil spacing on windage and elevation lines and a center dot. Windage dots are .2 mil spacing.

AVAILABLE ON

**SIII PLR** 6-24x50

Page 19

FFP  
FIRST FOCUS PLANE

### MIL-HASH MRAD MIL-HASH Illuminated

An illuminated mil-based reticle with .5 mil spacing and an illuminated center dot.

AVAILABLE ON

**SIII** 6-24x50

Page 18

**SIII** Field Target

Page 24




### IR4A MOA

A duplex type reticle with an illuminated center dot for fast target acquisition.

AVAILABLE ON  
**S6** 1-6x24

Page 29



### MIL DOT MRAD


A mil-based reticle with dots at 1 mil intervals on all 4 quadrants of the reticle

AVAILABLE ON  
**S1** 3-9x40 G2  
**S1** 4-12x40 G2  
**SIII** 6-24x50

Page 06

Page 08

Page 18




### MOA-20 MOA

A duplex type reticle with 20 MOA of holdover at 2 MOA spacing.

AVAILABLE ON  
**S1** 4-12x40 A0 G2

Page 08

**FFP**  
FIRST FOCAL PLANE




### LRM MRAD Illuminated

An illuminated mil-based scope with center dot designed for FFP models with higher magnification.

AVAILABLE ON  
**SVIII** 5-40x56

Page 33



### DUPLEX MOA

A popular hunting reticle with thick outer bars that focus to thinner bars in the center.

AVAILABLE ON  
**S1** SERIES  
**S-TAC** SERIES


Pages 05-08

Pages 14-15




## HHR MOA

A hunting reticle designed for simple holdover with bars for 300, 400 and 500 yards.




## CROSSHAIR MOA

A thin cross hatch reticle that subtends small amounts for targeting small game usually used in lower power scopes.



## FINE CROSSHAIR MOA

A variation of the crosshair reticle usually used in higher power target scopes with ultra-fine sub-tensions.



## .1 / .125 MOA DOT MOA

A variation of the crosshair reticle with a small dot at the center usually used in higher power target scopes with ultra-fine sub-tensions

### AVAILABLE ON

**S1** 3-9x40 G2

Page 06

**S1** 4-12x40 G2

Page 08

### AVAILABLE ON

**SIH** 3-9x32 RF

Page 09

### AVAILABLE ON

**SIII** 8-32x56

Page 20

**SIII** 10-50x60

Page 22

**SIII** Competition

Page 25

### AVAILABLE ON

**SII** 36x42 BRD

Page 10

**SIII** 8-32x56

Page 20

**SIII** 10-50x60


Page 22

**SIII** Competition

Page 25

**SV** 10-50x60

Page 27



**MOA-7** MOA  
Illuminated

A The illuminated MOA-7 is an MOA reticle designed for the S6 5-30x56mm ED Series. It features a floating center illuminated dot with hash marks 1 and 2 MOA.

FFP  
FIRST FOCAL PLANE



**MOA-8** MOA  
Illuminated

The illuminated MOA-8 is an MOA reticle designed for the S6 5-30x56mm ED Series. It features a floating center illuminated dot with hash marks 1 and 2 MOA.

FFP  
FIRST FOCAL PLANE



**MH-7** MRAD  
Illuminated

The illuminated MH-7 is a Mil-Hash reticle designed for the S6 5-30x56mm ED Series. It features a center illuminated cross with hash marks .2 Mils.

FFP  
FIRST FOCAL PLANE



**MH-2** MRAD  
Illuminated

The illuminated MH-2 is a mil-hash reticle designed for the S-TAC 3-16x42 FFP scope. It features a solid crosshair in the center instead of the traditional dot. The complete center of the reticle is illuminated making it a great choice for hunters and target shooters that prefer higher power ranging type reticle.

AVAILABLE ON

**S6 ED** 5-30x56

Page 30

AVAILABLE ON

**S6 ED** 5-30x56

Page 30

AVAILABLE ON

**S6 ED** 5-30x56

Page 30

AVAILABLE ON

**STAC** 3-16x42

Page 14

NEW  
NEW

| Part #                        | Model                     | Price      | Reticle Type    | Focal Plane | Zero Stop | Illuminated Reticle | Turret Type        | Click Value | Min. per Revolution | Field of View @ 100 yards | Eye Relief (in.) |
|-------------------------------|---------------------------|------------|-----------------|-------------|-----------|---------------------|--------------------|-------------|---------------------|---------------------------|------------------|
| <b>S1 Series - NEW</b>        |                           |            |                 |             |           |                     |                    |             |                     |                           |                  |
| 32000                         | S1 1.75-5X32 - Duplex     | \$239.99   | Duplex          | Second      | No        | No                  | Hunting            | 1/4 MOA     | 15 MOA              | 71.2 ft - 24.1 ft         | 3.4 - 3.3 in     |
| 32001                         | S1 3-9X40 - Duplex        | \$249.99   | Duplex          | Second      | No        | No                  | Hunting            | 1/4 MOA     | 15 MOA              | 40.4 ft - 13.3 ft         | 4.1 - 3.3 in     |
| 32002                         | S1 3-9X40 - HHR           | \$249.99   | HHR             | Second      | No        | No                  | Hunting            | 1/4 MOA     | 15 MOA              | 40.4 ft - 13.3 ft         | 4.1 - 3.3 in     |
| 32003                         | S1 3-9X40 - MD            | \$249.99   | Mil-Dot         | Second      | No        | No                  | Hunting            | 1/4 MOA     | 15 MOA              | 40.4 ft - 13.3 ft         | 4.1 - 3.3 in     |
| 32004                         | S1 3.5-10X50 - Duplex     | \$289.99   | Duplex          | Second      | No        | No                  | Hunting            | 1/4 MOA     | 15 MOA              | 31.46 ft - 11.99 ft       | 4.1 - 3.3 in     |
| 32005                         | S1 4-12X40 - Duplex       | \$269.99   | Duplex          | Second      | No        | No                  | Hunting            | 1/4 MOA     | 15 MOA              | 29.97 ft - 9.95 ft        | 3.5 - 3.2 in     |
| 32006                         | S1 4-12X40 - HHR          | \$269.99   | HHR             | Second      | No        | No                  | Hunting            | 1/4 MOA     | 15 MOA              | 29.97 ft - 9.95 ft        | 3.5 - 3.2 in     |
| 32009                         | S1 4-12X40 - MD           | \$269.99   | Mil-Dot         | Second      | No        | No                  | Hunting            | 1/4 MOA     | 15 MOA              | 29.97 ft - 9.95 ft        | 3.5 - 3.2 in     |
| 32007                         | S1 4-12X40 AO - Duplex    | \$319.99   | Duplex          | Second      | No        | No                  | Hunting            | 1/4 MOA     | 15 MOA              | 29.97 ft - 9.95 ft        | 3.5 - 3.2 in     |
| 32008                         | S1 4-12X40 AO - MOA-20    | \$319.99   | MOA-20          | Second      | No        | No                  | Hunting            | 1/4 MOA     | 15 MOA              | 29.97 ft - 9.95 ft        | 3.5 - 3.2 in     |
| <b>S1 Series</b>              |                           |            |                 |             |           |                     |                    |             |                     |                           |                  |
| 31019                         | SIH 3-9x32 RF - Crosshair | \$169.99   | Crosshair       | Second      | No        | No                  | Hunting            | 1/4 MOA     | 15 MOA              | 33.1 ft - 12.2 ft         | 4.0 -3.6 in      |
| <b>SII Series</b>             |                           |            |                 |             |           |                     |                    |             |                     |                           |                  |
| 30156                         | SII 3-6X42 BRD - TD.125   | \$519.99   | Target Dot .125 | Second      | No        | No                  | Target             | 1/8 MOA     | 7.5 MOA             | 3.0 ft                    | 3.2 in           |
| <b>S-TAC Series</b>           |                           |            |                 |             |           |                     |                    |             |                     |                           |                  |
| 26021                         | S-TAC 1-4.5X24 - SR1      | \$499.99   | SR1             | Second      | Yes       | No                  | Tactical           | 1/4 MOA     | 25 MOA              | 110 ft - 25.3 ft          | 3.9 - 3.3 in     |
| 26022                         | S-TAC 1-6x24 - IRAR1      | \$499.99   | IRAR1           | Second      | No        | Yes                 | Capped Low Profile | 1/4 MOA     | 25 MOA              | 110 ft - 19 ft            | 3.9 - 3.3 in     |
| 26012                         | S-TAC 3-16X42 - Duplex    | \$479.99   | Duplex          | Second      | No        | No                  | Target             | 1/4 MOA     | 15 MOA              | 32.3 ft - 6.1 ft          | 4.1 - 3.8 in     |
| 26013                         | S-TAC 3-16X42 - MOA-3     | \$499.99   | MOA-3           | Second      | No        | No                  | Target             | 1/4 MOA     | 15 MOA              | 32.3 ft - 6.1 ft          | 4.1 - 3.8 in     |
| 26014                         | S-TAC 4-20X50 - Duplex    | \$509.99   | Duplex          | Second      | No        | No                  | Target             | 1/4 MOA     | 15 MOA              | 23.6 ft - 4.4 ft          | 4.0 - 3.7 in     |
| 26015                         | S-TAC 4-20X50 - MOA-2     | \$529.99   | MOA-2           | Second      | No        | No                  | Target             | 1/4 MOA     | 15 MOA              | 23.6 ft - 4.4 ft          | 4.0 - 3.7 in     |
| <b>S-TAC FFP Series</b>       |                           |            |                 |             |           |                     |                    |             |                     |                           |                  |
| 26017                         | S-TAC 3-16X42 FFP - MH-2  | \$659.99   | MH-2            | First       | Yes       | Yes                 | Tactical           | .1 MRAD     | 5 MRAD              | 29.2 ft - 6.1 ft          | 4.1 - 3.6 in     |
| 26020                         | S-TAC 3-16x42 FFP - MOA-5 | \$659.99   | MOA-5           | First       | Yes       | Yes                 | Tactical           | 1/4 MOA     | 15 MOA              | 29.2 ft - 6.1 ft          | 4.1 - 3.6 in     |
| 26016                         | S-TAC 4-20X50 FFP - MH-4  | \$789.99   | MH-4            | First       | Yes       | Yes                 | Tactical           | .1 MRAD     | 5 MRAD              | 22.2 ft - 4.36 ft         | 3.9 - 3.7 in     |
| 26019                         | S-TAC 4-20X50 FFP - MOA-3 | \$789.99   | MOA-3           | First       | Yes       | Yes                 | Tactical           | 1/4 MOA     | 15 MOA              | 22.2 ft - 4.36 ft         | 3.9 - 3.7 in     |
| <b>SIII Long Range Series</b> |                           |            |                 |             |           |                     |                    |             |                     |                           |                  |
| 25133                         | SIII 6-24X50 LR - MD      | \$1,099.99 | Mil-Dot         | Second      | No        | No                  | Target             | 1/4 MOA     | 15 MOA              | 16.1 ft - 3.9 ft          | 3.8 - 3.6 in     |
| 25127                         | SIII 6-24X50 LR - MOA-2   | \$1,099.99 | MOA-2           | Second      | No        | No                  | Tactical           | 1/4 MOA     | 15 MOA              | 16.1 ft - 3.9 ft          | 3.8 - 3.6 in     |
| 25168                         | SIII 6-24X50 LR - MOA-2   | \$1,129.99 | MOA-2           | Second      | Yes       | No                  | Tactical           | 1/4 MOA     | 15 MOA              | 16.1 ft - 3.9 ft          | 3.8 - 3.6 in     |
| 25137                         | SIII 8-32X56 LR - FCH     | \$1,219.99 | Fine Cross Hair | Second      | No        | No                  | Target             | 1/4 MOA     | 15 MOA              | 12.2 ft - 3.1 ft          | 4.0 - 3.6 in     |
| 25149                         | SIII 8-32X56 LR - MOA-2   | \$1,219.99 | MOA-2           | Second      | No        | No                  | Tactical           | 1/4 MOA     | 15 MOA              | 12.2 ft - 3.1 ft          | 4.0 - 3.6 in     |
| 25147                         | SIII 8-32X56 LR - TD.125  | \$1,219.99 | Target Dot .125 | Second      | No        | No                  | Target             | 1/8 MOA     | 10 MOA              | 12.2 ft - 3.1 ft          | 4.0 - 3.6 in     |
| 25173                         | SIII 8-32X56 LR - MOA-2   | \$1,239.99 | MOA-2           | Second      | Yes       | No                  | Tactical           | 1/4 MOA     | 15 MOA              | 12.2 ft - 3.1 ft          | 4.0 - 3.6 in     |
| 25139                         | SIII 10-50X60 LR - FCH    | \$1,329.99 | Fine Cross Hair | Second      | No        | No                  | Target             | 1/8 MOA     | 10 MOA              | 9.6 ft - 2.2 ft           | 4.5 - 3.8 in     |
| 25003                         | SIII 10-50X60 LR - MOA-2  | \$1,329.99 | MOA-2           | Second      | No        | No                  | Tactical           | 1/4 MOA     | 10 MOA              | 9.6 ft - 2.2 ft           | 4.5 - 3.8 in     |
| 25138                         | SIII 10-50X60 LR - TD.1   | \$1,329.99 | Target Dot .1   | Second      | No        | No                  | Target             | 1/8 MOA     | 10 MOA              | 9.6 ft - 2.2 ft           | 4.5 - 3.8 in     |
| 25176                         | SIII 10-50X60 LR - MOA-2  | \$1,349.99 | MOA-2           | Second      | Yes       | No                  | Tactical           | 1/4 MOA     | 10 MOA              | 9.6 ft - 2.2 ft           | 4.5 - 3.8 in     |

| Windage Travel @ 100 yards | Elevation Travel @ 100 yards | Tube Diameter | ED Glass | Multi-Coating Type | Color       | Shockproof | Waterproof | Fogproof / Nitrogen Charged | ExacTrack | Minimum Focus             | Product Weight | Product Length |
|----------------------------|------------------------------|---------------|----------|--------------------|-------------|------------|------------|-----------------------------|-----------|---------------------------|----------------|----------------|
|                            |                              |               |          |                    |             |            |            |                             |           |                           |                |                |
| 125 MOA                    | 125 MOA                      | 1 inch        | No       | MC-333             | Matte Black | Yes        | Yes        | Yes                         | No        | Parallax Free (100 yards) | 12.7 oz        | 10.3 in        |
| 70 MOA                     | 70 MOA                       | 1 inch        | No       | MC-333             | Matte Black | Yes        | Yes        | Yes                         | No        | Parallax Free (100 yards) | 13.6 oz        | 11.9 in        |
| 70 MOA                     | 70 MOA                       | 1 inch        | No       | MC-333             | Matte Black | Yes        | Yes        | Yes                         | No        | Parallax Free (100 yards) | 13.6 oz        | 11.9 in        |
| 70 MOA                     | 70 MOA                       | 1 inch        | No       | MC-333             | Matte Black | Yes        | Yes        | Yes                         | No        | Parallax Free (100 yards) | 13.6 oz        | 11.9 in        |
| 65 MOA                     | 65 MOA                       | 1 inch        | No       | MC-333             | Matte Black | Yes        | Yes        | Yes                         | No        | Parallax Free (100 yards) | 15.2 oz        | 12.6 in        |
| 60 MOA                     | 60 MOA                       | 1 inch        | No       | MC-333             | Matte Black | Yes        | Yes        | Yes                         | No        | Parallax Free (100 yards) | 13.6 oz        | 12.3 in        |
| 60 MOA                     | 60 MOA                       | 1 inch        | No       | MC-333             | Matte Black | Yes        | Yes        | Yes                         | No        | Parallax Free (100 yards) | 13.6 oz        | 12.3 in        |
| 60 MOA                     | 60 MOA                       | 1 inch        | No       | MC-333             | Matte Black | Yes        | Yes        | Yes                         | No        | Parallax Free (100 yards) | 13.6 oz        | 12.3 in        |
| 60 MOA                     | 60 MOA                       | 1 inch        | No       | MC-333             | Matte Black | Yes        | Yes        | Yes                         | No        | 10 yards                  | 17.1 oz        | 12.9 in        |
| 60 MOA                     | 60 MOA                       | 1 inch        | No       | MC-333             | Matte Black | Yes        | Yes        | Yes                         | No        | 10 yards                  | 17.1 oz        | 12.9 in        |
|                            |                              |               |          |                    |             |            |            |                             |           |                           |                |                |
| 70 MOA                     | 70 MOA                       | 1 inch        | No       | Full MC            | Matte Black | Yes        | Yes        | Yes                         | No        | Parallax Free (50 yards)  | 11.6 oz        | 11.2 in        |
|                            |                              |               |          |                    |             |            |            |                             |           |                           |                |                |
| 60 MOA                     | 60 MOA                       | 1 inch        | No       | Full MC            | Matte Black | Yes        | Yes        | Yes                         | Yes       | 15 yards                  | 17.3 oz        | 15.3 in        |
|                            |                              |               |          |                    |             |            |            |                             |           |                           |                |                |
| 60 MOA                     | 100 MOA                      | 30mm          | No       | MC-333             | Matte Black | Yes        | Yes        | Yes                         | Yes       | Parallax Free (150 yards) | 20.8 oz        | 10.3 in        |
| 60 MOA                     | 100 MOA                      | 30mm          | No       | MC-333             | Matte Black | Yes        | Yes        | Yes                         | Yes       | Parallax Free (100 yards) | 22.4 oz        | 10.2 in        |
| 70 MOA                     | 70 MOA                       | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 10 yards                  | 23.3 oz        | 12.9 in        |
| 70 MOA                     | 70 MOA                       | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 10 yards                  | 23.3 oz        | 12.9 in        |
| 40 MOA                     | 80 MOA                       | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 10 yards                  | 23.6 oz        | 14.7 in        |
| 40 MOA                     | 80 MOA                       | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 10 yards                  | 23.6 oz        | 14.7 in        |
|                            |                              |               |          |                    |             |            |            |                             |           |                           |                |                |
| 20.4 MRAD                  | 20.4 MRAD                    | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 10 yards                  | 24.8 oz        | 13.0 in        |
| 70 MOA                     | 70 MOA                       | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 10 yards                  | 24.8 oz        | 13.0 in        |
| 12 MRAD                    | 23.3 MRAD                    | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 10 yards                  | 25.6 oz        | 15.0 in        |
| 40 MOA                     | 80 MOA                       | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 10 yards                  | 25.6 oz        | 15.0 in        |
|                            |                              |               |          |                    |             |            |            |                             |           |                           |                |                |
| 100 MOA                    | 100 MOA                      | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 40 yards                  | 24.3 oz        | 15.1 in        |
| 100 MOA                    | 100 MOA                      | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 40 yards                  | 24.3 oz        | 15.1 in        |
| 100 MOA                    | 100 MOA                      | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 40 yards                  | 24.3 oz        | 15.1 in        |
| 70 MOA                     | 70 MOA                       | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 40 yards                  | 26.5 oz        | 15.4 in        |
| 70 MOA                     | 70 MOA                       | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 40 yards                  | 26.5 oz        | 15.4 in        |
| 70 MOA                     | 70 MOA                       | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 40 yards                  | 26.5 oz        | 15.4 in        |
| 70 MOA                     | 70 MOA                       | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 40 yards                  | 26.5 oz        | 15.4 in        |
| 50 MOA                     | 50 MOA                       | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 13 yards                  | 30.1 oz        | 16.9 in        |
| 50 MOA                     | 50 MOA                       | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 13 yards                  | 30.1 oz        | 16.9 in        |
| 50 MOA                     | 50 MOA                       | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 13 yards                  | 30.1 oz        | 16.9 in        |
| 50 MOA                     | 50 MOA                       | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 13 yards                  | 30.1 oz        | 16.9 in        |

| Part #                                      | Model                        | Price      | Reticle Type    | Focal Plane | Zero Stop | Illuminated Reticle | Turret Type        | Click Value | Min. per Revolution | Field of View @ 100 yards | Eye Relief (in.) |
|---|------------------------------|------------|-----------------|-------------|-----------|---------------------|--------------------|-------------|---------------------|---------------------------|------------------|
| <b>SIII Long Range FFP Series</b>           |                              |            |                 |             |           |                     |                    |             |                     |                           |                  |
| 25171                                       | SIII 6-24X50 LR FFP - MH     | \$1,239.99 | Mil-Hash        | First       | Yes       | No                  | Tactical           | .1 MRAD     | 5 MRAD              | 16.1 ft - 3.9 ft          | 3.8 - 3.6 in     |
| 25170                                       | SIII 6-24X50 LR FFP - MOA-2  | \$1,239.99 | MOA-2           | First       | Yes       | No                  | Tactical           | 1/4 MOA     | 15 MOA              | 16.1 ft - 3.9 ft          | 3.8 - 3.6 in     |
| <b>SIII Competition Series</b>              |                              |            |                 |             |           |                     |                    |             |                     |                           |                  |
| 25186                                       | SIII 36X45 ED - FCH          | \$1,129.99 | Fine Cross Hair | Second      | No        | No                  | Target             | 1/10 MOA    | 5 MOA               | 3.0 ft                    | 3.6 in           |
| 25185                                       | SIII 36X45 ED - TD.125       | \$1,129.99 | Target Dot .125 | Second      | No        | No                  | Target             | 1/10 MOA    | 5 MOA               | 3.0 ft                    | 3.6 in           |
| 25184                                       | SIII 45X45 ED - FCH          | \$1,129.99 | Fine Cross Hair | Second      | No        | No                  | Target             | 1/10 MOA    | 5 MOA               | 2.4 ft                    | 3.6 in           |
| 25150                                       | SIII 45X45 ED - TD.1         | \$1,129.99 | Target Dot .1   | Second      | No        | No                  | Target             | 1/10 MOA    | 5 MOA               | 2.4 ft                    | 3.6 in           |
| <b>SIII Field Target Series</b>             |                              |            |                 |             |           |                     |                    |             |                     |                           |                  |
| 25011                                       | SIII 10-50X60 FT - MH        | \$1,579.99 | Mil-Hash        | Second      | No        | Yes                 | Tactical           | .05 MRAD    | 2.5 MRAD            | 9.6 ft - 2.2 ft           | 4.5 - 3.8 in     |
| 25010                                       | SIII 10-50X60 FT - MOA-2     | \$1,579.99 | MOA-2           | Second      | No        | Yes                 | Target             | 1/8 MOA     | 10 MOA              | 9.6 ft - 2.2 ft           | 4.5 - 3.8 in     |
| 25018                                       | SIII 10-50X60 FT - MOA-H     | \$1,579.99 | MOA-H           | Second      | No        | Yes                 | Target             | 1/8 MOA     | 10 MOA              | 9.6 ft - 2.2 ft           | 4.5 - 3.8 in     |
| <b>SIII Precision Long Range Series</b>     |                              |            |                 |             |           |                     |                    |             |                     |                           |                  |
| 28003                                       | SIII PLR 6-24X50 - MH-5      | \$1,299.99 | MH-5            | Second      | Yes       | Yes                 | Tactical           | .1 MRAD     | 10 MRAD             | 16.1 ft - 3.9 ft          | 3.8 - 3.6 in     |
| 28008                                       | SIII PLR 6-24X50 - MOA-2     | \$1,299.99 | MOA-2           | Second      | Yes       | Yes                 | Tactical           | 1/4 MOA     | 20 MOA              | 16.1 ft - 3.9 ft          | 3.8 - 3.6 in     |
| 28002                                       | SIII PLR 6-24X50 - MOA-H     | \$1,299.99 | MOA-H           | Second      | Yes       | Yes                 | Tactical           | 1/4 MOA     | 20 MOA              | 16.1 ft - 3.9 ft          | 3.8 - 3.6 in     |
| 28005                                       | SIII PLR 8-32X56 - MH-5      | \$1,399.99 | MH-5            | Second      | Yes       | Yes                 | Tactical           | .1 MRAD     | 10 MRAD             | 12.2 ft - 3.1 ft          | 4.0 - 3.6 in     |
| 28009                                       | SIII PLR 8-32X56 - MOA-2     | \$1,399.99 | MOA-2           | Second      | Yes       | Yes                 | Tactical           | 1/4 MOA     | 20 MOA              | 12.2 ft - 3.1 ft          | 4.0 - 3.6 in     |
| 28004                                       | SIII PLR 8-32X56 - MOA-H     | \$1,399.99 | MOA-H           | Second      | Yes       | Yes                 | Tactical           | 1/4 MOA     | 20 MOA              | 12.2 ft - 3.1 ft          | 4.0 - 3.6 in     |
| 28010                                       | SIII PLR 10-50X60 - MOA-2    | \$1,499.99 | MOA-2           | Second      | Yes       | Yes                 | Tactical           | 1/4 MOA     | 20 MOA              | 9.6 ft - 2.2 ft           | 4.5 - 3.8 in     |
| 28006                                       | SIII PLR 10-50X60 - MOA-H    | \$1,499.99 | MOA-H           | Second      | Yes       | Yes                 | Tactical           | 1/4 MOA     | 20 MOA              | 9.6 ft - 2.2 ft           | 4.5 - 3.8 in     |
| <b>SIII Precision Long Range FFP Series</b> |                              |            |                 |             |           |                     |                    |             |                     |                           |                  |
| 28000                                       | SIII PLR 6-24X50 FFP - MOA-H | \$1,469.99 | MOA-H           | First       | Yes       | Yes                 | Tactical           | 1/4 MOA     | 20 MOA              | 16.1 ft - 3.9 ft          | 3.8 - 3.6 in     |
| 28001                                       | SIII PLR 6-24X50 FFP - MH-H  | \$1,469.99 | MH-H            | First       | Yes       | Yes                 | Tactical           | .1 MRAD     | 10 MRAD             | 16.1 ft - 3.9 ft          | 3.8 - 3.6 in     |
| <b>SV ED Series</b>                         |                              |            |                 |             |           |                     |                    |             |                     |                           |                  |
| 27008                                       | SV 10-50X60 ED - TD.1        | \$2,589.99 | Target Dot .1   | Second      | No        | No                  | Tactical           | 1/8 MOA     | 10 MOA              | 9.6 ft - 2.2 ft           | 4.5 - 3.8 in     |
| 27012                                       | SV 10-50X60 ED - TD.1        | \$2,699.99 | Target Dot .1   | Second      | Yes       | No                  | Tactical           | 1/8 MOA     | 10 MOA              | 9.6 ft - 2.2 ft           | 4.5 - 3.8 in     |
| <b>S6 Series - NEW</b>                      |                              |            |                 |             |           |                     |                    |             |                     |                           |                  |
| 66000                                       | S6 1-6X24 - IR4A             | \$1,299.99 | IR4A            | Second      | No        | Yes                 | Capped Low Profile | 1/2 MOA     | 50 MOA              | 106.0 ft - 17.9 ft        | 3.9 - 3.7 in     |
| 66001                                       | S6 1-6X24 FFP - LRT          | \$1,599.99 | LRT             | First       | No        | Yes                 | Capped Low Profile | .1 MRAD     | 10 MRAD             | 106.0 ft - 17.9 ft        | 3.8 in           |
| 66002                                       | S6 5-30X56 ED - MOA-7        | \$1,599.99 | MOA-7           | Second      | Yes       | Yes                 | Tactical           | 1/4 MOA     | 20 MOA              | 22.7 ft - 3.8 ft          | 3.6 - 3.4 in     |
| 66003                                       | S6 5-30X56 ED FFP - MH-7     | \$1,699.99 | MH-7            | First       | Yes       | Yes                 | Tactical           | .1 MRAD     | 10 MRAD             | 22.7 ft - 3.8 ft          | 3.6 - 3.4 in     |
| 66004                                       | S6 5-30X56 ED FFP - MOA-8    | \$1,699.99 | MOA-8           | First       | Yes       | Yes                 | Tactical           | 1/4 MOA     | 20 MOA              | 22.7 ft - 3.8 ft          | 3.6 - 3.4 in     |
| 66007                                       | S6 10-60X56 ED - MH-FT       | \$1,999.99 | MH-FT           | Second      | Yes       | Yes                 | Tactical           | .05 MRAD    | 5 MRAD              | 11.2 ft - 1.87 ft         | 3.9 - 3.4 in     |
| 66008                                       | S6 10-60X56 ED - MOA-2FT     | \$1,999.99 | MOA-2FT         | Second      | Yes       | Yes                 | Tactical           | 1/8 MOA     | 10 MOA              | 11.2 ft - 1.87 ft         | 3.9 - 3.4 in     |
| <b>SVIII ED Series</b>                      |                              |            |                 |             |           |                     |                    |             |                     |                           |                  |
| 29000                                       | SVIII 5-40X56 ED FFP - MH-6  | \$2,899.99 | MH-6            | First       | Yes       | Yes                 | Tactical           | .1 MRAD     | 10 MRAD             | 23.7 ft - 2.97 ft         | 3.8 - 3.7 in     |
| 29001                                       | SVIII 5-40X56 ED FFP - LRM   | \$2,899.99 | LRM             | First       | Yes       | Yes                 | Tactical           | .1 MRAD     | 10 MRAD             | 23.7 ft - 2.97 ft         | 3.8 - 3.7 in     |

NEW  
NEW



| Windage Travel @ 100 yards | Elevation Travel @ 100 yards | Tube Diameter | ED Glass | Multi-Coating Type | Color       | Shockproof | Waterproof | Fogproof / Nitrogen Charged | ExacTrack | Minimum Focus              | Product Weight | Product Length |
|----------------------------|------------------------------|---------------|----------|--------------------|-------------|------------|------------|-----------------------------|-----------|----------------------------|----------------|----------------|
|                            |                              |               |          |                    |             |            |            |                             |           |                            |                |                |
| 23.3 MRAD                  | 23.3 MRAD                    | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 40 yards                   | 24.3 oz        | 15.1 in        |
| 80 MOA                     | 80 MOA                       | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 40 yards                   | 24.3 oz        | 15.1 in        |
|                            |                              |               |          |                    |             |            |            |                             |           |                            |                |                |
| 50 MOA                     | 50 MOA                       | 30mm          | Yes      | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 10 yards                   | 20.5 oz        | 14.9 in        |
| 50 MOA                     | 50 MOA                       | 30mm          | Yes      | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 10 yards                   | 20.5 oz        | 14.9 in        |
| 50 MOA                     | 50 MOA                       | 30mm          | Yes      | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 10 yards                   | 20.5 oz        | 14.9 in        |
| 50 MOA                     | 50 MOA                       | 30mm          | Yes      | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 10 yards                   | 20.5 oz        | 14.9 in        |
|                            |                              |               |          |                    |             |            |            |                             |           |                            |                |                |
| 14.5 MRAD                  | 14.5 MRAD                    | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 10 - 300 yards             | 30.8 oz        | 16.9 in        |
| 50 MOA                     | 50 MOA                       | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 10 - 300 yards             | 30.8 oz        | 16.9 in        |
| 50 MOA                     | 50 MOA                       | 30mm          | No       | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 10 - 300 yards             | 30.8 oz        | 16.9 in        |
|                            |                              |               |          |                    |             |            |            |                             |           |                            |                |                |
| 29.1 MRAD                  | 29.1 MRAD                    | 30mm          | No       | Zact-7 Plus        | Satin Black | Yes        | Yes        | Yes                         | Yes       | 20 meters                  | 28.2 oz        | 15.4 in        |
| 100 MOA                    | 100 MOA                      | 30mm          | No       | Zact-7 Plus        | Satin Black | Yes        | Yes        | Yes                         | Yes       | 20 yards                   | 28.2 oz        | 15.4 in        |
| 100 MOA                    | 100 MOA                      | 30mm          | No       | Zact-7 Plus        | Satin Black | Yes        | Yes        | Yes                         | Yes       | 20 yards                   | 28.2 oz        | 15.4 in        |
| 20.4 MRAD                  | 20.4 MRAD                    | 30mm          | No       | Zact-7 Plus        | Satin Black | Yes        | Yes        | Yes                         | Yes       | 30 meters                  | 30.3 oz        | 15.9 in        |
| 70 MOA                     | 70 MOA                       | 30mm          | No       | Zact-7 Plus        | Satin Black | Yes        | Yes        | Yes                         | Yes       | 30 yards                   | 30.3 oz        | 15.9 in        |
| 70 MOA                     | 70 MOA                       | 30mm          | No       | Zact-7 Plus        | Satin Black | Yes        | Yes        | Yes                         | Yes       | 30 yards                   | 30.3 oz        | 15.9 in        |
| 50 MOA                     | 50 MOA                       | 30mm          | No       | Zact-7 Plus        | Satin Black | Yes        | Yes        | Yes                         | Yes       | 13 yards                   | 33.5 oz        | 17.4 in        |
| 50 MOA                     | 50 MOA                       | 30mm          | No       | Zact-7 Plus        | Satin Black | Yes        | Yes        | Yes                         | Yes       | 13 yards                   | 33.5 oz        | 17.4 in        |
|                            |                              |               |          |                    |             |            |            |                             |           |                            |                |                |
| 80 MOA                     | 80 MOA                       | 30mm          | No       | Zact-7 Plus        | Satin Black | Yes        | Yes        | Yes                         | Yes       | 20 yards                   | 28.2 oz        | 15.4 in        |
| 23.3 MRAD                  | 23.3 MRAD                    | 30mm          | No       | Zact-7 Plus        | Satin Black | Yes        | Yes        | Yes                         | Yes       | 20 meters                  | 28.2 oz        | 15.4 in        |
|                            |                              |               |          |                    |             |            |            |                             |           |                            |                |                |
| 60 MOA                     | 70 MOA                       | 34mm          | Yes      | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 10 yards                   | 42.7 oz        | 16.5 in        |
| 60 MOA                     | 70 MOA                       | 34mm          | Yes      | Zact-7             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 10 yards                   | 42.7 oz        | 16.5 in        |
|                            |                              |               |          |                    |             |            |            |                             |           |                            |                |                |
| 130 MOA                    | 130 MOA                      | 30mm          | No       | MC-777             | Matte Black | Yes        | Yes        | Yes                         | Yes       | Parallax Free (100 yards)  | 21.6 oz        | 10.6 in        |
| 35MRAD                     | 35MRAD                       | 34mm          | No       | MC-777             | Matte Black | Yes        | Yes        | Yes                         | Yes       | Parallax Free (100 meters) | 24.0 oz        | 10.2 in        |
| 60 MOA                     | 80 MOA                       | 34mm          | Yes      | Zact-7 Plus        | Satin Black | Yes        | Yes        | Yes                         | Yes       | 10 yards                   | 33.3 oz        | 16.7 in        |
| 17.5 MRAD                  | 23.3 MRAD                    | 34mm          | Yes      | Zact-7 Plus        | Satin Black | Yes        | Yes        | Yes                         | Yes       | 10 meters                  | 33.3 oz        | 16.7 in        |
| 60 MOA                     | 80 MOA                       | 34mm          | Yes      | Zact-7 Plus        | Satin Black | Yes        | Yes        | Yes                         | Yes       | 10 yards                   | 33.3 oz        | 16.7 in        |
| 11.7 MRAD                  | 16.0 MRAD                    | 34mm          | Yes      | Zact-7 Plus        | Satin Black | Yes        | Yes        | Yes                         | Yes       | 9 - 300 meters             | 36.0 oz        | 16.7 in        |
| 40 MOA                     | 55 MOA                       | 34mm          | Yes      | Zact-7 Plus        | Satin Black | Yes        | Yes        | Yes                         | Yes       | 9 - 300 yards              | 36.0 oz        | 16.7 in        |
|                            |                              |               |          |                    |             |            |            |                             |           |                            |                |                |
| 20 MRAD                    | 40 MRAD                      | 40mm          | Yes      | MC-777             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 10 meters                  | 49.0 oz        | 16.8 in        |
| 20 MRAD                    | 40 MRAD                      | 40mm          | Yes      | MC-777             | Matte Black | Yes        | Yes        | Yes                         | Yes       | 10 meters                  | 49.0 oz        | 16.8 in        |

## **International Warranty**

The Sightron "Limited Lifetime International Warranty" covers all Sightron products sold outside the 50 States of the United States. This warranty does not cover damage that occurs in shipment or failures that result from accidents, misuse, abuse, unauthorized alterations, theft, modifications or acts of God. Due to the changing requirements by the U.S. Department of Commerce it is important to let your Distributor return your scope for repair as they are aware of the proper importation and exportation regulations for your Country.

## **Domestic Warranty**

The Sightron "Limited Lifetime USA Warranty" covers all Sightron products sold and shipped within the 50 States of the United States. Should your Sightron product ever fail due to workmanship or materials simply return it to Sightron and we will repair or replace it at our option. This warranty does not cover damage that occurs in shipment or failures that result from accidents, misuse, abuse, unauthorized alterations, theft, modifications or acts of God.

Note: Products shipped from the USA out of the Country are considered Gray Market Products and are not covered by this warranty.



35 36 37 38 39 40 41 42 43 44



SIGHTRON  
•ED Glass•

36

15x BBL

SIGHTRON®

100 Jeffrey Way Suite A, Youngsville, NC 27596, U.S.A.  
TEL : +1 919 562 3000 +1 800 867 7512 FAX : +1 919 562 7129

[www.sightron.com](http://www.sightron.com)

NOVILIS

207  
47