

j5create | **CONNECTED
THE FUTURE**

ASIA
+886.2.2269.5533

EUROPE
+31.10.798.6117

AMERICAS
+1.888.988.0488

j5create 2023

B R O C H U R E

CONNECTED THE FUTURE



WHY CHOOSE j5create?




This product works with devices capable of running the latest version of Chrome OS and has been certified to meet Google's compatibility standards. Google is not responsible for the operation of this product or its compliance with safety requirements. Chromebook and the Works With Chromebook badge are trademarks of Google LLC.


WE DEVELOP. WE INNOVATE. WE CREATE.

j5create is a team that has come together from a diverse set of backgrounds to make technologies more meaningful and inclusive. We design, build, sell, and support innovative technology. We find creative ways to apply new technologies to provide computing solutions.

- U.S. Based Customer Care
- Made in Taiwan
- Limited Product Warranty
- Top-Selling Brand



Worldwide safety certification



In-house R&D and in-house product design team

At j5create, we create high-tech products that help improve the way we experience our everyday lives. We do this by always designing with the customers' needs in mind. We tackle issues that affect you daily and turn to technological innovation to find solutions. We're on a mission to make your life simpler, more efficient, and more productive.

Safety and protection for your devices

- OVP (Overvoltage) Limits output voltage
- OCP (Overcurrent) Limits the current flow
- SCP (Short Circuit Protection) Protects your device against short circuits
- OTP (Over-Temperature) Regulates the internal temperature



j5create has strategic partnerships and locations conveniently located worldwide to streamline all of our processes including sales, support, and service. You can see a global list of where to purchase our products on our website at www.j5create.com. We are always just an email, live chat or phone call away, so feel free to contact us with any questions, concerns or comments.

QUALITY IN EVERY DETAIL



WORK WITH THE BEST

In collaboration with the suppliers of top PC manufacturers, we create our high-performance products by using premium components and materials.



COMMITMENT TO QUALITY

From concept generation through software and hardware development, and end-product design to production, we're involved in every stage of the vertical integration process.



MAKE AN IMPACT

We aim to elevate your computing experience to be more productive, more efficient, and more convenient.

GLOBAL STRATEGIC LOCATIONS



North America
Sales : sales@j5create.com
Support: service@j5create.com
Phone: +1-888-689-4088



Europe
Sales: sales@j5create.com
Support: service@j5create.com
Phone:
NL | +31 (0)107 98 61 17
UK | +44-161-302-2230
ES | +34-935-22 25 76



Canada
Sales: sales@j5create.com
Support: service@j5create.com
Phone: +604-265-3568



Taiwan
Sales: sales@j5create.com
Support: service.tw@j5create.com

Toll Free : 888-988-0488
Sales : sales@j5create.com
Customer Service / Support : service@j5create.com

USB4® 40Gbps Dual 4K60 Multi-Port Docking Station

Featuring Intel® USB4® 40Gbps Controller



UNLEASH YOUR POTENTIAL WITH TRUE USB4® PERFORMANCE

JCD402

- Intel®'s latest **USB4® 40Gbps** controller ensures industry-leading quality
- Multiple data and display protocols efficiently share bandwidth to offer optimal performance
- Supports up to dual 4K60Hz displays
- One USB-C® port supports 10Gbps data transmission and 4K60Hz video output
- Hyper-fast 2.5 Multi-Gigabit Ethernet
- Includes SD™ 4.0 supporting capacities up to 2TB
- Five USB™ Ports for accommodating your peripherals
- Offers up to 85W of pass-through charging with a USB-C® power adapter
- Plug-and-play, no driver installation required
- Security Lock Design

14-in-1 Functions



Double Sided Cable Storage Compartment

Power All Of Your Devices With The PD3.1 Superpower Dock



USB-C® Dual 4K HDMI™ Dock with PD 3.1 Pass Through Charging

JCD3199

- Supports dual 4K HDMI™ (4K @60Hz + 4K@30 Hz)
- Supports Power Delivery 3.1 140W power in
- Offers PD 120W charging to host and PD 18W charging to mobile device
- Two USB™ 10Gbps and two USB™ 5Gbps ports for connecting peripherals or downstream charging
- Reliable network connectivity via the Gigabit Ethernet
 - Supports 10W wireless charging
 - Cable storage compartment



Stunning Quality 8K Visual Experience

Conveniently connect your laptop, tablet, or phone to a high-resolution 8K display or high-refresh rate monitor.



JCD403
USB4® 8K Multi-Port Hub
Features USB4® Technology



JCC157
USB-C® to HDMI™ 2.1
8K Cable



JDC53L30
8K Ultra High Speed UHD
HDMI™ Cable



JCA399
USB-C® to 8K HDMI™ & USB™ Type-A
with Power Delivery Adapter



Transforms Any Space Into A Professional Meeting Room

Bluetooth™/USB™ Conference Speakerphone

Transforms any space into a professional meeting room

JSS820

- Built-in 360° omnidirectional microphones
- 8 hours of talk time
- Bluetooth™ 5.0 and USB™ plug-and-play connection
- High-quality, crystal-clear audio
- Digital signal processing technologies:
Acoustic Echo Cancellation (AEC)
Automatic Noise Reduction (ANR)
Automatic Gain Control (AGC)
- Automatically switches between conference and music mode
- Built-in mute/unmute, play/pause, and volume adjust buttons
- Wideband audio is supported by four omnidirectional microphones and a 5W speaker



USB-C® Docking Station with Speaker & Mic

JCDS337

- Docking station with meeting controls and speakerphone
- 4 beamforming microphones which deliver a natural vocal sound with reduced background noise
- Connect dual displays with HDMI™
- Dual mode EQ for optimizing your sound for music or meetings
- Connect with either Bluetooth™ or USB™



360° All Around Webcam with Speakerphone

JVU368

- 360° video conferencing camera with remote control
- Built-in omnidirectional speakerphone
- Advanced Acoustic Echo Cancellation (AEC) technology
- Automatic Gain Control (AGC) function
- Automatic Noise Reduction (ANR) reduces background noise
- Six display modes deliver exceptional viewing angles with flexibility and versatility
- Full HD 1080p video playback @ 30 Hz
- AI Functions:
 1. Smart Tracking: Tracks the presenter to ensure they remain centered.
 2. Auto Framing: Automatically adjusts the zoom to ensure all attendees are presented on camera.



wormhole^{switch}

Easily Share Video, Keyboard, Mouse, Files, and other devices and functions between 2 PCs



Video & Data Transfer Hub

Video & Touch Screen & Data Sharing

JCH462

- Share screen, files, keyboard, mouse and clipboard between two computers
- Supports Duplicate and Extend modes in virtual 2nd display
- Share files by Drag & Drop or Copy & Paste
- Supports virtual multi-touch and stylus
- Supports up to 2-finger multi-touch
- Supports handwriting, pen pressure (1024 levels), pen tilt and side-button on pen (such as eraser or selection function)
- Supports the gesture function from Windows® OS

USB™ Transfer Cable and Video Switch

JUC502

- Supports keyboard, mouse, clipboard and file sharing across two Windows® devices
- Screen will rotate and resize automatically to fit the screen and adjust to the current rotation of the second device when using Extended Mode while video sharing
- Supports multi-touch and USI pen for Windows® touch screen devices



Improve The Experience For Game Chat And Business Conference

Multipurpose Wired Headset with Chat Mixer

For Business, Gaming, and Classroom Application

JSE21AM

Headphone

- Frequency response: 20Hz~20KHz
- Sensitivity: 98±3dB
- Speaker driver unit: Ø40mm
- Cable: 1.2 meters, Ø3.5mm Plug
- Soft and padded leatherette headband and earcups, ideal for long-time use
- Memory foam for a comfortable fit

Microphone

- Sensitivity: -42±3dB
- S/N ratio: Higher than 58dB

Chat Mixer Features

- Easy three-way calls in an online game chat or business conference among different devices
- Four mode selections: Gaming, USB™, Bluetooth®, and Meeting Mode
- Bluetooth® connectivity



Combo Kit with Hybrid Earphone and Chat Mixer

JSE11AM

Earphone

- Frequency Responses: 20Hz-20KHz
- Sensitivity: 100dB±3dB
- Speaker driver unit: Ø10mm
- Cable length: 120cm


- In-line control: Play/pause, answer/hang up, volume adjustment, double click (next track), triple click (previous track)

Detachable microphone

- Sensitivity: -42±3dB
- S/N ratio: 58dB

Chat Mixer Features

- Easy three-way calls in an online game chat or business conference among different devices
- Four mode selections: Gaming, USB™, Bluetooth®, and Meeting Mode
- Bluetooth® connectivity



Take Your Streaming Production To The Next Level

Quad HDMI™ Video Capture Station

JVA08

- 4 HDMI™ inputs for capture with 5 modes
- Full HD video and audio high performance record/playback through USB-C® 3.2 Gen 1
- Uncompressed 1080p 60 Hz capture via HDMI™
- Supports 1080p 60 Hz HDMI™ loop out (PGM out)
- 5-screen modes (one source/PIP/PBP/Quad View[1+3]/Quad View)
- 5 buttons to quickly change display settings
- Automatically remembers previous settings
- 5 volume control knobs for individual volume control on 4 HDMI™ and analog 3.5mm ports
- Easy DSLR attachment with 2 cold shoes embedded
- UVC standard, plug & play



4K Game Capture Station

JVA14

- Uncompressed 4K@30 Capture + 4K@60 HDR passthrough
- Ultra-low latency stream with high-performance USB-C® 3.2 connection
- LED indicator to keep track of USB™ speeds and compression rates



DOCKING STATIONS

Full Dock P.15-16



Mini Dock P.19-22



Powered Dock P.21-22



STANDS

P.17-18



DISPLAY ADAPTERS

USB-C® P.23



USB™ Type-A P.24



Monitor Display Cables P.24



DP™ P.24



HDMI™ & VGA P.24



USB™ HUBS

USB-C® P.26



USB™ Type-A P.26



NETWORKING

Ethernet Adapters USB-C® P.25



Ethernet Adapters USB™ Type-A P.25



CHARGERS

Wall Chargers p.27



Charging Stations P.27



Wireless Chargers P.27

KEYBOARD / MOUSE

Keyboard / Mouse P.28



Stylus Pen P.28



CABLES

P.29-30

USB-C®



Data & Video Transfer



MOBILE ACCESSORIES

P.30



CAPTURE

P.31



WEBCAMS

P.32



VIDEO CONFERENCING

P.33



WIRELESS DISPLAY

P.34



USB4® Dual 4K Multi-Port Hub & Docking Station

Developed in Collaboration with Intel®

JCD402



- 4K@60 HDMI™
- 4K@60 DP™
- USB-C* 10Gbps
- USB-C*
- 2.5G Gigabit Ethernet
- SD™/microSD™ 4.0
- USB™ Type-A 5Gbps
- USB™ Type-A 10Gbps

Thunderbolt™ 4 Quad Display Docking Station

JTD568



- 10 Gbps USB™ 3.2 Gen 2
- 2.5G Ethernet
- 96W PD Power Delivery
- 4K Quad Display
- 4K HDMI™
- 4K DP™
- USB-C* Gen2 10Gbps
- Mic / Speaker
- 2.5 Gigabit Ethernet
- SD™/microSD™
- USB™ Type-A 5Gbps
- USB™ Type-A 10Gbps
- USB™ Type-A with BC 1.2



M.2 NVMe® USB-C® Gen 2 Docking Station

JCD552



- 4K@60 HDMI™
- 4K@60 DP™
- USB-C* 10Gbps
- USB-C*
- Gigabit Ethernet
- SD™/microSD™
- USB™ Type-A 5Gbps
- USB™ Type-A 10Gbps

- 4K@60 HDMI™/DP™ Display
- 10 Gbps USB™ 3.2 Gen 2
- M.2 Expansion SSD Slot
- Dual Display

with 100W PD Adapter

JCD552P

Thunderbolt™ 4 Docking Station

JTD562



- 8K Display



- 40 Gbps Thunderbolt™ 4 Data Transfer
- 8K@60 4K@144 Single Monitor Mirror/Extend
- 4K@60 Dual Monitor Mirror/Extend
- 312 MB/s SD™ 4.0
- Thunderbolt™ 4 Daisy-Chain
- Gigabit Ethernet
- SD™ 4.0
- USB™ Type-A 10Gbps
- USB™ Type-A with BC 1.2
- Thunderbolt™ 4
- Mic / Speaker

USB-C® Triple Display Docking Station

JCD543



with 100W PD Adapter

JCD543P



USB-C® Dual HDMI™ Docking Station

JCD542



USB-C® Dual 4K HDMI™ Dock

with PD 3.1 Pass Through Charging

JCD3199



- 120W PD 3.1 Power Delivery
- 4K Dual Display

- 4K HDMI™
- USB-C* PD 3.1
- USB-C* 5Gbps
- USB-C* 10Gbps with PD 18W
- Mic / Speaker
- Gigabit Ethernet
- SD™/microSD™
- USB™ Type-A 5Gbps
- USB™ Type-A 10Gbps
- 10W Wireless Charging

USB4® 8K60 / 4K144 Docking Station

JCD406




- 140W PD 3.1 Power Delivery
- 8K MST Dual Display

- 8K HDMI™
- 8K DP™
- USB-C* PD 3.1
- USB-C* 5Gbps
- USB-C* 10Gbps with PD 18W
- Mic / Speaker
- Gigabit Ethernet
- USB™ Type-A 5Gbps
- USB™ Type-A 10Gbps

Multi-Angle Laptop Stand

JTS127



Multi-Angle Dual HDMI™ Docking Stand

JTS427




Multi-Angle Stand with Docking Station for iPad Pro®

JTS224



Laptop Stand with USB™ 4-Port Hub


JTS223



Monitor Arm Dock


Single Monitor Arm with Thunderbolt™ 4 Dock

JTSA461



Dual Monitor Arm with Dual 4K Dock

JTSA302



Mini Docks

Be productive on the go. Use the port you have to add the ports you need

USB4® Dual 4K Multi-Port Hub

Featuring Intel® USB4® Controller

JCD401 5-in-1 Functions



USB4® 8K Multi-Port Hub

JCD403 6-in-1 Functions



USB-C® 8K HDMI™ Dock

JCD3193 9-in-1 Functions



4K Elite USB-C® Travel Adapter

JCD3191 5-in-1 Functions



USB-C® 10Gbps Travel Dock

JCD392 6-in-1 Functions



USB-C® 10Gbps Mini Dock

JCD393 9-in-1 Functions



USB-C® Triple-Monitor 10Gbps Mini Dock

JCD397 11-in-1 Functions



USB-C® Dual 4K HDMI™ Mini Dock

JCD398 9-in-1 Functions



4K Elite USB-C® Multi-Adapter

JCD390 7-in-1 Functions



USB-C® to HDMI™ Modular Dock


JCD394 9-in-1 Functions



4K60 Pro USB4® Hub with MagSafe® Kit

Designed for MacBook Pro® 2021 / 2022 and MacBook Air® (2022)

JCD395 8-in-1 Functions



USB-C® 4K Multi-Port Hub with Power Delivery

JCD373ECO 7-in-1 Functions



USB-C® to 4K HDMI™ & USB™ 10Gbps with Power Delivery

JCA379ECO 3-in-1 Functions



USB-C® to 4K HDMI™ Multi-Port Hub

JCD353 6-in-1 Functions



USB-C® 3.1 SuperSpeed+ Multi-Adapter

JCD372 5-in-1 Functions

10 Gbps



USB-C® Multi-Port Hub with Power Delivery

JCD373 7-in-1 Functions



8K UHD

8K USB-C® to HDMI™ Triple Display Adapter

JCA467



8K USB-C® to HDMI™ / DP™ Triple Display Adapter

JCA468



USB-C® to 8K HDMI™ & USB™ Type-A with Power Delivery Adapter

JCA399



USB-C® Multi Adapter

JCD383 9-in-1 Functions



USB-C® Multi Adapter

JCD384 10-in-1 Functions



USB-C® Multi-Adapter

JCA374 5-in-1 Functions



USB-C® Dual HDMI™ Mini Dock

JCD381 6-in-1 Functions



USB-C® PD Multi-Port Adapter

JCD391 5-in-1 Functions




USB-C® to 4K 60 Hz HDMI™ Travel Dock for iPad Pro®

JCD612 5-in-1 Functions



90W Built-in USB-C® Travel Dock

JCDP392



USB-C® Modular Multi-Adapter with 2 Kits

JCD375 2Kits / 9-in-1 Functions



ULTRADRIVE™ KIT USB-C® Multi Display Modular Dock

JCD389 5Kits / 11-in-1 Functions



ULTRADRIVE™ MINIDOCK

JCD348 5-in-1 Functions




USB™ 3.0 Mini Dock

JUD380 6-in-1 Functions




USB-C®

USB-C® to Dual HDMI™ Multi-Monitor Adapter JCA365




USB-C® to 4-Port HDMI™ Multi-Monitor Adapter JCA366



USB-C® to 4K HDMI™ Ethernet Adapter JCA351




USB-C™ to VGA & HDMI™ Adapter JCA174




USB-C® Display Adapters & Cables

JCC154G



JCC155G



JCA153G




JCC153G



VGA & USB™ 3.0 with Power Delivery / USB-C® to HDMI™

JCA379



JCA175



JCA140



JCA142



JCA153



JCA111



JCC111



JCA141



USB™ Type-A

USB™ 3.0 Display Adapters

JUA311



JUA354



JUA360



JUA365



JUA214



JUA254



JUA355




JUA350



Monitor Display Cables

Ultra High Speed HDMI®/™ Cable

JDC53



DP™

DisplayPort™ Adapters & Cable

- * Plug-and-play
- * DP+ Dual Mode DisplayPort™ Adapter (JDA134/JDA154)
- * Active DisplayPort™ conversion (JDA114/JDA158)
- * Resolutions up to 1920 x 1200 @ 60 Hz (JDA114)
- * 1920 x 1080 @ 60 Hz (JDA154/JDA134)
- * 4K @ 60 Hz (JDA158)
- * 4K @ 30 Hz (JDC158)
- * Supports HDMI™ audio (JDA154/JDA158/JDC158)
- * Length: 1.8m (JDC158)



HDMI™ / VGA

HDMI™ to VGA Adapter

- * Video + Audio
- * Plug-and-play
- * Supports PC resolutions up to 1920 x 1200 @ 60 Hz (WUXGA) and HDTV resolutions up to 1080p @ 60 Hz
- * 2-channel analog audio output
- * Reserved Micro USB™ Type B power input port



JDA213



JDA213S

VGA to HDMI™ Video Adapter + Audio

- * Plug-and-play
- * Video resolutions up to 1920 x 1080 @ 60 Hz
- * Supports USB™ audio
- * Easily transform your VGA device into an HDMI™ connection



JDA214

Premium High Speed HDMI®/™ Cable with Ethernet

- * HDMI™ PREMIUM Certified
- * Resolutions up to 4K @ 60 Hz (JDC52)
- * Ethernet & audio return channel
- * Length: 2m



JDC52

8K / 4K DisplayPort™ Cable

- * DisplayPort™ 1.4 HBR3 certified (JDC43)
- * DisplayPort™ 1.2 certified (JDC42)
- * Resolutions up to 8K @ 60 Hz (JDC43)
- * 4K @ 60 Hz (JDC42)
- * Length: 1.8m (JDC42)/2m (JDC43)



JDC42

JDC43





wormhole^{switch} Video & Data Transfer Hub JCH462



- Touch Screen
- Video Sharing
- 4K HDMI™
- USB-C® 5Gbps
- USB™ Type-A 5Gbps

8K USB4® Travel Hub JCH453 5-in-1 Functions



- 8K60 / 4K144
- 8K60 HDMI™
- USB-C® 10Gbps
- USB-C® 10Gbps
- USB™ Type-A 10Gbps

Ethernet Adapters | USB-C®

USB-C® to 2.5G Ethernet Adapter JCE145C

- * Quickly add a 2.5G Multi-Gig Ethernet port
- * Supports USB™ 3.1, 3.0, 2.0 and 1.1
- * USB™ bus-powered
- * USB-C® / USB™ Type-A



USB-C® to 2.5 Gigabit Ethernet Adapter JCE145

- * Quickly add a 2.5G Multi-Gig Ethernet port
- * Supports USB™ 3.1, 3.0, 2.0 and 1.1
- * USB™ bus-powered
- * USB-C® port



USB-C® to 5 Gigabit Ethernet Adapter JCE150

- * Quickly add a 5G Multi-Gig Ethernet port
- * Supports USB™ 3.1, 3.0, 2.0 and 1.1
- * USB™ bus-powered
- * USB-C® port



USB-C® to Gigabit Ethernet Adapter JCE133G

- * Quickly add a Gigabit Ethernet port over USB-C®
- * USB™ 3.1 and backwards compatible with USB™ 2.0/1.1
- * USB™ bus-powered
- * Compatible with Windows® and macOS®



Ethernet Adapters | USB™ Type-A

USB™ to Ethernet Adapters JUE130

- * Quickly add a Gigabit Ethernet port
- * USB™ 3.0/2.0 plug-and-play
- * USB™ bus-powered
- * Windows®/Mac®/Linux®/Chrome OS™ compatible



USB-C®

USB-C® 4-Port HUB JCH343



- USB™ Type-A 5Gbps

USB-C® 7-Port HUB JCH377



- 2.4Amps

- USB™ Type-A 5Gbps

USB-C® Multi-Adapter JCH471




DC 5V

- USB™ Type-A 5Gbps
- Gigabit Ethernet

HUB + Connectivity

- * USB™ Type-A 3.0 SD™/microSD™ slots for external memory card up to 2 TB
- * HDMI™ resolutions up to 4K @ 30 Hz (JCH451)
- * VGA resolutions up to 1920 x 1200 @ 60 Hz (JCH411)



USB-C® 3-Port HUB with SD™/microSD™ Card Reader JCH347



- SD™/microSD™
- USB™ Type-A 5Gbps

USB-C® 3-Port Hub with VGA JCH411



- VGA
- USB™ Type-A 5Gbps

USB-C® 3-Port Hub with 4K HDMI™ JCH451



- HDMI™
- USB™ Type-A 5Gbps

USB-C® 4-port HUB JCH344



- USB™ Type-A 5Gbps

USB-C® 3-port HUB with Gigabit Ethernet JCH474



- USB™ Type-A 5Gbps
- Gigabit Ethernet

USB™ Type-A

USB™ Type-A SuperSpeed 4-port HUB JUH340



- 2.1Amps Fast Charging

- USB™ Type-A 5Gbps

USB™ Type-A 3.0 SuperSpeed 7-port HUB JUH377



- 2.4Amps Fast Charging

- USB™ Type-A 5Gbps

Gigabit Ethernet & HUB USB™ Type-A 3.0 Multi-Adapter JUH470



- Gigabit Ethernet

- USB™ Type-A 5Gbps

Chargers

Quicker, Smarter, Safer, j5create high-efficiency chargers ensure that you don't run out of power, no matter where you go

MagSafe® 15W Wireless Charging Stand

Suitable for iPhone® MagSafe®

JUPW1107NP



Wood Grain 2-in-1 Magnetic Wireless Charging Stand

For iPhone® MagSafe® and AirPods®

JUPW2106NP



JUPW2106
20W USB-C®
Power Adapter Included



PD Wall Chargers

130W GaN USB-C® 4-Port Charger

JUP43130

GaN



67W GaN USB-C® 2-Port Charger

JUP2367

GaN



65W GaN USB-C® 3-Port Charger

JUP3365

GaN



20W 1-Port

JUP1420



PD Laptop Chargers

67W GaN PD USB-C® Mini Charger

JUP1565N

with 4.5mm DC Converter

JUP1565



108W PD USB-C® Super Charger

JUP34108



185W GaN PD3.1 USB-C® 3-Port Charger

JUP43185



100W PD USB-C® Super Charger

JUP2290/JUP2290C



100W PD USB-C® Super Charger with DC Connector

JUP2290DC



Charging Stations

Power or charge all of your devices with GaN-based chargers for efficient charging

100W GaN USB-C® 4-Port Charger with 3 AC outlets

JUP74100

GaN



200W GaN PD3.1 USB-C® 6-Port Charger

JUP63200

GaN



67W GaN USB-C® 3-Port Charger with 3 AC outlets

JUP6467

GaN



Power Bank

26800mAh PD65W 4-Port Power Bank

JUPB26465




Keyboards & Mice / Stylus

j5create offers a variety of input devices, choose the keyboard that works for you.

USI Stylus Pen for Chromebook™

JITP100



Compact Wireless Keyboard and Mouse for Chrome OS™

JIKBW602



Full-Size Wireless Keyboard and Mouse

JIKMW115



Full-Size USB™ Desktop Keyboard and Mouse

JIKMU115



Cables

Charging, Sync, File Transfer. We've got you covered.



USB-C® Charging Cables

JUC28L08 Full-Featured USB-C® Cable (USB4® Gen 3)

(0.8m) 40Gbps/5A



40 Gbps 100W PD

JUC29L08 240W Full-Featured USB-C® Cable (USB4® Gen 3)

(0.8m) 40Gbps/5A



40 Gbps 240W PD3.1

JUCX27L12 USB4® Braided Cable

(1.2m/3.9ft.) 40Gbps/5A



40 Gbps 100W PD

JUCX25L18/JUCX25L30 USB-C® 100W Sync & Charge Cable

(1.8m / 5.9 ft.) / (3m / 9.8 ft.) 480 Mbps/5A



100W PD

JUCX24/JUCX24L30 USB-C® to USB-C® Sync & Charge Cable


(1.8m / 5.9 ft.) / (3m / 9.8 ft.) 480 Mbps/3A



60W PD

Wormhole Switch™ | USB-C® Transfer Cable

wormhole switch™ File Sharing Between Mac® and PC



JUC501 USB™ 3.1

JUC500 USB™ 3.0

JUC400 USB™ 2.0



Model	JUC501	JUC500	JUC400
Interface	USB™ 3.0 A+C	USB™ 3.0	USB™ 2.0
Operating system	Win® to Win® Win® to Mac® Mac® to Mac®	Win® to Win® Win® to Mac® Mac® to Mac®	Win® to Win® Win® to Mac® Mac® to Mac®
Functions for the keyboard and mouse sharing			
Keyboard and mouse sharing between two devices	Yes	Yes	Yes
Hotkey Switch [Alt+S]	Yes	Yes	Yes
Keyboard sharing	Yes	Yes	Yes
Clipboard sharing			
Text sharing	Yes	Yes	Yes
Photo sharing	Yes	Yes	Yes
Data transfer			
Duplicate / Paste	Yes	Yes	Yes
Drag and Drop	Yes	Yes	Yes
Data transfer management software (File Shuttle)	Yes	Yes	

Mobile Accessories

Everything you need to make the most of your phone

Android™ USB™ Display Adapter

- Compatible with most Android™ phones
- The j5 Display Adapter App allows your phone to connect to a display
- Portable

High efficiency & low power consumption with 2 modes:

- Video mode (work for 3 hrs)
- Text mode (work for 5.5 hrs)

* Great for Android™ phones that don't have the latest USB™ display tech.

JUA161C



VGA

JUA165C



HDMI™

USB-C® Dynamic Power Meter Charging Cable

JUCP14



6-in-1 Meter

Direction | Amp | Voltage
mA · h | Timer | Watt

100W PD

USB-C® 3.1 to Type-A Adapter

(10 cm / 4 in.) 5Gbps/1.5A

JUCX05



SUPER SPEED USB 5Gbps

works with chromebook



Video Capture

Take gaming and live streaming to the next level



HDR Passthrough

- 4K60 Hz HDR
- 2K144 Hz HDR
- 1080p 240 Hz HDR

Capture

- 4K30 FPS
- 2K60 FPS
- 1080p 120 FPS

4K HDMI™ Capture Adapter JVA11



- 4K 30 Video Capture

4K Game Capture Station JVA14



- 4K 30 Video Capture
- 4K60 HDR Video Passthrough
- 60W PD Power Delivery
- Ultra-Low Latency

Dual HDMI™ Video Capture JVA06 EFP

- No driver required
- PIP
- PBP
- Chroma Key



HDMI

Video Capture USB™ Hub JVA01



- 1080p 30 Video Capture
- 60W PD Power Delivery
- 4K HDMI™
- USB™ Type-A 5Gbps
- Mic / Speaker

Live Capture Adapter JVA02



- 1080p 60 Video Capture
- 60W PD Power Delivery

Webcams

Anticipate your current & future workplace needs



QHD AI-Powered Webcam with Wireless Mic & Focus Switch JVu300

- Webcam / Document Camera
- Auto / Manual Focus
- 1440p 60fps Quad High Definition
- 1080p 60fps High Definition
- USB-C / USB™ Type-A
- 9:16 vertical view shooting
- AI Tracking
- Tripod-ready Mount



USB™ 4K ULTRA HD Webcam JVu430

- 4K 30 Resolution
- 1080p 60 Resolution
- Privacy Cover
- F/2.0 Aperture Low Light Enhancement
- Built-in Microphone



USB™ 4K ULTRA HD Webcam with 5x Digital Zoom Remote Control Model: JVCU435

- 4K 30 Resolution
- Privacy Cover
- F/1.6 Aperture Low Light Enhancement
- 5X Digital Zoom
- Built-in Microphone

HD Webcam with Auto & Manual Focus Switch JVu250



- 2-in-1 Webcam / Document Camera
- Auto / Manual Focus
- 1080p Resolution
- Tripod-ready Mount
- USB-C / USB™ Type-A

USB™ HD Webcam Model: JVCU100



- 1080p Resolution
- F/2.4 Aperture Low Light Enhancement
- H.264 Hardware Acceleration
- Built-in Microphone



- 1080p 60 Video Capture
- Audio Mixer
- 60W PD Power Delivery



360° All Around Webcam with Speakerphone JVU368




Six Display Modes



Bluetooth™/USB™ Conference Speakerphone JSS820



360° All Around Webcam Model: JVCU360



ScreenCast

Wireless Display Adapter JVAW56



Wireless Display Adapter JVAW76 4K




USB-C® Wireless Display HDMI™ Extender JVAW62



Wireless Display HDMI™ Extender JVAW75 4K




Wireless Display HDMI™ Extender JVAW53




Wireless Display HDMI™ 4K@60 & USB™ Extender JVAW59 4K



Wireless Display HDMI™ & USB™ Extender JVAW50



Wireless Extender for USB™ Cameras JVW120









Docking Stations

Docking Station Comparison

4K60 Elite Mini Dock Comparison

Mini Docks






				
Model No.	JCD552	JCD543	JCD542	JCD533
Name	M.2 NVMe™ USB-C® Gen 2 Docking Station	USB-C™ Triple Display Docking Station	USB-C® Dual HDMI™ Docking Station	USB-C® 4K HDMI™ Docking Station with Power Delivery
Features	11-in-1 Functions M.2 NVMe™, Dual 4K60	13-in-1 Functions Triple display	10-in-1 Functions Dual display	9-in-1 Functions Single display
Display	4K60 Hz HDMI™ x 1 4K60 Hz DisplayPort™ x 1	4K HDMI™ x 1 4K DisplayPort™ / HDMI™ x 1 1080p VGA x 1	4K HDMI™ x 1 2K HDMI™ x 1	4K HDMI™ x 1
M.2 NVMe™	M.2 NVMe™ SSD Slot x 1			
USB™ Type-A	10Gbps x 2 5Gbps x 1	5Gbps x 2 5Gbps with BC 1.2 x 1	5Gbps x 3	5Gbps x 3
USB-C®	10Gbps x 1	5Gbps x 1		
Ethernet	●	●	●	●
SD™ & microSD™	●	●	●	●
PD Pass Through	●	●	●	●
Audio		3.5 mm combo audio jack	3.5 mm combo audio jack	3.5 mm combo audio jack
Security Lock	●		●	●

				
Model No.	JCD397	JCD393	JCD392	JCD391
Name	USB-C® Triple-Monitor 10Gbps Mini Dock	USB-C® 10Gbps Mini Dock	USB-C® 10Gbps Travel Dock	USB-C® PD Multi-Port Adapter
Features	11-in-1 Functions MST Triple 4K Display SuperSpeed+ 10Gbps	9-in-1 Functions 4K60, SuperSpeed + 10 Gbps	6-in-1 Functions 4K60, SuperSpeed +10Gbps	5-in-1 Functions 4K60, Works with Chromebook™ Certified
Display	4K60 Hz HDMI™ x 2 4K60 Hz DisplayPort™ x 1 <i>*Supports dual 4K60 or triple 4K30</i>	4K60 Hz HDMI™ x 1	4K60 Hz HDMI™ x 1	4K60 Hz HDMI™ x 1
USB™ Type-A	10Gbps x 2	10Gbps x 2	10Gbps x 2	5Gbps x 2
USB-C®	10Gbps x 1 5Gbps with PD pass through x 1	10Gbps x 1 5Gbps with PD pass through x 1	10Gbps with PD pass through x 1	PD pass through x 1
Ethernet	●	●	●	●
SD™ & microSD™	●	●		
PD Pass Through	●	●	●	●



VIDEO CAPTURE

Video Capture Comparison

					
Model No.	JVA14	JVA11	JVA06	JVA02	JVA01
Name	4K Gaming/Live Capture Station	A Compact 4K Capture Device	Capture 2 Channels Simultaneously	Easily Switch to 3 Different Audio Modes	A Unique USB-C® Hub With Video Capture Function
Video Capture	4K30 fps	4K30 fps	1080p60 fps	1080p60 fps	1080p30 fps
HDMI™ Input	1	1	2	1	1
Video Pass Through	HDMI™ 4K60 HDR		HDMI™ 1080p60		
PD Pass Through	Up to 60W		Up to 60W	Up to 60W	Up to 60W
HDMI™ Display					4K @ 30

Webcam Comparison

WEBCAMS

						
Model No.	Model: JVU250	Model: JVU300	Model: JVU430	Model: JVCU435	Model: JVCU360	Model: JVU368
Feature	Conference/ Document Webcam With Auto/Manual Focus	AI-Powered Webcam with Wireless Mic	4K ULTRA HD Webcam	4K ULTRA HD Webcam with 5x Digital Zoom Remote Control	360° All Around Webcam	360° All Around Webcam with Speakerphone
Resolution	1080p30 Hz	2K60 Hz	4K30 Hz 1080p60 Hz	4K30 Hz	1080p30 Hz	1080p30 Hz
AI		Smart Tracking Auto Framing				Smart Tracking Auto Framing
Display FOV	83.3°	87.6°	94°	70°	1. Full screen mode: 2 - 180° (H), 53° (V) 2. 360° all around view mode: 360° (H), 53° (V) 3. Host mode: 360° (H), 120° (H), 53° (V) 4. Dual host mode: 360° (H), 60° (H), 53° (V) 5. Single view mode: 98° (H), 58.5° (V) 6. Wide angle view mode: 120° (H), 88.6° (V)	1. Full screen mode: 2 - 180° (H), 51.1° (V) 2. Host mode: 119.5° (H), 51.1° (V) 3. Dual Host mode: 59.7° (H), 50° (V) 4. Three speakers Mode: 64.1° (H), 48.5° (V), 83.8° (H), 47.1° (V) 5. 360° All Around View Mode: * Zoom in/out 3.6X 360° (H) ~ 25.5° (H) 6. Single view mode: * Zoom in/out 2.75X 119.1° (H) ~ 61.4° (H) adjustable, 84.6° (V) ~ 37.4° (V) adjustable
Privacy Cover	●	●	●	●		
Focus	Auto/Manual	Auto/Manual	Fixed	Fixed	Fixed	Fixed

Google, Chromebook, Android, Google Meet, and Chrome OS are trademarks of Google LLC, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Bluetooth is a trademark of Bluetooth SIG, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. USB, USB-C, and USB4 are trademarks of USB Implementers Forum, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Windows, Microsoft, Teams, and Skype are trademarks of Microsoft Corp., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. macOS, iOS, Mac, iPadOS, iPad Pro, MacBook Pro, MacBook Air, iPhone, iPad, iPod, MagSafe, and Apple are trademarks of Apple Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. HDMI is a trademark of HDMI Licensing Administrator, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Intel and Thunderbolt are trademarks of Intel Corporation, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Nintendo Switch is a trademark of Nintendo of America, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Discord is a trademark of Discord Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Amazon Chrome is a trademark of Amazon Services LLC, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. BlueJeans is a trademark of Blue Jeans Network, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Cisco is trademarks of Cisco Systems, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Facebook is a trademark of Facebook, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. GoToMeeting is a trademark of LogMeIn, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Slack is a trademark of Slack Technologies, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Zoom is a trademark of Zoom Video Communications, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Steam Deck is a trademark of Valve Corporation, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. NVMe is a trademark of NVM Express Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. DP and DisplayPort are trademarks of Video Electronics Standards Association, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. SD and microSD are trademarks of SD-3, LLC, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Linux is a trademark of The Linux Foundation, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and/or names or their products and are the property of their respective owners. All company, product and service names used are for identification purposes only. Use of these names, logos, and brands does not imply endorsement. We disclaim any interest in the marks of others.