j5create®

ASIA +886-2-2269-5533

EUROPE +31 10 798-6117

AMERICAS +1 (888) 988-0488

2022 **WORK** SMARTER

j5create®

j5create.com: 🌐 sales@j5create.com: 🖂

KaiJet Technology International Limited, Inc.

Quality in Every Detail

Docking Stations / Display Adapters Monitor Stands / Networking / USB[™] Hubs Chargers / Cables / Video Capture Mobile Accessories / Webcams Wireless Display / Enterprise & Education





WE DEVELOP. WE INNOVATE. WE CREATE.

j5create is a team that has come together from a diverse set of backgrounds to make technologies more meaningful and inclusive. We design, build, sell, and support innovative technology. We find creative ways to apply new technologies to provide computing solutions.



QUALITY IN EVERY DETAIL



In collaboration with the suppliers of top PC manufacturers, we create our high-performance products by using premium components and materials.



COMMITMENT TO QUALITY

From concept generation through software and hardware development, and end-product design to production, we're involved in every stage of the vertical integration process.



We aim to elevate your computing experience to be more productive, more efficient, and more convenient. Worldwide safety certification

In-house R & D team, in-house product design team and U.S. based customer service team

j5create is committed to customer satisfaction. We have a dedicated U.S. based technical support team waiting to assist you. We strive to stay ahead of ever changing technological needs through continuous improvements and suggestions from you.

j5create has strategic partnerships and locations conveniently located worldwide to streamline all of our processes including sales, support, and service. You can see a global list of where to purchase our products on our website at www.j5create.com. We are always just an email, live chat or phone call away, so feel free to contact us with any questions, concerns or comments.

GLOBAL STRATEGIC LOCATIONS



U.S. Based Customer Care 🧳 Made in Taiwan 🛛 😴 Limited Product Warranty 🖤 Top-Selling Brand

Safety and protection for your devices



OVP (Overvoltage) Limits output voltage



OCP (Overcurrent) Limits the current flow



SCP (Short Circuit Protection) Protects your device against short circuits



Regulates the internal temperature



Sales : sale@j5create.com Support: service@j5create.com Phone:+1-888-689-4088

Canada

Sales: sales@j5create.com Support: service@j5create.com Phone: +604-265-3568

Europe

Sales: sales@j5create.com Support: service@j5create.com Phone: NL | +31 (0)107 98 61 17 UK | +44-161-302-2230 ES | +34-935-22 25 76

Taiwan

Sales: sales@j5create.com Support: service.tw@j5create.com

Toll Free : 888-988-0488 Sales : sales@j5create.com Customer Service / Support : service@j5create.com

Bluetooth[®] / USB[™] Conference Speakerphone

• Features

JSS820

 Built-in 360° omnidirectional microphone Portable design with battery • Bluetooth™ /USB™ connection

- Crystal clear high-quality sound
- Digital signal processing technologies:
- Acoustic echo cancellation
- Noise reduction
- Auto Gain Control





Four omnidirectional microphones and 5W speaker



Rotation

0



Horizonta Perspective

0 0

Touch Contro

360° All Around Webcam with Speakerphone **JVU368**

• Features

• 360° video conferencing camera with remote control Built-in omnidirectional speakerphone Advanced Acoustic Echo Cancellation (AEC) technology Automatic Gain Control (AGC) function Automatic Noise Reduction (ANR) reduces background noise • Six display modes deliver exceptional viewing angles with flexibility and versatility • Full HD 1080p video playback @ 30 Hz

5create

ScreenWave[™] **Wireless Presentation System**

• Features

JWR1000

• Specifications

LOGOTYPE

15% Your Title Nam pretium turpis et arcu. Duis arcu tortor, suscipit eget imperdiet nec, imperdiet

15% Your Title Nam protium turpis et arcu. Nuis arcu tortor, suscipit eget imperdiet nec, imperdiet

50

Wireless Camera Extender

JVW120

Features

Your Title

Proin efficitur ornar

risus maximus ne

turpis, vel pulvinar

Your Title

Proin efficitur ornare

turpis, vel pulvinar

risus maximus nec

Your Title

turpis, vel pulvinar

Lorem ipsum dolor sit amet sit amet sit amet sit amet

A LOCAL DRIVE

Your Title

turpis, vel pulvinar

Proin efficitur ornare Proin efficitur ornare

 Low-latency audio and video transmission via USB™ • Converts a wired USB[™] webcam to a wireless one • Provides support for webcams with microphones • Wireless transmission distance can reach up to 82 ft. (25m) Built-in 5 GHz ensures a stable connection • Supports H.264 and MJPEG video formats

Compatible with Windows®, macOS®, Chrome OS™, and Android™



2022 NEW ARRIVALS

USB4[™] Dual 4K Multi-Port Hub & Docking Station Featuring Intel[®] USB4[™] Controller

USB-C[®] to HDMI[™] 2.1 8K Cable & Adapter





2022 NEW ARRIVALS

Audio Gaming Mixer Adapter

JAM01



Mode

Smartphone

-0

Headphone

wormholeswitch

USB[™] Transfer Cable and Video Switch

JUC502



• Features

• Supports keyboard, mouse, clipboard and file sharing across two Windows® devices • Provides both a Full Screen or Picture-in-Picture (PIP) window when using Duplicate Mode while video sharing

• Screen will rotate and resize automatically to fit the screen and adjust to the current rotation of the second device when using Extended Mode while video sharing

Supports multi-touch and USI pen for Windows® touch screen devices







• Features

- Designed to playback audio from a Nintendo Switch[™] while simultaneously calling a smartphone
- Bluetooth[®] connection for mobile phone


• Specifications

- Audio : CTIA / OMTP
- Bluetooth® 5.0
- USB™ Audio : USB™ 2.0 Stereo 48K

-0

USB-C®





Three different modes



• Includes

USB-C[®] to Type-A Adapter



DATA

Drag and Drop





DOCKING STATIONS












USB[™] Type-A P.19



STANDS









Ethernet Adapters USB-C[®] P.20

NETWORKING

Ethernet Adapters USB™ Type-A P.20









USB-C[®] P.18



Docking Stations

Docking Station for Chromebook™ **JCD547**







12












Multi-Angle Laptop Stand **JTS127**





Stands


Multi-Angle iPad Pro® Stand with **Docking Station JTS224**











Mini Docks





8K @ 60 Hz (JDC43) 4K @ 60 Hz (JDC42) * Length: 1.8m (JDC42)/2m (JDC43)



* Supports USB™ audio

8K DP™

* Easily transform your VGA device into an HDMI[™] connection

JDA214

HDMI™

Networking

JUE130

(=)

10/100/1000 Mbps Etherne

Ethernet Adapters | USB-C®

USB-C[®] to 2.5 Gigabit USB-C[®] to 5 Gigabit **Ethernet Adapter JCE145**

* Quickly add a 2.5G/1G/100M Ethernet port

- * Supports USB[™] 3.1, 3.0, 2.0 and 1.1
- * USB™ bus-powered
- * USB-C[®] port





5G/2.5G/ Ethernet

1G/100 Mbps

Ethernet Adapter

* Quickly add a 5G/2.5G/1G/100M Ethernet port

* Supports USB[™] 3.1, 3.0, 2.0 and 1.1

JCE150

* USB[™] bus-powered

* USB-C[®] port

Ethernet Adapters | USB[™]Type-A

USB[™] to **Ethernet Adapters**

* Quickly add a 10/100 Mbps or Gigabit Ethernet port

- * USB™ 3.0/2.0 plug-and-play
- * USB™ bus-powered
- * Windows[®]/Mac[®]/Linux[®]/Chrome OS[™] compatible

USB-C® to Gigabit Ethernet Adapter JCE133G


• Quickly add a Gigabit Ethernet port over USB-C® • USB[™] 3.1 and backwards compatible with USB[™] 2.0/1.1 • USB™ bus-powered Compatible with Windows® and macOS®











JUE125


10/100 Mbps Ethernet



USB-C®

USB-C® 4-Port HUB JCH343






* USB[™] Type-A 3.0 SD[™]/microSD[™] slots for external memory card up to 2 TB * HDMI[™] resolutions up to 4K @ 30 Hz (JCH451) * VGA resolutions up to 1920 x 1200 @ 60 Hz

T
















Compact Wireless Keyboard and Mouse for Chrome OS™





Full-Size Wireless Keyboard



iple File haring	


	S. S.	24	
Model	JUC501	JUC500	JUC400
Interface	USB™ 3.0 A+C	USB™ 3.0	USB™ 2.0
Operating system	Win® to Win® Win® to Mac® Mac® to Mac®	Win® to Win® Win® to Mac® Mac® to Mac®	Win® to Win® Win® to Mac® Mac® to Mac®
Functions for the keyboard	l and mouse sharin	g	
Keyboard and mouse sharing between two devices	Yes	Yes	Yes
Hotkey Switch [Alt+S]	Yes	Yes	Yes
Keyboard sharing	Yes	Yes	Yes
Clipboard sharing			
Text sharing	Yes	Yes	Yes
Photo sharing	Yes	Yes	Yes
Data transfer			
Duplicate / Paste	Yes	Yes	Yes
Drag and Drop	Yes	Yes	Yes
Data transfer management software (File Shuttle)	Yes	Yes	













Speakerphone **JSS810**





Webcam Model: JVCU360



BC



AWARD winner 2021 reddot winner 2021

28



Ultra-Low Up to Latency 200 ft (60m)

HDMI[™] & USB[™] Extender

60

Wireless Display

Ultra-Low Latency

JVAW50

Up to 200 ft (60m)



Docking Stations

Model No.	JCD552	JCD543	JCD542	JCD533	Model No.	JCD397	JCD	
Name	M.2 NVMe™ USB-C® Gen 2 Docking Station	USB-C™ Triple Display Docking Station	USB-C [®] Dual HDMI™ Docking Station	USB-C [®] 4K HDMI [™] Docking Station with Power Delivery	Name	USB-C® Triple-Monitor 10Gbps Mini Dock	USB-C® Mini	
Features	11-in-1 Functions M.2 NVMe™, Dual 4K60	13-in-1 Functions Triple display	10-in-1 Functions Dual display	9-in-1 Functions Single display	Features	11-in-1 Functions MST Triple 4K Display	9-in-1 F 4K	
Display	4K@60Hz HDMI™ x 1 4K@60Hz DisplayPort™ x 1	4K HDMI™ x 1 4K DisplayPort™ / HDMI™ x 1 1080p VGA x 1	4K HDMI™ x 1 2K HDMI™ x 1	4K HDMI™ x 1		SuperSpeed+ 10Gbps 4K@60 Hz HDMI™ x 2	SuperSpee	
M.2 NVMe™	M.2 NVMe™ SSD Slot x 1				Display	4K@60 Hz DisplayPort [™] x 1 *Supports dual 4K60 or MST triple 4K30	4K@60 Hz	
USB™Type-A	10Gbps x 2 5Gbps x 1	5Gbps x 2 5Gbps with BC 1.2 x 1	5Gbps x 3	5Gbps x 3				
USB-C™	10Gbps x 1	5Gbps x 1			USB™Type-A	10Gbps x 2	10Gb	
Ethernet	•	•	•	•	USB-C®	10Gbps x 1	10Gb	
SD™& microSD™	•	•	•	•	USB-C ³	5Gbps with PD pass through x 1	1 5Gbps with PD	
PD Pass Through	•	•	•	•	Ethernet	•		
Audio		3.5 mm combo audio jack	3.5 mm combo audio jack	3.5 mm combo audio jack	SD™& microSD™	•		
Security Lock	•			•	PD Pass Through	•		

Mini Docks

		and the second
JCD393	JCD392	JCD391
USB-C [®] 10Gbps Mini Dock	USB-C® 10Gbps Travel Dock	USB-C® PD Multi-Port Adapter
9-in-1 Functions 4K60, SuperSpeed + 10 Gbps	6-in-1 Functions 4K60, SuperSpeed +10Gbps	5-in-1 Functions 4K60 Works with Chromebook Certified
4K @ 60 Hz HDMI™ x 1	4K @ 60 Hz HDMI™ x 1	4K@60 Hz HDMI™x 1
10Gbps x 2	10Gbps x 2	5Gbps x 2
10Gbps x 1 Gbps with PD pass through x 1	10Gbps with PD pass through x 1	
٠	•	•
٠		
٠	•	•



CAPTURE

JVA06 Dual HDMI™ Video Capture 1080p@60	JVA02 Live Capture Adapter 1080p @ 60	JVA01 Video Capture USB™ Hub	Model No. Feature Resolution	Model: JVCU100 F/2.4 aperture lens and high-sensitivity image sensor 1080p	Model: JVCU360 360° video camera with omnidirectional microphone	Model: JVCU435 Includes remote control for 5x digital zoom & ePTZ	JVU430 Offering up to 60 FPS for videos with no motion artifacts.
Video Capture		USB™ Hub		high-sensitivity image sensor	omnidirectional microphone		
1080p@60	1080p @ 60		Resolution	1080p			1
1080p@60	1080p @ 60			· ·	1080p	4K	4К
		1080p @ 30	Maximum Refresh Rate	30 Hz	30 Hz	30 Hz	1080p @ 60 Hz, 4K @ 30 Hz
2	1	1	Display FOV	000	360° (H), 53° (V) 3. Host mode:		070
R HDMI™ 1080p@60			Display FOV	82*	4. Dual host mode: 360° (H) , 60° (H), 53° (V) 5. Single view mode: 98° (H), 58.5° (V) 6. Wide angle view mode: 120° (H), 88.6° (V)	/0°	87°
Up to 60W	Up to 60W	Up to 60W	Privacy Cover			•	•
			Microphone	Single	Omnidirectional microphone	Dual	Dual
	PR HDMI™ 1080p @ 60	OR HDMI [™] 1080p @ 60	NR HDMI [™] 1080p @ 60	NR HDMI™ 1080p @ 60 Up to 60W Up to 60W Up to 60W Up to 60W 4K @ 30	Image: Imag	2 1 1 pR HDMI [™] 1080p @ 60 Image: Comparison of the second comparison	2 1 1 yR HDMI ^M 1080p @ 60 Image: Constraint of the constraint of