

# AUTURE

A R O M A T I C S

3500 Ridgeway Dr | Unit 8-9 | Mississauga | ON | L5L 0B4 | Canada | 1 (855) 833 1313

## CERTIFICATE OF ANALYSIS

COA Revision Date:

4th July 2021

PRODUCT CODE	DESCRIPTION	LOT NUMBER	EXPIRY DATE
I-BEESWAXWHTS	BEESWAX WHITE SLABS (USA)	2023022100304	February 19, 2023

PRODUCT PROPERTIES	SPECIFICATION		LAB RESULTS
	<b>Min</b>	<b>Max</b>	
MELTING POINT	62° C	65° C	65° C
ACID VALUE	17 mg KOH/g	24 mg KOH/g	18.1
ESTER VALUE	72 mg KOH/g	79 mg KOH/g	75
SPONIFICATION	<65° C		COMPLIES
TESTS FOR FATTY ACIDS	NEGATIVE		COMPLIES
COLOR	WHITE TO OFF WHITE		PASSES

### Disclaimer:

This COA is solely designed as guidance to use this product. The information above is believed to be accurate and represents the best information extracted from others work and our own study. Information is subject to change at any time without further notice. We make no warranty of merchantability or any other warranty, express or implied, with respect to this information, and we assume no liability resulting from use of this product. Users are encouraged to make their own investigations to determine the suitability of the information for their particular purposes. In no circumstances shall Sanital Chemical Labs be liable for any claims, losses, or damages of any third party.