

AIJURE

A R O M A T I C S

3500 Ridgeway Dr | Unit 8-9 | Mississauga | ON | L5L 0B4 | Canada | 1 (855) 833 1313

CERTIFICATE OF ANALYSIS

COA Revision Date:

15th August 2021

PRODUCT CODE	DESCRIPTION	LOT NUMBER	EXPIRY DATE
I-CLEMENTINE	CLEMENTINE ESSENTIAL OIL	202302211164	February 27, 2023

PRODUCT PROPERTIES	SPECIFICATION		LAB RESULTS
	Min	Max	
APPEARANCE	LIQUID		COMPLIES
COLOR	LIGHT YELLOW TO DARK ORANGE		COMPLIES
ODOUR	FRESH ORANGE MANDARIN		COMPLIES
REFRACTIVE INDEX AT 20 ° C	1.47	1.476	COMPLIES
SPECIFIC GRAVITY AT 20° C	87°	97°	COMPLIES
OPTICAL ROTATION 20° C	0.840	0.854	COMPLIES

Disclaimer:

This COA is solely designed as guidance to use this product. The information above is believed to be accurate and represents the best information extracted from others work and our own study. Information is subject to change at any time without further notice. We make no warranty of merchantability or any other warranty, express or implied, with respect to this information, and we assume no liability resulting from use of this product. Users are encouraged to make their own investigations to determine the suitability of the information for their particular purposes. In no circumstances shall Sanital Chemical Labs be liable for any claims, losses, or damages of any third party.