

AJURE

A R O M A T I C S

3500 Ridgeway Dr | Unit 8-9 | Mississauga | ON | L5L 0B4 | Canada | 1 (855) 833 1313

CERTIFICATE OF ANALYSIS

COA Revision Date:

24th July 2021

PRODUCT CODE	DESCRIPTION	LOT NUMBER	EXPIRY DATE
I-LEMONSLC	LEMON (SILICY) ESSENTIAL OIL	202302C211181	February 23, 2023

PRODUCT PROPERTIES	SPECIFICATION		LAB RESULTS
	Min	Max	
APPEARANCE AND COLOR	YELLOW GREENISH LIQUID		COMPLIES
ODOUR	STANDARD		COMPLIES
SOLUBILITY	INSOLUBLE IN WATER		COMPLIES
INITIAL BOILING POINT	N/A	N/A	175°C
FLASH POINT	N/A	N/A	53°C
VAPOUR DENSITY	0.009	0.015	0.012
RELATIVE DENSITY	0.848	0.856	COMPLIES

Disclaimer:

This COA is solely designed as guidance to use this product. The information above is believed to be accurate and represents the best information extracted from others work and our own study. Information is subject to change at any time without further notice. We make no warranty of merchantability or any other warranty, express or implied, with respect to this information, and we assume no liability resulting from use of this product. Users are encouraged to make their own investigations to determine the suitability of the information for their particular purposes. In no circumstances shall Sanital Chemical Labs be liable for any claims, losses, or damages of any third party.