

# AJURE

A R O M A T I C S

3500 Ridgeway Dr | Unit 8-9 | Mississauga | ON | L5L 0B4 | Canada | 1 (855) 833 1313

## CERTIFICATE OF ANALYSIS

COA Revision Date:

18th August 2021

PRODUCT CODE	DESCRIPTION	LOT NUMBER	EXPIRY DATE
I-LITSEACUBEBA	LITSEA CUBEBA ESSENTAIL OIL	202210RA2010144	October 13, 2022

PRODUCT PROPERTIES	SPECIFICATION		LAB RESULTS
	Min	Max	
APPEARANCE	LIQUID		COMPLIES
COLOR	LIGHT YELLOW TO LIGHT BROWN		COMPLIES
ODOUR	LEMON LIKE		COMPLIES
REFRACTIVE INDEX AT 20 ° C	1.48	1.49	COMPLIES
RELATIVE DENSITY AT 20 ° C	0.88	0.905	COMPLIES
TOTAL ALDEHYDE CONTENT		65%	COMPLIES
CARYOPHYIENE CONTENT	2%		COMPLIES

### Disclaimer:

This COA is solely designed as guidance to use this product. The information above is believed to be accurate and represents the best information extracted from others work and our own study. Information is subject to change at any time without further notice. We make no warranty of merchantability or any other warranty, express or implied, with respect to this information, and we assume no liability resulting from use of this product. Users are encouraged to make their own investigations to determine the suitability of the information for their particular purposes. In no circumstances shall Sanital Chemical Labs be liable for any claims, losses, or damages of any third party.