

SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product Identifier

Product Form: Epoxy Resin

Substance Name: PRO GLAS 1000 CLEAR COAT CLEAR EPOXY RESIN A SIDE

Product Code(s): 100320108, 100320109, 100320108, 100320110, 100320111, 100320113,

100320115 Synonyms:

1.2 Details of the Supplier of the Safety Data Sheet

Distributor:

Fiberlay Inc.

1468 Northgate Blvd Sarasota, FL 34234 T 206-782-0660 F 888-782-0662

www.Fiberlay.com

1.3 Emergency Telephone Number

Emergency Number: CHEMTREC: Domestic - 800-424-9300

PREMILIM EDOXY RESIN SYSTEMS

2. HAZARDS IDENTIFICATION

Classification of the substance

or : SKIN CORROSION/IRRITATION - Category 2

mixture SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A

SKIN SENSITIZATION - Category 1

SPECIFIC TARGET ORGAN TOXICITY (SINGLE

EXPOSURE)

[Respiratory tract irritation] - Category 3

GHS label elements

Hazard pictograms :

 \Diamond

Signal word : Warning

Hazard statements : H315 Causes skin irritation.

H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

Precautionary statements

General : Not applicable.

Prevention

Wear protective gloves.

Wear eye or face protection.

Use only outdoors or in a well-ventilated area.

Avoid breathing vapor.

Wash hands thoroughly after handling.

Contaminated work clothing should not be allowed out of the

workplace.

Response

IF INHALED:

Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Call a POISON CENTER or physician if you feel unwell.

IF ON SKIN:

Wash with plenty of soap and water. Take off contaminated clothing.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs:

Get medical attention.

IF IN EYES:

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

If eye irritation persists:

Get medical attention.

Storage

Store locked up.

Disposal

Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Other hazards which do not

result

None known.

in classification

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance/mixture : Mixture

Ingredient name	% by weight	CAS number
4,4'-Isopropylidenediphenol-Epichlorohydrin Copolymer	100	25068-38-6

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

4. FIRST AID MEASURES

Description of necessary first aid measures:

Eye contact

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention

Inhalation: Remove victim to fresh air and keep at rest in a position

> comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-tomouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in

recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a

collar, tie, belt or waistband.

Skin contact: Wash with plenty of soap and water. Remove contaminated

> clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further

exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion:

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt

or waistband.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician: Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or

inhaled.

Specific treatments: No specific treatment.

PREMIUM EPO

Protection of first aid personnel: No action shall be taken involving any personal risk or

without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask

or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-tomouth resuscitation. Wash contaminated clothing

thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

5. FIRE FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media:

Use an extinguishing agent suitable for the surrounding

fire.

Unsuitable extinguishing media: None known.

Specific hazards arising from the chemical: In a fire or if heated, a pressure increase will occur and

the container may burst.

Hazardous thermal decomposition

products:

Decomposition products may include the following

materials:

carbon dioxide carbon monoxide

halogenated compounds

Special protective actions for fire- fighters: Promptly isolate the scene by removing all persons from

the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

training.

Special protective equipment for fire-fire-

fighters:

Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures TEMS

Small spill: Stop leak if without risk. Move containers from spill area.

Dilute with water and mop up if water-soluble.

Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal

contractor.

Large spill: Stop leak if without risk. Move containers from spill area.

Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or

proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth,

combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in

container for disposal according to local regulations (see section 13 of SDS). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 of SDS for emergency contact information

and section 13 of SDS for waste disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Protective measures:

Put on appropriate personal protective equipment (see section 8 of SDS). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.



8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Occupational exposure limits: None

Recommended monitoring procedures: If this product contains ingredients with exposure limits,

personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be

required.

Appropriate engineering controls: Use only with adequate ventilation. If user operations

generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering

controls to keep worker exposure to airborne

contaminants below any recommended or statutory limits.

Environmental exposure controls: Emissions from ventilation or work process equipment

should be checked to ensure they comply with the

requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures: Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that

eyewash stations and safety showers are close to the workstation location.

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash

goggles.

Skin protection

Eye/face protection:

Hand protection:

Body protection:

Other skin protection:

PREMIUM EPOX

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before

handling this product.

Appropriate footwear and any additional skin protection

measures should be selected based on the task being performed and the risks involved and should be approved

by a specialist before handling this product.

Respiratory protection:Use a properly fitted, air-purifying or air-fed respirator

complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state: Viscous liquid.

Color: Clear.

Odor:

Odor threshold:

PH:

Not available

Not available

Not available

Not available

Not available

Not available

Solling point/ Freezing point:

Not available

Not available

Not available

Flash point: Pensky-Martens Closed Cup: 251 °C (483.80 °F) (ASTM

D 93)

Burning time:Not availableBurning rate:Not availableEvaporation rate:Not availableFlammability (solid, gas):Not available

Lower and upper explosive (flammable) limits: Lower: Not available Upper: Not available

Vapor pressure: 0.03 mbar @ 77 °C (170.60 °F)

Vapor density: Not available

Relative density: 1.17

Solubility:

Solubility in water:

Partition coefficient: n- octanol/water:

Auto-ignition temperature:

Decomposition temperature:

Not available

Not available

Not available

Not available

Not available

Viscosity: Dynamic: Not available
Kinematic: Not available

Other information: No additional information.

10. STABILITY AND REACTIVITY

Reactivity: Stable under normal conditions.

Chemical stability: The product is stable.

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous

reactions will not occur.

Conditions to avoid: Extremes of temperature and direct sunlight.

Incompatible materials: Reactive or incompatible with the following materials:

aliphatic amines, strong oxidizing agents, strong acids,

Hazardous decomposition products: Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

Other hazards: Reacts with considerable heat release with some curing

agents.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
4,4'-Isopropylidenediphenol-	Epichlorohydrin	Copolymer		
LD50) Oral		Rat	
LD50) Dermal	Rat		2,000 mg/kg

Conclusion/Summary: Not available

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
4,4'-Isopropylidenediphenol- Epichlorohydrin Copolymer	Skin - Erythema/E schar 404 Acute Dermal Irritation / Corrosion	Rabbit	1.5 - 2		-
	Skin - Edema 404 Acute Dermal Irritation / Corrosion	Rabbit	1.0 - 1.5		-
	Eyes - Acute Eye 405 Irritation / Corrosion	Rabbit	0		-
	Eyes - Redness of the conjunctivae	Rabbit	0.7		-
OF	Skin - Moderate irritant	Rabbit	Λ	24 hrs	Ī
-H	Skin - Severe irritant	Rabbit	A	24 hrs	-
PREMIL	Eyes - Mild irritant XX RE	Rabbit	YSTE	MS	-

_				10		
(·	nη	\sim 111	ICIA	n/Si	ımı	narv
v	vii	CIU	JOIO	11/0	41111	ııaı v

Skin:Not availableEyes:Not availableRespiratory:Not available

Sensitization

Conclusion/Summary

Skin:Not availableRespiratory:Not available

Mutagenicity

Conclusion/Summary: Not available

Carcinogenicity

Conclusion/Summary: Not available

Reproductive toxicity

Product/ingredient name	Maternal Toxicity	Fertility	Development Toxin	Species	Dose	Exposure
4,4'-	-	-	-	-	-	-

Isopropylidenediphenol -Epichlorohydrin Copolymer						
Remarks:	No adverse reproductive effects were observed in an O.E.C.D. Test Guideline no. 416 GLP two- generation rat oral gavage study conducted up to a high dose level of 750 mg/kg/day that resulted in adult body weight decrements.					

Conclusion/Summary: Not available

Teratogenicity

Conclusion/Summary: Not available

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of	Target Organs
		Exposure	
4,4'-Isopropylidenediphenol- Epichlorohydrin	3		Respiratory tract irritation
Copolymer			

Specific target organ toxicity (repeated exposure): Not available

Aspiration hazard: Not available

Information on the likely routes of exposure: Not available

Potential acute health effects

Eye contact: Adverse symptoms may include the following: pain or

pp = MIII IM = pp // riritation watering redness

Inhalation: Adverse symptoms may include the following:

respiratory tract irritation coughing

Skin contact: Adverse symptoms may include the following:

irritation redness

Ingestion: No specific data.

<u>Delayed and immediate effects and also chronic effects from short and long term exposure Short term</u> exposure

Potential immediate effects:

Not available
Potential delayed effects:

Not available

Long term exposure

Potential immediate effectsNot availablePotential delayed effectsNot available

Potential chronic health effects

Conclusion/Summary: Not available

General: Once sensitized, a severe allergic reaction may occur

when subsequently exposed to very low levels.

Carcinogenicity:No known significant effects or critical hazards.Mutagenicity:No known significant effects or critical hazards.Teratogenicity:No known significant effects or critical hazards.Developmental effects:No known significant effects or critical hazards.Fertility effects:No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates: Not available

12. ECOLOGICAL INFORMATION

Toxicity

Product/ingredient name	Species	Exposure			
reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)					
Acute LC50 1.3 mg/l - 203 Fish, Acute	Toxicity Test	Fish - Fish	96 h		
Acute EC50 2.1 mg/l - 202 Daphnia sp.	Acute	Aquatic invertebrates. Water flea	48 h		
Immobilization Test and Reproducti	on Test				
Acute NOEC 0.3 mg/l - 211 Daphnia Ma	agna	Aquatic invertebrates. Water flea	21 d		
Reproduction Test	-	·			
Acute LC50 > 11 mg/l -		Aquatic plants - Algae	72 h		

Conclusion/Summary: Not available

Persistence/degradability

Conclusion/Summary: Not available

Bioaccumulative potential UM EPOXY RESIN SYSTEMS

Product/ingredient name	LogPow	BCF	Potential
4,4'-Isopropylidenediphenol- Epichlorohydrin Copolymer	2.64 - 3.78	3 - 31 31.00	low

Mobility in soil

Soil/water partition coefficient (KOC): Not available

Other adverse effects: No known significant effects or critical hazards.

13. DISPOSAL CONSIDERATIONS

Disposal methods: The generation of waste should be avoided or

minimized wherever possible. Disposal of this product, solutions and any by-products should at all

times comply with the requirements of

environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-

recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling

is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. TRANSPORT INFORMATION

The data provided in this section is for information only and may not be specific to your package size or mode of transport. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

International transport regulations

Regulatory	UN/NA	Proper shipping name	Classes/*PG	Reportable
information	number			Quantity (RQ)

CFR Non-regulated

TDG Non-regulated

IMO/IMDG Non-regulated

IATA (Cargo) Non-regulated

*PG: Packing group

Special precautions for use:

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.'

15. REGULATORY INFORMATION

United States

U.S. Federal regulations : United States - TSCA 12(b) - Chemical export notification: None required.

United States - TSCA 5(a)2 - Final significant new use rules: Not

listed

PREMIUM EPOXY

United States - TSCA 5(a)2 - Proposed significant new use rules:

Not listed

United States - TSCA 5(e) - Substances consent order:

Not listed

<u>California Prop. 65:</u> :WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
Oxirane, 2-(phenoxymethyl)-	Yes.	No.	5 μg/day	5 μg/day

United States inventory (TSCA 8b):

All components are listed or exempted.

Canada

WHMIS (Canada) :Class D-2B: Material causing other toxic effects (Toxic).

None required.

Canadian lists

Canadian NPRI : None required.
CEPA Toxic

International regulations

substances

International lists : Australia inventory (AICS): All components are listed or exempted.

Canada inventory: All components are listed or

exempted.

Japan inventory: All components are listed or

exempted.

China inventory (IECSC): All components are listed or exempted.

Korea inventory: All components are listed or

exempted.

New Zealand Inventory (NZIoC): All components are listed or exempted. **Philippines inventory (PICCS):** All components are listed or exempted.

United States inventory (TSCA

8b): All components are listed or exempted.

Taiwan inventory (CSNN): All components are listed or exempted.

16. OTHER INFORMATION

Health: 2
Flammability: 1
Physical Hazards: 0



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDS(s) under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA).

HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

Full text of abbreviated H

statements

: Not applicable.

History

Date of printing 07/27/2015 Date of issue/Date of revision 09/17/2015 Date of previous issue 05/28/2014

Version 19.0

Prepared by **Product Safety Stewardship** Key to abbreviations ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and

Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention

of Pollution From

Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

RID = The Regulations concerning the International Carriage

of Dangerous Goods by

Rail

UN = United Nations

References Not available

Proglas believes the law requires us to inform you that detectable amounts of any of the listed chemicals might be present in Proglas products. Based on a review of the list, Proglas products, like all synthetic and naturally occurring chemical substances, may conceivably contain trace contaminants of some of the listed substances. While not necessarily added to our products as ingredients, some of the listed chemicals may be present in the raw materials as received from suppliers over which we have no control.

"Warning: This product may contain trace amounts of some chemicals considered by the State of California to be carcinogens or reproductive Toxicants."

Preparation Date: 1-3-2019 Prepared by: Kevin Aber

Comments: This Safety Data Sheet was prepared using information provided by Proglas