

## Certificate of Analysis

Triibe Organics

eduardooliver@tribe-organics.com

40 Exchange Place STE1602 New York, NY 10005

## Organic Lion's Mane

 Lot #:
 210389357

 Product ID:
 10389

 Lab Received Date:
 23 January 2023

 Lab Report Date:
 6 February 2023

 Product Size:
 120 capsules

 Serving Size:
 3 capsules

Country of Manufacture: USA Expiration: January 2025

Physical	Method	Specifications	Results	NOM	Status
Average Product Weight	USP <2091>	730mg ±10%	750.67	mg	PASS
Weight Variation	USP <2091>	Average Weight ±20%	Conforms	N/A	PASS
Fill Appearance	Organoleptic	Free-flowing Powder	Conforms	N/A	PASS
Color	Organoleptic	Light Brown	Conforms	N/A	PASS
Capsule Size	Gauge	"00"	Conforms	N/A	PASS
Capsule Color	Organoleptic	Clear	Conforms	N/A	PASS
Disintegration	USP <701>	≤30 min	<30	min	PASS
Microbiology	Method	Specifications	Results	UOM	Status
Total Aerobic Plate Count	AOAC 990.12	≤10,000 cfu/g	<10	cfu/g	PASS
Total Yeast and Mold	AOAC 997.02	≤10,000 cfu/g	8,000	cfu/g	PASS
Coliforms	AOAC 991.14	≤100 cfu/g	<10	cfu/g	PASS
Escherichia coli	AOAC 991.14	Absent	Absent	cfu/g	PASS
Salmonella	AOAC 2014.01	Absent	Absent	cfu/10g	PASS
Active Ingredients					
Organic Lion's Mane Extract	By Input	≥90% of 1800mg	1,851.00	mg	PASS
Inactive Ingredients:					

Organic Tapioca Maltodextrin and Organic Pullulan (Capsule)

\*All subcontract testing methods come from an ISO/IEC 17025:2017 accredited laboratory.

sis Completed by: Katherine Solis DP 06 Feb 23

QC Technician

Approved by: Sunil Kumar

Director of Quality

This product has been manufactured in accordance with all applicable local, state, and federal laws and regulations - including FDA 21CFR111 - and has been determined to meet its Finished Product Specifications (FPS) release criteria. This report is provided for the exclusive use of the addressee and the laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith. The above results relate only to the stated material. This includes any action of testing, calibrating, or sampling. This certificate shall not be reproduced except in full, without the written approval of Vitalpax.