

Certificate of Analysis

Triibe Organics

eduardooliver@tribe-organics.com

40 Exchange Place STE1602 New York, NY 10005

Ashwagandha KSM-66 90ct Capsule

Lot #: 210395354

Product ID: 10395

Lab Received Date: 13 January 2023

Lab Report Date: 18 January 2023

Product Size: 90 capsules

Serving Size: 2 capsules

Country of Manufacture: USA

Manufactured: January 2023

Expiration: January 2025

Physical	Method	Specifications	Results	NON	Status
Average Product Weight	USP <2091>	650mg ±10%	663	mg	PASS
Weight Variation	VP USP <2090>	Average Weight ±20%	Conforms	N/A	PASS
Fill Appearance	Organoleptic	Free-flowing Powder	Conforms	N/A	PASS
Color	Organoleptic	Brown	Conforms	N/A	PASS
Capsule Size	Gauge	"O"	Conforms	N/A	PASS
Capsule Color	Organoleptic	Clear	Conforms	N/A	PASS
Disintegration	USP <701>	≤30 min	<30	min	PASS
Microbiology	Method	Specifications	Results	NOM	Status
Total Aerobic Plate Count	AOAC 990.12	≤10,000,000 cfu/g	<10,000	cfu/g	PASS
Total Yeast and Mold	AOAC 997.02	≤100,000 cfu/g	<10	cfu/g	PASS
Coliforms	AOAC 991.14	≤10,000 cfu/g	Absent	cfu/g	PASS
Escherichia coli	AOAC 991.14	Absent	Absent	cfu/g	PASS
Salmonella	AOAC 2014.01	Absent	Absent	cfu/10a	PASS
Active Ingredients					
Organic Ashwagandha KSM-66	By Input	≥90% of 600mg	612	mg	PASS
Inactive Ingredients:					

Organic Tapioca Maltodextrin and Organic Pullulan (Capsule)

Analysis Completed by: Katherine Solis

QC Technician

19Jan 23

Approved by: Sunil Kumar Director of Quality

This product has been manufactured in accordance with all applicable local, state, and federal laws and regulations - including FDA 21CFR111 - and has been determined to meet its Finished Product Specifications (FPS) release criteria. This report is provided for the exclusive use of the addressee and the laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith. The above results relate only to the stated material. This includes any action of testing, calibrating, or sampling. This certificate shall not be reproduced except in full, without the written approval of Vitalpax.

^{*}All subcontract testing methods come from an ISO/IEC 17025:2017 accredited laboratory.