

Date: 22/03/2016



# SAFETY DATA SHEET SNAP'EM GEL - CHOCOLATE

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1 Product identifier

Product name SNAP'EM GEL - CHOCOLATE

Product No. SNAPG-CH

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

<u>Identified uses</u> Used for the attraction of rodent pests

REACH No. A registration number is not available for this substance

#### 1.3. Details of the supplier of the safety data sheet

Supplier Russell IPM Ltd

45 First Avenue

Deeside Industrial Park

Deeside Flintshire CH5 2NU

TEL: +44 (0) 1244 281333 FAX: +44 (0) 1244 281878 info@russellipm.com

## 1.4. Emergency telephone number

+44 (0) 1244 281333 9am

- 5pm GMT

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008) Flammable, Hazard Category 2

Eye Damage / Irritation Category 2 Sensitization - Skin Category 1 H225, Highly flammable.

H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. Classification under Directive 1999/45/EC Hazard symbols: F, Highly flammable.

Xi, Irritant.

#### 2.2. Label elements

<u>Contains</u> Hot melt SNAP'EM gel - Chocolate

<u>Labelling</u> None Signal word: Danger

Hazard statements: H225, Highly flammable liquid and vapour.

H317, May cause an allergic skin reaction. H319, Causes serious eye irritation.

Supplemental Information: None

Pictograms:





Page 2 of 12 Revision: 1

Date: 22/03/2016

# SAFETY DATA SHEET SNAP'EM GEL - CHOCOLATE

SDS compliant with CLP

# Precautionary Statements

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations. P210,

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P233, Keep container tightly closed.

P240, Ground/bond container and receiving equipment.

P241, Use explosion-proof electrical, ventilating and lighting equipment.

P242, Use only non-sparking tools.

P243, Take precautionary measures against static discharge.

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P280, Wear protective gloves/eye protection/face protection.

P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing.

Rinse skin with water/shower.

 ${\tt P305/351/338, IF\ IN\ EYES:\ Rinse\ cautiously\ with\ water\ for\ several\ minutes.\ Remove\ contact}$ 

lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P363, Wash contaminated clothing before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P403/235, Store in a well-ventilated place. Keep cool.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

#### 2.3. Other hazards

This product does not contain any PBT or vPvB substances. To avoid risk to man and the environment, comply with the instructions for use.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Mixtures

Substances with Community workplace exposure limits, not listed above:

Name	CAS	EC	REACH Registration No.	%	Classification for (DSD) 67/548/EEC	Classification for (CLP) 1272/2008
Ethanol	64-17-5	200-578-6		25-100%	F-Xi; R11-R36	FL 2-EDI 2;H225-H319,-
4-Hydroxy-3-methoxy- benzaldehyde	121-33-5	204-465-2		1-5%	Xi ; R43	SS 1;H317,-
Pentane-2,3-dione	600-14-6	209-984-8		0.1-1%	F-Xn; R11-R41-R43- R48/20	FL 2-EDI 1-SS 1B-STO-RE 2;H225-H317-H318-H373,-
Isovaleraldehyde	590-86-3	209-691-5		0.1-1%	F-Xi-N; R11-R36/38- R51/53	FL 2-EDI 2;H225-H319,-
Ethyl lactate	97-64-3	202-598-0		0.1-1%	Xi ; R37-R41	FL 3-EDI 1-STO-SE 3(RI); H226-H318-H335,-
Ethyl acetate	141-78-6	205-500-4		0.1-1%	F-Xi; R11-R36-R66-R67	FL 2-EDI 2-STO-SE 3(NE); H225-H319-H336,EUH066
2-Methylpropan-1-ol	78-83-1	201-148-0		<0.1%	Xi ; R10-R41-R67-R37/38	FL 3-SCI 2-EDI 1-STO-SE 3(RI)-STO-SE 3(NE);H226- H315-H318-H335-H336,-



SAFETY DATA SHEET SNAP'EM GEL - CHOCOLATE Page 3 of 12 Revision: 1

Date: 22/03/2016

Substances with Community workplace exposure limits, not listed above:

Name	CAS	EC	%
2-Methylpropan-1-ol	78-83-1	201-148-0	0.08%
Acetaldehyde	75-07-0	200-836-8	0.04%
Ethanol	64-17-5	200-578-6	0.007%
Ethanol	64-17-5	200-578-6	95.59%
Ethyl acetate	141-78-6	205-500-4	0.10%

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## **SECTION 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

General information

Remove victim to fresh air and keep at rest. If symptoms of irritation and/or sensitization occur seek medical advice/attention.

<u>Inhalation</u>

Remove to fresh air and keep at rest. Seek medical advice if symptoms persist.

<u>Skin</u>

Wash with soap and water. If skin irritation occurs, seek medical advice/attention.

Ingestion

Rinse mouth. Do not induce vomiting.

Eye contact

Rinse cautiously with water for several minutes. If irritation occurs, seek medical advice/attention.

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Not known.

Ingestion

Suspected of causing genetic defects (exposure route). Suspected of causing cancer (exposure route).

Skin contact

May cause an allergic skin reaction

Eye contact

Causes serious eye irritation.



Page 4 of 12 Revision: 1

Date: 22/03/2016

# SAFETY DATA SHEET SNAP'EM GEL - CHOCOLATE

SDS compliant with CLP

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

Extinguishing media

Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

None

Specific hazards

Dike and collect extinguishing water. Avoid releasing to the environment. Do not discharge into drains, watercourses or onto the ground.

#### 5.3. Advice for firefighters

Special Fire Fighting Procedures

In case of fire and/or explosion, do not breathe fumes

Protective equipment for fire fighters

Wear full protective clothing (EN 469). Self-contained breathing apparatus.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid inhalation. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate ventilation.

#### 6.2. Environmental precautions

Do not discharge into drains, watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of waste material in accordance with local or national regulations.

## 6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

## **SECTION 7: HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. The substance should be handled under conditions of good industrial hygiene and in conformity with any local regulations in order to avoid unnecessary exposure. The product is formulated using materials that is known to be non-toxic to humans, animals or plants. Appropriate protective equipment should be worn (vinyl, latex, polyethylene or other type of gloves) to reduce exposure.

## 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area. Protect from sunlight. Ideally.

#### 7.3. Specific end use(s)



Page 5 of 12 Revision: 1

Date: 22/03/2016

# SNAP'EM GEL - CHOCOLATE

SDS compliant with CLP

The identified uses for this product are detailed in Section 1.2.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## 8.1. Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description			Reference
2-Methylpropan-1-ol	78-83-1	201-148-	Long-term exposure limit (8-hour TWA reference period)	50	154	UK EH40 JUN 2012
			Short-term exposure limit (15-minute reference period)	75	231	UK EH40 JUN 2012
Acetaldehyde	75-07-0	200-836- 8	Long-term exposure limit (8-hour TWA reference period)	20	37	UK EH40 JUN 2012
			Short-term exposure limit (15-minute reference period)	50	92	UK EH40 JUN 2012
Ethanol	64-17-5	200-578- 6	Long-term exposure limit (8-hour TWA reference period)	1000	1920	UK EH40 JUN 2012
			Short-term exposure limit (15-minute reference period)	-	-	-
Ethanol	64-17-5	200-578- 6	Long-term exposure limit (8-hour TWA reference period)	1000	1920	UK EH40 JUN 2012
			Short-term exposure limit (15-minute reference period)	-	-	-
Ethyl acetate	141-78-6	205-500- 4	Long-term exposure limit (8-hour TWA reference period)	200	-	UK EH40 JUN 2012
			Short-term exposure limit (15-minute reference period)	400	-	UK EH40 JUN 2012

## **8.2 Exposure Controls**

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.



Page 6 of 12 Revision: 1

Date: 22/03/2016



# SNAP'EM GEL - CHOCOLATE

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Appearance Translucent brown gel

Odour Chocolate Initial boiling point and boiling range Not available. Melting point (°C) Not available. 0.8170 - 0.8290 Specific gravity Vapour density (air=1) Not available. Vapour pressure Not available. Evaporation rate Not available. pH-Value Not available. Not available. Viscosity

Solubility Value (G/100G H2O@20℃) Not soluble in water.

Decomposition temperature (°C) Not available. Odour Threshold, Lower Not available. Odour Threshold, Upper Not available.

20 ℃ Flash point

Auto Ignition Temperature (°C) Not available.

Flammability Limit - Lower(%) Flammable at temperatures over 100°C. Flammability Limit - Upper(%) Flammable at temperatures over 100°C.

Partition Coefficient (N-Octanol/Water) Not relevant Not available. Explosive properties Not available. Oxidising properties Not available. 9.2. Other information

## **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

#### 10.3. Possibility of hazardous reactions

Not anticipated.

**Hazardous Polymerisation** 

Will not polymerise

## 10.4. Conditions to avoid

Avoid exposure to high temperatures or direct sunlight. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking.

## 10.5. Incompatible materials

Materials to Avoid

Excessive temperature variations.

## 10.6. Hazardous decomposition products

None anticipated



Page 7 of 12 Revision: 1

Date: 22/03/2016

# SAFETY DATA SHEET SNAP'EM GEL - CHOCOLATE

'

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

Toxicological information

Classification according to CLP regulation (EC) 1272/2008.

May cause an allergic skin reaction.

Causes serious eye irritation.

Suspected of causing genetic defects (exposure route).

Suspected of causing cancer (exposure route).

Acute toxicity:

Acute Toxicity (Oral LD50)>5000Acute Toxicity (Dermal LD50)N/AAcute Toxicity (Inhalation LC50)N/ASkin Corrosion/Irritation:N/ASerious eye damage/irritation:N/A

Respiratory or skin sensitisation:

Skin sensitisation: N/A

Germ cell mutagenicity:
Genotoxicity - In Vitro
Calculation method.

Genotoxicity - In Vivo

Calculation method.

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive Toxicity:

Reproductive Toxicity - Fertility

Calculation method.

Based on available data the classification criteria are not met.

Calculation method.

Reproductive Toxicity - Development

Calculation method.

Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure:

STOT - Repeated exposure

Calculation method.

Based on available data the classification criteria are not met.

Aspiration hazard:

Calculation method.

Based on available data the classification criteria are not met.

#### **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

Classification according to CLP regulation (EC) 1272/2008.

Not available.

Ecological information on ingredients.



SDS compliant with CLP

Page 8 of 12 Revision: 1

Date: 22/03/2016

# SAFETY DATA SHEET SNAP'EM GEL - CHOCOLATE

Acute Toxicity - Fish

LC50 96 hours =N/A *Lepomis macrochirus* (Bluegill)

LC50 96 hours = N/A Onchorhynchus mykiss (Rainbow trout)

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours = N/A Daphnia magna

Acute Toxicity - Aquatic Plants

EbC50 96 hours = N/A Enedesmus subspicatus Chronic

Toxicity - Fish Early life Stage

NOEC 90 days = N/A Onchorhynchus mykiss (Rainbow trout)

NOEC 35 days = N/A *Cyprinodon variegatus* (Sheepshead minnow)

Chronic

Toxicity -

Aquatic

<u>Invertebrates</u>

NOEC 21 days

= N/A Daphnia

magna

**Acute Toxicity** 

– Terrestrial

LD50 = N/A Apis Mellifera (Honeybee) (Oral exposure).

LD50 = N/A Apis Mellifera (Honeybee) (Topical exposure).

#### 12.2. Persistence and degradability

Not available

Ecological information on ingredients.

#### **SNAP'EM GEL - CHOCOLATE**

Degradability

The product is readily biodegradable.

Phototransformation Not available

Biodegredation

The product is readily biodegradable.

#### 12.3. Bioaccumulative potential

Not anticipated to bioaccumulate.

Partition coefficient

Not relevant

Ecological information on ingredients.

## **SNAP'EM GEL - CHOCOLATE**

Bioaccumulation factor

BCF = N/A

Partition coefficient

log Kow = N/A

## 12.4. Mobility in soil

Ecological information on ingredients.

SNAP'EM GEL - CHOCOLATE

Mobility: Not available

Adsorption/Desorption Coefficient

Koc = N/A

Henry's Law Constant



SAFETY DATA SHEET SNAP'EM GEL - CHOCOLATE Date: 22/03/2016

Page 9 of 12 Revision: 1

SDS compliant with CLP

N/A

#### 12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

Ecological information on ingredients.

**SNAP'EM GEL - CHOCOLATE** 

Not Classified as PBT/vPvB by current EU criteria.

12.6. Other adverse effects

Not available.

Ecological information on ingredients.

**SNAP'EM GEL - CHOCOLATE** 

Not available.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

**General information** 

Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority.

13.1. Waste treatment methods

Waste is suitable for incineration. Contact specialist disposal companies. Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling

## **SECTION 14: TRANSPORT INFORMATION**

#### 14.1. UN number

 UN No. (ADR/RID/ADN)
 UN1197

 UN No. (IMDG)
 None.

 UN No. (ICAO)
 None.

14.2. UN proper shipping name

Proper Shipping Name EXTRACTS, FLAVOURING

## 14.3. Transport hazard class(es)

ADR/RID/ADN Class 3

ADR Label No. Not applicable

IMDG Class Not applicable

ICAO Class/Division Not applicable

Transport Labels Class 3

14.4. Packing group

ADR/RID/ADN Packing group II

IMDG Packing groupNot applicableICAO Packing groupNot applicable

<u>14.5. Environmental hazards</u> Not environmentally hazardous for transport

14.6. Special precautions for user

EMS None additional

<u>Hazard No. (ADR)</u> None.

<u>Tunnel Restriction Code</u> None.

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

None additional

## **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



Page 10 of 12 Revision: 1

Date: 22/03/2016

# SAFETY DATA SHEET SNAP'EM GEL - CHOCOLATE

SDS compliant with CLP

INGREDIENTS: Ethanol, Flavouring Preparations, Natural Flavouring Substances

LABELLING: Natural Flavouring

[In accordance with (EC) 1334/2008 on flavourings and certain food ingredients with flavouring properties for use in and on foods.

#### **Uk Regulatory References**

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

#### **EU** Legislation

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

#### Health and Environmental Listings

Regulation EC 2037/2000 on substances that deplete the ozone layer. Regulation EC 689/2008 concerning the export and import of dangerous chemicals. None of the ingredients are listed.

#### Authorisations (Title VII Regulation 1907/2006)

No specific authorisations are noted for this product.

#### Restrictions (Title VIII Regulation 1907/2006)

No specific restrictions of use are noted for this product.

#### 15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

#### **SECTION 16: OTHER INFORMATION**

#### Abbreviations and acronyms used in the safety data sheet

PBT - Persistent, bioaccumulative and toxic. vPvB - Very persistent and very bioaccumulative EN - European standard adopted by the European Committee for Standardisation.

#### Information Sources

The International Union of Pure and Applied Chemistry (IUPAC) pesticide properties database -

http://sitem.herts.ac.uk/aeru/iupac/index.htm Conclusion regarding the peer review of the pesticide risk assessment of the active substance completed by the European Food Safety Authority - http://www.efsa.europa.eu/cs/Satellite International Chemical Safety Card. World Health Organisation (WHO)/Food and Agriculture Organisation of the United Nations (FAO) Joint Meeting on Pesticide Residues monographs and evaluations. Available from www.inchem.org. Food and Agriculture Organisation (FAO) Specifications and Evaluations for Agricultural Pesticides - Evaluation Report. C.D.S. Tomlin, 2009. The Pesticide Manual, 15th Edition (BCPC). Supplier safety data sheet (SDS).

Revision Date 20/04/2016

Revision 1



Date: 22/03/2016



# SAFETY DATA SHEET SNAP'EM GEL - CHOCOLATE

Abbreviation Meaning AH 1 Aspiration Hazard Category 1 ATO 4 Acute Toxicity - Oral Category 4 CAR 2 Carcinogenicity Category 2 EDI 2 Eye Damages / Irritation Category 2 EDI 2 Eye Damages / Irritation Category 2 EDI 3 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EUH066 Repeated exposure may cause skin dryness or cracking. FL 2 Flammable Liquid, Hazard Category 2 FL 3 Flammable Liquid, Hazard Category 3 Flammable Liquid and vapour. Flammable Liquid Hazard Category 3 Flammable Liquid and vapour. Flammable Liquid, Hazard Category 3 Flammable Liquid and vapour. Flammable Liquid Hazard Category 3 Flammable Liquid Alazard Category 3 Flammable Liquid Al	Key to abbreviations:		
ATO 4 Acute Toxicity - Oral Category 4 CARP 2 Carcinogenicity Category 2 EDI 2 Eye Damage / Irritation Category 2 EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C6 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EUH066 Repeated exposure may cause skin dryness or cracking. F1: 2 F1: 3 F1 Enmanble Liquid, Hazard Category 2 F1: 3 F1 Enmanble Liquid, Hazard Category 3 F1 Environment - Long-term Hazard Category 1 F1: 3 F1 Environment - Long-term Hazard Category 1 F1: 3 F1 Environment - Long-term Hazard Category 2 F1: 3 F1 Environment - Long-term Hazard Category 1 F1: 4 F1: 4 F1 Environment - Long-term Hazard Category 2 F1: 5 F1: 4 F1 Environment - Long-term Hazard Category 3 F1: 4 F1: 5 F1 Environment - Long-term Hazard Category 3 F1: 6 F1 Environment - Long-term Hazard Category 3 F1: 6 F1: 7 F1: 8	Abbreviation	Meaning	
CAR 2  EDI 2  Eye Damage / Irritation Category 2  Eye Damage / Irritation Category 2  Eye Damage / Irritation Category 2  EH A1  Hazardous to the Aquatic Environment - Acutie Hazard Category 1  EH C1  Hazardous to the Aquatic Environment - Long-term Hazard Category 1  EUH066  Repeated exposure may cause skin dryness or cracking.  FL 2  Flammable Liquid, Hazard Category 2  Flammable Liquid, Hazard Category 3  Highly flammable liquid and vapour.  Flamade Liquid, Hazard Category 3  Highly flammable liquid and vapour.  Haze6  Flammable Liquid and vapour.  Haze6  Flammable Liquid and vapour.  Haze7  Haze7  May be fatall if swallowed.  Haw be fatall if swallowed.  Haw be fatall if swallowed.  Hay be fatally swallowed.  Hay be fatally swallowed.  Hay be fatally swallowed.  Hay be fatally swallow	AH 1	Aspiration Hazard Category 1	
EDI 2 Eye Damage Irritation Category 2 EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EUH066 Repeated exposure may cause skin dryness or cracking. FL 2 Flammable Liquid, Hazard Category 2 FL 3 Flammable Liquid, Hazard Category 3 H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H3002 Harmful if swallowed. H304 May be fatal if swallowed and enters ainways. Gauses skin irritation. H315 Causes skin irritation. May cause an altergic skin reaction. Causes serious oye irritation. H319 Causes serious oye irritation. H336 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects (exposure route). H351 Suspected of causing genetic defects (exposure route). H351 Suspected of causing cancer (exposure route). H400 Very toxic to aquatic life. H410 Rep away from heat, sparks, open flames and hot surfaces No smokking. P202 Do not handle until all safety precautions have been read and understood. Reep away from heat, sparks, open flames and hot surfaces No smokking. P240 Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P264 Wash hands and other contacted skin thoroughly after handling. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not act, drink or snoke when using this product. P271 Use end vactors or in a well-ventilated are. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves'eye protection/face protection. P301/312 If SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. If ON SKIN: Wash with plenty of soap and water.	ATO 4	Acute Toxicity - Oral Category 4	
EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EUH066 Repeated exposure may cause skin dryness or cracking. Ft 2 Flammable Liquid, Hazard Category 2 Ft 3 Flammable Liquid, Hazard Category 3 Hazard Environment - Long-term Hazard Category 3 Hazard Category 4 Hazard Category 5 Hazard Category 5 Hazard Category 5 Hazard Category 6 Hazard Category 7 Hazard Category 7 Hazard Category 7 Hazard Category 7 Hazard Category 8 Hazard Category 8 Hazard Category 9 Ha	CAR 2	Carcinogenicity Category 2	
EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EUH066 Repeated exposure may cause skin dryness or cracking. FL 2 Flammable Liquid, Hazard Category 2 FL 3 Flammable Liquid, Hazard Category 3 H225 Highly flammable Liquid and vapour. H226 Flammable Liquid and vapour. H226 Flammable Liquid and vapour. H300 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects (exposure route). H351 Suspected of causing genetic defects (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. MUT 2 Germ Cell Mutagenicity Category 2 Do not handle until all safety procautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P244 Wash hands and other contacted skin thoroughly after handling. P245 Use only outdoors or in a well-ventilated area. P247 Use only outdoors or in a well-ventilated area. P248 Wash hands and other contacted skin thoroughly after handling. P259 Contaminated work clothing should not be allowed out of the workplace. P279 Contaminated work clothing should not be allowed out of the workplace. P270 Wear protective gloves'eye protection/flace protection. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves'eye protection/flace protection. P301/310 If SWALLOWED: call a POISON CENTER or do	EDI 2	Eye Damage / Irritation Category 2	
EUH066 Repeated exposure may cause skin dryness or cracking.  FL 2 Flammable Liquid, Hazard Category 2 FL 3 Flammable Liquid, Hazard Category 3 Highly flammable Liquid and vapour.  H226 Flammable Liquid and vapour.  H302 Harmful if swallowed.  H304 May be fatal if swallowed and enters airways.  H315 Causes skin irritation.  H317 May cause an allergic skin reaction.  H319 Causes serious eye irritation.  H336 May cause drowsiness or dizziness.  H341 Suspected of causing genetic defects (exposure route).  H351 Suspected of causing genetic defects (exposure route).  H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  MUT 2 Germ Cell Mutagenicity Category 2 Do not handle until all safety precautions have been read and understood.  P210 Rep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container lightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use only non-sparking tools.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P244 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P301/310 If SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell.  FF ON SKIN: Wash with plenty of soap and water.  FF ON SKIN: Wash with plenty of soap and water.	EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1	
FL 2 Flammable Liquid, Hazard Category 2 FL 3 Flammable Liquid, Hazard Category 3 H225 Highly flammable liquid and vapour. H326 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects (exposure route). H351 Suspected of causing cancer (exposure route). H340 Very toxic to aquatic life. H400 Very toxic to aquatic life with long lasting effects. MUT 2 Germ Cell Mutagenicity Category 2 P202 Do not handle until all safety precautions have been read and understood. Reep away from heat, sparks, open flames and hot surfaces, - No smoking. P233 Keep container tightly closed. P240 Groundfloord container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P301/310 If SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell. FON SKIN: Wash with plenty of soap and water. FON SKIN: Wash with plenty of soap and water.	EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1	
FL 3 Flammable Liquid, Hazard Category 3 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be stall if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects (exposure route). H351 Suspected of causing cancer (exposure route). H351 Suspected of causing cancer (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. MUT 2 Germ Cell Mutagenicity Category 2 P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wasr protective gloves/eye protectionface protection. P301/310 If SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell. F500-2025 If DO SKIN: Wash with plenty of soap and water.	EUH066	Repeated exposure may cause skin dryness or cracking.	
H225 Highly flammable liquid and vapour. H326 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H338 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects (exposure route). H351 Suspected of causing genetic defects (exposure route). H351 Suspected of causing cancer (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. MUT 2 Germ Cell Mutagenicity Category 2 P202 Do not handle until all safety precautions have been read and understood. Reep away from heat, sparks, open flames and hot surfaces No smoking. Reep away from heat, sparks, open flames and hot surfaces No smoking. Reep container lightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P244 Wash hands and other contacted skin thoroughly after handling. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 If SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell. P302/352 If FON SKIN: Wash with plenty of soap and water.	FL 2	Flammable Liquid, Hazard Category 2	
H226 Flammable liquid and vapour: H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects (exposure route). H351 Suspected of causing genetic defects (exposure route). H351 Suspected of causing genetic defects (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. MUT 2 Germ Cell Mutagenicity Category 2 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P244 Wash hands and other contacted skin thoroughly after handling. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 If SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell. P302/352 If FON SKIN: Wash with plenty of soap and water. FON SKIN: Wash with plenty of soap and water.	FL 3	Flammable Liquid, Hazard Category 3	
Harmful if swallowed.  Harmful if swallowed and enters airways.  Harmful if swallowed and enters airways.  Causes skin irritation.  Harmful if swallowed and enters airways.  Causes skin irritation.  Harmful if swallowed and enters airways.  Harmful if swallowed and enters airways.  Causes skin irritation.  Harmful if swallowed in irritation.  Harmful if swallowed in irritation.  Causes serious eye irritation.  Harmful if swallowed irritation.  Harmful if swallowed irritation.  Harmful if swallowed irritation.  May cause an allergic skin reaction.  Harmful if swallowed irritation.  Harmful if swallowed irritation.  May cause an allergic skin reaction.  Harmful if swallowed irritation.  Harmful if swallowed and enters airways.  Harmful if swallowed and enters airways.  May cause drowsiness or dizziness.  Harmful if swallowed and enters airways.  Harmful if swallowed in itration.  Harmful if swallowed and enters airways.  Harmful if swallowed in itration.  Harmful itr	H225	Highly flammable liquid and vapour.	
H304 May be fatal if swallowed and enters airways.  H315 Causes skin irritation.  May cause an allergic skin reaction.  H319 Causes serious eye irritation.  H336 May cause drowsiness or dizziness.  H3411 Suspected of causing genetic defects (exposure route).  H351 Suspected of causing cancer (exposure route).  H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  MUT 2 Germ Cell Mutagenicity Category 2  P202 Do not handle until all safety precautions have been read and understood.  Keep away from heat, sparks, open flames and hot surfaces. No smoking.  P233 Keep container tightly closed.  Ground/bond container and receiving equipment.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell.  P302/352 IF ON SKIN (or hair): Removeftake off immediately all contaminated dolthing, Rinse skin	H226	Flammable liquid and vapour.	
H315 Causes skin irritation.  H317 May cause an allergic skin reaction.  H319 Causes serious eye irritation.  H336 May cause drowsiness or dizziness.  H341 Suspected of causing genetic defects (exposure route).  H351 Suspected of causing genetic defects (exposure route).  H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  MUT 2 Germ Cell Mutagenicity Category 2  P202 Do not handle until all safety precautions have been read and understood.  Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 If SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell.  P302/352 If PON SKIN (or hair): Removerface of immediately all contaminated clothing. Rinse skin	H302	Harmful if swallowed.	
May cause an allergic skin reaction.  H319 Causes serious eye irritation.  H336 May cause drowsiness or dizziness.  H341 Suspected of causing genetic defects (exposure route).  H351 Suspected of causing cancer (exposure route).  H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  MUT 2 Germ Cell Mutagenicity Category 2  Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 If SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell.  P302/352 IF ON SKIN; Wash with plenty of soap and water.	H304	May be fatal if swallowed and enters airways.	
H319 Causes serious eye irritation.  H336 May cause drowsiness or dizziness.  H341 Suspected of causing genetic defects (exposure route).  H351 Suspected of causing genetic defects (exposure route).  H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  MUT 2 Germ Cell Mutagenicity Category 2  Do not handle until all safety precautions have been read and understood.  Reep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 If SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell.  P302/352 If ON SKIN: Wash with plenty of soap and water.  IF ON SKIN: Wash with plenty of soap and water.	H315	Causes skin irritation.	
H336 May cause drowsiness or dizziness.  H341 Suspected of causing genetic defects (exposure route).  H351 Suspected of causing cancer (exposure route).  H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  MUT 2 Germ Cell Mutagenicity Category 2  P202 Do not handle until all safety precautions have been read and understood.  Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 If SWALLOWED: lam edited yeal a POISON CENTER or doctor/physician if you feel unwell.  P302/352 If SWALLOWED: all a POISON CENTER or doctor/physician if you feel unwell.	H317	May cause an allergic skin reaction.	
H341 Suspected of causing genetic defects (exposure route).  H351 Suspected of causing cancer (exposure route).  H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  MUT 2 Germ Cell Mutagenicity Category 2  P202 Do not handle until all safety precautions have been read and understood.  Keep away from heat, sparks, open flames and hot surfaces No smoking.  Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 If SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell.  P302/352 If ON SKIN: Wash with plenty of soap and water.  If ON SKIN: Wash with plenty of soap and water.  If ON SKIN: Wash with plenty of soap and water.	H319	Causes serious eye irritation.	
H351 Suspected of causing cancer (exposure route).  H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  MUT 2 Germ Cell Mutagenicity Category 2  P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 If SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell.  P302/352 IF ON SKIN: Wash with plenty of soap and water.  IF ON SKIN: Wash with plenty of soap and water.	H336	May cause drowsiness or dizziness.	
H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  MUT 2 Germ Cell Mutagenicity Category 2  P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 If SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  P302/352 If ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin	H341	Suspected of causing genetic defects (exposure route).	
H410 Very toxic to aquatic life with long lasting effects.  MUT 2 Germ Cell Mutagenicity Category 2  P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 If SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  P302/352 If ON SKIN: Wash with plenty of soap and water.  IF ON SKIN: Wash with plenty of soap and water.  IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin	H351	Suspected of causing cancer (exposure route).	
MUT 2  Germ Cell Mutagenicity Category 2  P202  Do not handle until all safety precautions have been read and understood.  Reep away from heat, sparks, open flames and hot surfaces No smoking.  Reep container tightly closed.  P240  Ground/bond container and receiving equipment.  P241  Use explosion-proof electrical, ventilating and lighting equipment.  P242  Use only non-sparking tools.  P243  Take precautionary measures against static discharge.  P261  Avoid breathing vapour or dust.  P264  Wash hands and other contacted skin thoroughly after handling.  P270  Do not eat, drink or smoke when using this product.  P271  Use only outdoors or in a well-ventilated area.  P272  Contaminated work clothing should not be allowed out of the workplace.  P273  Avoid release to the environment.  P280  Wear protective gloves/eye protection/face protection.  P301/310  If SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  If SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.  P302/352  If ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin	H400	Very toxic to aquatic life.	
P202 Do not handle until all safety precautions have been read and understood.  Reep away from heat, sparks, open flames and hot surfaces No smoking.  Reep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  P302/352 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin	H410	Very toxic to aquatic life with long lasting effects.	
P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  P302/352 IF ON SKIN: Wash with plenty of soap and water.  PCON SKIN: Wash with plenty of soap and water.  PCON SKIN: Wash with plenty of soap and water.	MUT 2	Germ Cell Mutagenicity Category 2	
P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  P302/352 IF ON SKIN: Wash with plenty of soap and water.  IF ON SKIN: Wash with plenty of soap and water.  IF ON SKIN: Wash with plenty of soap and water.  IF ON SKIN: Wash with plenty of soap and water.  IF ON SKIN: Wash with plenty of soap and water.	P202	Do not handle until all safety precautions have been read and understood.	
P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell.  P302/352 IF ON SKIN: Wash with plenty of soap and water.  IF ON SKIN: Wash with plenty of soap and water.  IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin	P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.	
P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.  P302/352 IF ON SKIN: Wash with plenty of soap and water.  IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin	P233	Keep container tightly closed.	
P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.  P302/352 IF ON SKIN: Wash with plenty of soap and water.  IF ON SKIN: Wash with plenty of soap and water.  IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin	P240	Ground/bond container and receiving equipment.	
P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.  P302/352 IF ON SKIN: Wash with plenty of soap and water.  IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin	P241	Use explosion-proof electrical, ventilating and lighting equipment.	
P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.  P302/352 IF ON SKIN: Wash with plenty of soap and water.  IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin	P242	Use only non-sparking tools.	
P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.  P302/352 IF ON SKIN: Wash with plenty of soap and water.  IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin	P243	Take precautionary measures against static discharge.	
P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.  P302/352 IF ON SKIN: Wash with plenty of soap and water.  IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin	P261	Avoid breathing vapour or dust.	
P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.  P302/352 IF ON SKIN: Wash with plenty of soap and water.  IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin	P264	Wash hands and other contacted skin thoroughly after handling.	
P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.  P302/352 IF ON SKIN: Wash with plenty of soap and water.  P303/361/362 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin	P270	Do not eat, drink or smoke when using this product.	
P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.  P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.  P302/352 IF ON SKIN: Wash with plenty of soap and water.  P303/361/363	P271	Use only outdoors or in a well-ventilated area.	
P280 Wear protective gloves/eye protection/face protection.  P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.  P302/352 IF ON SKIN: Wash with plenty of soap and water.  P202/361/362 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin	P272	Contaminated work clothing should not be allowed out of the workplace.	
P301/310  IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  P301/312  IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.  P302/352  IF ON SKIN: Wash with plenty of soap and water.  P202/361/362  IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin	P273	Avoid release to the environment.	
P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.  P302/352 IF ON SKIN: Wash with plenty of soap and water.  P302/361/362 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin	P280	Wear protective gloves/eye protection/face protection.	
P302/352  IF ON SKIN: Wash with plenty of soap and water.  IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin	P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
DRODA (251/252)  IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin	P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	
P303/361/353  IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.	P302/352		
	P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.	



Page 12 of 12 Revision: 1

Date: 22/03/2016

# SAFETY DATA SHEET SNAP'EM GEL - CHOCOLATE

SDS compliant with CLP

P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/233/235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1	Sensitization - Skin Category 1
SS 1B	Sensitization - Skin Category 1B
STO-SE 3(NE)	Specific Target Organ Toxicity (Single Exposure) Category 3

#### Disdaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.