







koala
babycare

koala driving belt


instruction manual




1




2




3




4




5




6




7




8




9




10



11



12



1. INTRODUCING KOALA DRIVING BELT

Koala Driving Belt **allows you to maintain your independence whilst driving when pregnant.** You can continue to enjoy travelling around by car independently with peace of mind.

It protects both you and your unborn baby by ensuring your vehicle seat belt is positioned correctly, in a comfortable and secure way. Whether you're wearing trousers or a skirt you'll find it comfortable, so you're free to wear whatever you like!

Very easy-to-use: **installs in all cars and car seats in just a few simple steps.**

Koala Driving Belt allows you to position the lower strap of your car seat belt underneath your "bump", while the upper portion passes over one shoulder and diagonally across your chest (between your breasts). This prevents the lap part of your car seat belt from riding up onto the abdomen whilst driving.

It's extremely versatile: **it can be used in all cars, both in the driver and passenger seats, as well as in the rear seats.** You can install it using the Isofix system or the car seat belt.

It's easy to move from one seat to another, however, the comfortable seat pad can also be used by other passengers, such as daddy, without having to remove it.

2. GENERAL INSTRUCTIONS

- Keep this manual for future reference.
- Use Koala Driving Belt from two months pregnant.
- Do not deactivate the airbag or any other vehicle seat safety system whilst using Koala Driving Belt.
- Prior to use, always attach the Koala Driving Belt to the seat using the seat belt or Isofix system connectors.
- Koala Driving Belt should always be used with a three-point car seat belt.
- Prior to use, ensure that the three-point car belt is not damaged or twisted and that there is no slack.
- After an accident, you must always replace your Koala Driving Belt, even if there is no visible damage. The Koala Driving Belt may have been damaged in a way that is not visible to the naked eye and may no longer be able to offer adequate protection to the mum-to-be or unborn baby in the event of an accident.
- Do not attempt to dismantle, modify, or add any other part to the belt.
- If non-original parts or accessories are used, warranty claims will not be accepted.

3. HOW TO USE KOALA DRIVING BELT

- Diagonal portion of the car seat belt (a)
- Lap portion of the car seat belt (b)
- Belt Strap (c)
- Belt Strap Buckle (d)
- Isofix System Connectors (e)
- Flap for use with trousers (f)
- Flaps for use with skirt (g)

Installing the Koala Driving Belt on a car seat with Isofix system

On seats equipped with an Isofix system, the Koala Driving Belt can be installed using the Isofix system connectors:

- Roll up the pregnancy belt straps and secure them inside the elastic provided (1).
- Connect the two connectors to the car's Isofix system (2).

Installing the Koala Driving Belt on seats without Isofix system

On seats without an Isofix system, the Koala Driving Belt can be installed using the car seat belt:

- Pass the two ends of the Koala Driving Belt around the back of the vehicle seat and fasten together with the buckle until you hear a click (3).
- Pull the belt strap through the buckle until it's secured tightly to the seat (4).

Using the Koala Driving Belt with trousers

- The Koala Driving Belt is ready to use once it has been installed correctly on the car seat.

- Position the trouser flap in the centre of the belt (if the flap isn't already out) (5).
- At the same time, position the two side flaps underneath the belt (6).
- Sit on top of the pregnancy belt and fasten your 3-point car seat belt as usual (7).
- Undo the two buttons on the central flap and position the lap portion of the car seat belt inside. Fasten the snap buttons (8).
- Ensure that there is no slack or free play in the vehicle 3-point seat belt.
- Make sure the seat belt is positioned correctly: the lap portion of the seat belt should pass underneath your bump and across your hips, while the diagonal portion should be positioned over one shoulder and across your chest (between your breasts).

Using the Koala Driving Belt with skirt

- The Koala Driving Belt is ready to use once it has been installed correctly on the car seat.
- If the flap for use with trousers is pulled out, position it underneath the belt (9).
- At the same time, pull out the two side flaps for use with skirts (10).
- Sit on top of the pregnancy belt and fasten your 3-point seat belt as usual (11)
- Open both flaps by unfastening the buttons and place the lap portion of the car seat belt inside. Fasten the snap buttons (12).
- Ensure that there is no slack or free play in the vehicle 3-point seat belt.
- Make sure the seat belt is positioned correctly: the lap portion of the seat belt should pass underneath your bump and across your hips, while the diagonal portion should be positioned over one shoulder and across your chest (between your breasts).

4. CARE AND MAINTENANCE

The pregnancy belt must be washed in accordance with instructions on the product.

- Hand wash in water max 30°C
- Do not bleach
- Do not iron
- Do not wring
- Do not use dryer
- Hang to dry in the shade



koalababycare.com
help@koalababycare.com