# INSTRUCTIONS FOR USE MODEL: EUROPICCOLA EPBB-8 EPC-8

EPG-8

# **First Time Operation**

For first time "out of the box" operation we recommend you clean the inside of your la Pavoni machine. Follow the simple procedures below:


- 1. FILL THE BOILER (9) WITH WATER UNTIL THE WATER LEVEL REACHES THE TOP OF THE SIGHT GLASS (5). FOR THIS CLEANING PROCEDURE YOU MAY ADD ANOTHER 3 TO 4 OZ OF WATER TO THE BOILER. THE LEVER (1) SHOULD BE IN THE DOWN POSITION.
- 2. ADD THE COFFEE DESCALER ENCLOSED OR IF NOT AVAILABLE ADD 1 TEASPOON OF SODIUM CARBONATE. THE ENCLOSED PACKET OF DESCALER IS ENOUGH FOR TWO CLEANINGS.
- 3. CLOSE THE BOILER CAP (3) AND STEAM KNOB (4).
- 4. PLUG THE MACHINE IN, TURN THE POWER SWITCH ON. ALLOW IT TO REACH OPERATING TEMPERATURE SIGNIFIED BY THE GREEN PRESSURE SWITCH LIGHT TURNING OFF. (7)
- 5. LEAVE THE MACHINE ON FOR 10 MINUTES. SOME WATER MAY EXIT FROM THE SAFETY VALVE, (2) THIS IS NORMAL. PLACE A PAPER TOWEL OVER THE BASE OR LET THE WATER DRIP INTO THE BASIN (8).
- 5. AFTER 10 MINUTES PLACE A CONTAINER UNDER THE GROUP (11) AND SLOWLY RAISE THE LEVER (1).
- 6. DISCHARGE WATER UNTIL THE SIGHT GLASS SHOWS A 1/4 TANK OF WATER REMAINING.
- 7. LOWER THE LEVER (1) AND SWITCH THE POWER OFF (6). YOU MAY THEN RAISE THE LEVER (1) AGAIN AND ALLOW THE REMAINING WATER TO EXIT.


# WHEN ALL WATER AND STEAM HAS EXITED, REPEAT STEPS 1, 3, 4, 5, 6 & -7 AGAIN TO FLUSH OUT ALL THE SOLUTION.

There are currently many coffee descaler available on the market, such as "Urnex" coffee descaler. These are usually made of all natural citric powders. Your favorite coffee store can advise you where to purchase these cleaners, or call 800-927-0277 for further information on where to purchase. Use rubbing alcohol to remove any stains caused by the descaler.

This cleaning procedure should be repeated 2 to 3 times a year depending on usage.

Your machine may show moisture in the sight glass, this is normal. **ALL** la Pavoni machines are tested prior to packing and shipping to insure their reliability.





## INSTRUCTIONS FOR USE

#### Please read all instructions before using your la Pavoni

Before your la Pavoni machine is plugged in you must complete steps #1 and #2!

- 1. Remove the boiler cap (3) and fill the boiler (9) with water until the water level reaches the top of the sight glass (5) as pictured in **Diagram A**.
- 2. After filling the boiler, close both the boiler cap (3) and the steam knob (4) firmly as pictured in **Diagram B**. Both are closed by turning clockwise.
- 3. Plug in the power cord the lever (l) must be in the down position as pictured in **Diagram C**
- 4. Turn the red power switch (6) to the on position. as shown in **Diagram D**. A light will appear.

The green pressure switch will also alight. When the green pressure switch goes off place a cup under the steam tube and open the steam knob for a few seconds and close. This will activate the internal pressurestat and eliminate any air that is in the system. The green light will alight again indicating a build up of pressure, when this light goes off again the machine has reached the proper operating temperature.

Initial warm up takes approximately 5 to 6 minutes. The art of making good, consistent espresso is just that, an art. With the la Pavoni espresso machine there is a bit of initial training and "getting to know your machine" ritual that the first time user should be aware of. The following regiment will help you obtain virtually perfect espresso every time.

#### **COFFEE PREPARATION:**

To obtain a desirable cup of espresso you should first start with the proper coffee grind. Your la Pavoni machine requires fine grind espresso coffee, since grinding techniques vary you may have to experiment with more than one type of grind until you are satisfied, the grind should have the consistency of powdered sugar.

We recommend a la Pavoni grinder model PGC (chrome) or PGB (Brass). These burr grinders have 9 settings and make a fine consistent grind without much powder. They are also plated to match your machines. It is very difficult to get a proper grind with a blade-type mill. Because they chop as oppose to grind, they produce coffee that is always a mixture of too coarse, good or too fine. These mills are not recommended, use a burr grinder.

While the machine is reaching maximum pressure start your coffee preparation:

- a. Choose either a one or two cup coffee filter (15) and insert the filter into the filter handle (10).  ${f Diagram}~{f E}$
- b. Fill the coffee filter (15) with coffee using the enclosed measuring spoon (14). Apply one large scoop of coffee when using the smaller one cup filter. Apply two level scoops of coffee when using the larger two cup filter. **Diagram E**
- c. Use the enclosed press (13) to level off the coffee by pressing down as indicated in **Diagram F**. The coffee filter should not be filled to the top, allow 1/8" from top of filter to remain empty.

#### HINT

It is important to understand the relationship and importance of grinding and tamping. You need a very fine grind that is firmly tamped. You can adjust for slightly coarse grind by tamping

harder, and vice versa. Use the same amount of coffee every time, and stick with one type from one vendor until you get the hang of this. Insert the filter handle (10) into the group (11) by placing the filter handle in the group and turning the filter handle to the left as pictured in **Diagram G**. The handle should fit snug, but if you encounter difficulty fitting the handle into the machine, remove some coffee from the coffee filter and try again.

Your la Pavoni machine is equipped with an internal thermostat which controls the water temperature inside the boiler. When your machine has reached the correct operating temperature the green light located on the left side of the base will go off. This green light will cycle on and off as you use your machine. Always allow the green light to go off before using, this indicates that the machine is ready to make espresso or cappuccino.

#### **COFFEE DELIVERY**:

Place your cup or cups under the filter handle (10) as per **Diagram J**. Raise the lever, after a few seconds the coffee should dribble out slowly. If it gushes quickly, you need finer grind or a tighter tamp. If it doesn't start to dribble after 15 - 20 seconds, lower the lever about 4 inches. Raise it after the dribble starts and loosen your tamp or grind coarser next time.

Lower the lever after the bottom of the cup is covered. This should require reasonably firm pressure. If the lever offers little resistance, the coffee will bubble out and taste weak and bitter. In that case, grind finer and/or tamp harder. If you need excessive pressure, loosen up your coffee load. The la Pavoni coffee filters are calibrated to give you about 1 to 1.4 ounces of liquid when using the one cup filter and about 2.5 ounces when using the larger two cup filter. If you find that this is a limitation you should use the large filter for single espressos. Never use two pulls of the lever for one dose of coffee.

After the lever is in the down position allow sufficient time for the coffee in the filter handle to drip dry before removing the filter handle (about 30 seconds). You may allow the excess coffee to drip into the drip basin (8). Always remove the filter handle <u>slowly</u> from left to right. This allows any excess steam that may remain to escape.

#### HINT

One problem that may arise when making espresso is producing "Crema" . This problem arises when you understand the basic nemesis of crema, which is high water temperature. High temperature can cause the coffee to have a strange taste that runs from burned to bitter to "chemical", particularly with decaf. Never let your la Pavoni rest in the "on" position when not in use, this will only subject the machine to undo heat and stress on the internal gaskets.

Water is also an important ingredient, if your tap water tastes like chlorine, switch to bottled water. The la Pavoni works best when the water level is in the middle to high range of the sight glass. At one inch from the bottom you should turn off your machine and add water. If you are not going to make more espresso for 30 minutes or so, turn the power off -- it will reheat quickly.

Great equipment and perfect technique can't overcome bad coffee! Use freshly roasted coffee; avoid canned coffee. Try different types of coffee, even if it's not specifically for espresso. Don't

let ground coffee sit exposed for more than an hour or so. Buy only a week's worth of beans at a time, keep them in an airtight container in a cool, dark place -- not in the refrigerator or freezer. This minimizes the chance of moisture contamination the beans. A fresh oily bean will also produce more crema. Decaf is typically made from beans of lesser quality, and great decaf espresso is extremely difficult to achieve. Experiment with different type of blends until you find one that suits your taste.

#### STEAM DELIVERY:

- a. Check the sight glass (5) to ensure that there is sufficient water in the boiler (9). The lever (l) must be in the down position. The steam knob (4) must be closed.
- b. Wait for the la Pavoni to build up proper pressure as indicated by the green light being in the off position.
- c. The machine is now ready to deliver steam.

#### Your la Pavoni machine is designed to froth milk (for cappuccino) two ways.

#### MAKING CAPPUCCINO with the standard plated arm - Attached to machine out of

- a. Start with cold milk, whole or 2% low fat milk work best. You may froth milk in any type of container or cup you wish: stainless steel, ceramic or glass. Fill the cup to 3/4 capacity with milk.
- b. Place the steam tube (12), into the bottom of the cup.
- c. Open the steam knob (4) 3 complete turns by turning counterclockwise. see Diagram K.
- d. Immediately lower the cup so steam delivery is even with the top of the milk level. Slowly lower the cup as froth rises, always staying even with the high point of the milk level. Approximate frothing time should be 15 to 20 seconds per 10 oz. cup.
- e. After the desired amount of froth has been made you may heat up the remaining milk by lowering and raising the cup into the steam tube.
- f. Refer to video for further information.

The following directions are for owners of chrome plated or copper/brass units. The Cappuccino Automatic attachment may be purchased as an option for black based units, call 1 800- 927-0277 for further information.

#### MAKING CAPPUCCINO with the Cappuccino Automatic attachment:

This attachment features the following parts:

- 1. Plated steam valve
- 2. Black aerator with tube.

#### **To Mount:**

- a. Make sure steam knob is in the closed position. Diagram L.
- b. Replace the standard steam arm by lifting the arm clockwise until it stops and remove by pulling outward. Diagram M.
- c. Replace with Cappuccino Automatic and lock into place by turning counter-clockwise until seated. Diagram N.

d. Attach the aerator by sliding onto the arm shaft firmly. Diagram O.

#### To Make Cappuccino:

Make sure your la Pavoni has reached proper operating temperature.

Start with cold fresh milk. Whole milk works best but you may use 1% or 2% also.

- a. Place tube into a milk container. Diagram P.
- b. Hold cup under the black aerator spout.
- c. Open the steam knob slowly 2 complete turns.

When the desired amount of milk has been dispensed, stop the flow of milk by closing the steam knob. If you desire hotter cappuccino you may heat up the milk by first closing the steam knob, then removing the Cappuccino Automatic attachment and replacing it with the standard steaming tube. Immerse the tube into the bottom of the cup, open steam knob two turns and heat to the desired temperature, or place your cup in a microwave. Milk that has come direct from the refrigerator will result in cooler cappuccino. Remove your milk from the refrigerator a few minutes before using.

#### 

After **EVERY** use you must clean the tube and aerator. Follow these simple steps:

- a. Place the tube in a cup of clean water.
- b. Position an empty cup under the aerator.
- c. Open the steam knob and allow a few ounces of water to cycle through. Close the steam knob when finished.

CAUTION: BOTH STEAM TUBES WILL BE HOT TO THE TOUCH AFTER USE. USE EXTREME CARE WHEN REMOVING. A TOWEL IS RECOMMENDED.

#### HINT:

Your la Pavoni machine does not have a constant source of water. You should **never** leave your machine on when not in use.

TROUBLE SHOOTING	
ON-OFF SWITCH DOES NOT LIGHT UP	Power cord is not connected .
	The outlet has no power
MACHINE DOES NOT DELIVER STEAM	• Clean holes on end of the steam tube (12).
	Check water level in tank.
	Check green light is off.
COFFEE EXITS OUT OF SIDES OF FILTER HANDLE	• Filter handle (10) is not properly mounted to
	group (11)
	Too much coffee in the filters (15)
	Group gasket is worn out
HANDLE DOES NOT FIT INTO MACHINE	Too much coffee in the filter (15).
COFFEE EXITS TOO SLOWLY	Coffee grinds are too fine.
	Coffee is packed too tightly.
HANDLE IS HARD TO LOWER	Coffee is packed too tightly.
	• Too much coffee in filter (15).

COFFEE IS NOT PRODUCING CREMA	<ul> <li>Coffee grind is not fine enough</li> <li>Allow lever (l) to remain raised longer. This will allow more water to enter grinds.</li> <li>Lower handle with more force so extract exits more quickly.</li> <li>Not enough coffee in the filter (15)</li> </ul>
COFFEE SPRAYED OUT WHEN HANDLE WAS REMOVED	<ul> <li>Allow excess coffee to drain out after coffee delivery, and wait 30 seconds.</li> <li>Remove handle slowly to allow excess steam to escape.</li> <li>Coffee may be too fine.</li> </ul>
DIFFICULTY MAKING CAPPUCCINO	• Use whole milk or 2% low fat milk. Do not use skim milk. Milk should be cold, check that the pressure switch is on level (ll). Refer to video.
NO MILK COMES THROUGH	<ul> <li>Aerator or tube are clogged with milk.</li> <li>Disassemble aerator. Diagram F. Clean, assemble and replace. Clean out steam tube holes with a straight pin.</li> </ul>
MILK EXITS VERY SLOWLY	Check that machine is at proper operating temperature.
MILK EXITS FROM TOP OF AERATOR	Make sure top cap of aerator is seated properly and the pin is in the down position.
MILK EXITS FROM BOTTOM OF AERATOR	Check that the clear tube is attached to the aerator correctly.
MILK IS EXITING TOO WATERY	Check that the boiler is not over filled with water.

# **TECHNICAL PRECAUTIONS**

- 1. Install the machine on a steady, dry base.
- 2. **DO NOT** immerse the machine or power cord in water.
- 3. This machine develops warm spots (base) and hot spots (boiler 9). Subsequently, it should be kept **out of the reach of children**.
- 4. When operating, please take note of the hot surfaces.

### **OPERATING PRECAUTIONS**

- 1. **Never** operate this unit without sufficient water in the boiler (9) failure to maintain proper water level can cause damage to internal parts.
- 2. **Never** attempt to open the boiler cap (3) when the machine is in operation. The la Pavoni operates on a hot water/steam pressure method. Opening the boiler cap when the machine is on and under pressure will result in the sudden release of hot water. If you would like to add water to the boiler, then follow these precautions:
  - a. Turn the machine off (6)
  - b. Unplug the machine
  - c. Release the existing steam in the boiler (9) via the steam tube (12). This is accomplished by turning the steam knob (4) counterclockwise. After **ALL** the steam has finished escaping, you may slowly open boiler cap.
- 3. After making coffee, never remove the coffee handle until remaining coffee in the filter has been allowed to drip out. Always remove this handle **slowly** to allow excess steam to escape.

## **RE-SET FUSE**

Your espresso machine is equipped with a manual reset fuse. Should the water level in the sight glass drop below a 1/5 of a tank or if the machine is left on indefinitely, these occurrences may cause the machine to over-heat. If the on/off switch does not light up the fuse may have blown, follow the below steps to restart your machine.

- 1. Unplug the unit
- 2. Close the boiler knob tightly so water does not escape
- 3. Gently place the machine on its side.

Under the base of the unit you will notice a round grommet plug inserted into the bottom, directly under the boiler tank. Remove the plug and push in the protruding red switch by using a blunt instrument (the end on a pencil of pen works well) replace the grommet, add water if necessary, plug-in and restart.

#### **MAINTENANCE**

- Before any cleaning and maintenance, disconnect the power cord.
- Clean the filter handle (10), coffee filters (15), coffee press (13), measuring spoon (14) and drip basin (6) after use.

- Wipe clean the group (11) and steam tube (12) after use.
- If you live in a hard water area and get mineral build up, follow the instructions for "FIRST TIME OPERATION." In order to descale the inside of the boiler.
- Do not use any types of abrasives or ammonia based products when cleaning your la Pavoni as they will remove the protective lacquer coating.

#### **IMPORTANT!!!**

SAVE YOUR ORIGINAL LA PAVONI BOX IN CASE SERVICE IS NEEDED IN THE FUTURE.

#### CAUTION !!!

NEVER OPERATE THIS MACHINE WITHOUT WATER IN THE BOILER

#### TECHNICAL DATA

#### Model: EUROPICCOLA

Size: Length 11 " - Width 7" - Height 12"

Weight: 15 lbs.

Boiler capacity: 20 oz. Steam delivery: 8 minutes

Power supply: 110 Volt /60 Hz

Heating element: 1000 Watts max - 800 Watts min.

#### **Available in the following models:**

EPBB- 8: Black Base EPC - 8: Chrome Base

EPB - 8: Copper Body / Brass Base EPG-8: Brass

Body/Brass Base

#### **PARTS LIST**

Drip Basin Top & Bottom One Cup Coffee Filter Two Cup Coffee Filter Coffee Press Measuring Spoon Filter Handle

#### ETL SAFETY LISTED

For further information concerning the operation of your la Pavoni machine or for the name of a repair facility near you contact:

European Gift & Houseware PO Box 111 Mt. Vernon, N. Y. 10550 PH: 1-800-927-0277