

502451 AGRUMEN ALDEHYDE LIGHT

Revision Date: 07-28-2015 Page 1 of 18

Version # 01 Print Date: 11-24-2015

1. IDENTIFICATION

Product Description: AGRUMEN ALDEHYDE LIGHT

CAS # MIXTURE

Other means of identification

Vigon Item # 502451

Recommended use Concentrated aromatic ingredient which may be used fragrance compounds according to legal and

IFRA guidelines.

Recommended restrictions For Manufacturing Use Only

<u>Company</u> <u>24 Hour Emergency Response Information</u>

Vigon International, Inc. INFOTRAC (ACCT# 78928);

127 Airport Road 1-800-535-5053 WITHIN THE U.S.A. 1-352-323-3500 OUTSIDE THE U.S.A.

E. Stroudsburg, PA 18301 For information call: 570-476-6300

Web Site: www.vigon.com

2. HAZARD(S) IDENTIFICATION

Physical hazards Flammable liquids Category 4

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A
Sensitization, skin Category 1
Aspiration hazard Category 1

Environmental hazards Hazardous to the aquatic environment, Category 2

acute hazard

Hazardous to the aquatic environment, Category 2

long-term hazard

Label elements



Signal word Danger

Hazard statement

H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H315 + H320 Causes skin and eye irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.



502451 AGRUMEN ALDEHYDE LIGHT

Revision Date: 07-28-2015 Page 2 of 18

Version # 01 Print Date: 11-24-2015

Precautionary statement

_						
	re۱	10	n	11	\sim	-
		/6		u	u	ш

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing mist or vapor.
P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/eye protection/face protection.

Response

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 +

P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use appropriate media to extinguish.

P391 Collect spillage.

Storage

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information 43.55% of the mixture consists of component(s) of unknown acute hazards to the aquatic

environment. 46% of the mixture consists of component(s) of unknown long-term hazards to the

aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical name	Common name and synonyms	CAS number	%
LINALYL ACETATE	DETATE 3,7- dimethylocta-1,6-dien-3-yl acetate (1)-1,5-dimethyl-1-vinyl hex-4-enyl acetate LINALOOL ACETATE		20 - < 30
CITRAL	2,6- OCTADIENAL, 3,7-DIMETHYL- 2,6- dimethyl octadien-2,6-al-8 3,7-DIMETHYL-2,6-OCTADIENAL 3,7- dimethylocta-2,6-dienal	5392-40-5	10 - < 20



502451 AGRUMEN ALDEHYDE LIGHT

Revision Date: 07-28-2015 Page 3 of 18

Chemical name	Common name and synonyms	CAS number	%
HYDROXYCITRONELLAL	7-HYDROXY-3,7-DIMETHYL-OCTANAL HYDROXYCITRONELLAL Octanal, 7-hydroxy-3,7-dimethyl- HYDROXY-CITRONELLAL	107-75-5	10 - < 20
CARVENE	DIPENTENE (+)-P-MENTHA-1,8-DIENE (R)-(+)-Limonene (R)-4-Isopropenyl-1-methyl-1-cyclohexene 1- methyl-4-prop-1-en-2-ylcyclohexene	5989-27-5	5 - < 10
METHYL NAPHTHYL KETONE	2-ACETYLNAPHTHALENE acetonaphthone 1- naphthalen-2-ylethanone methyl 2-naphthyl ketone	93-08-3	5 - < 10
PINENE BETA	laevo-6,6-dimethyl-2-methylene bicyclo(3.1.1)heptane (-)-pin-2(10)-ene L-BETA-PINENE (1S,5S)-7,7- dimethyl-4-methylidenebicyclo[3.1.1]heptane Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-, (1S)- (-)-nopinene	18172-67-3	5 - < 10
2,4-DIMETHYLCYCLOHEX-3-ENE- 1-CARBALDEHYDE	4-formyl-1,3-dimethylcyclohex-1-ene 2,4-DIMETHYL-3-CYCLOHEXEN-1- CARBOXALDEHYDE 3-Cyclohexene-1-carboxaldehyde, 2,4-dimethyl- DIMETHYLCYCLOHEX-3-ENE-1- CARBALDEHYDE (MIXED ISOMERS)	68039-49-6	1 - < 5
LINALOOL	2,6-DIMETHYL-2,7-OCTADIENE-6-OL 1,6-Octadien-3-ol, 3,7-dimethyl- 3,7-Dimethylocta-1,6-dien-3-ol LINALYL ALCOHOL	78-70-6	1 - < 5
PHENYL ETHYL ALCOHOL	BENZYL CARBINOL 2-Phenylethanol	60-12-8	1 - < 5
PINENE ALPHA	dextro,laevo-pin-2(3)-ene 2,6,6 - trimethyl bicyclo-3,1,1-2-heptene 4,7,7- trimethylbicyclo[3.1.1]hept-3-ene	80-56-8	1 - < 5
PINENE BETA	7,7-dimethyl-4-methylidenebicyclo[3.1.1] heptane (1)-6,6- dimethyl-2-methylene bicyclo(3.1.1) heptane	127-91-3	1 - < 5
CITRONELLOL	3,7-DIMETHYL-6-OCTEN-1-OL 6-Octen-1-ol, 3,7-dimethyl- 2,6- dimethyl-2-octen-8-ol	106-22-9	0.1< 1



502451 AGRUMEN ALDEHYDE LIGHT

Revision Date: 07-28-2015 Page 4 of 18

Version # 01 Print Date: 11-24-2015

Chemical name	Common name and synonyms	CAS number	%
DELTA-3-CARENE	3,7,7-TRIMETHYLBICYCLO(4.1.0)HEPT-3-ENE (±)-3- carene	13466-78-9	0.1< 1
GERANIOL	3,7-DIMETHYL-2,6-OCTADIEN-1-OL (2E)-3,7- dimethylocta-2,6-dien-1-ol LEMONOL GERANYL ALCOHOL	106-24-1	0.1< 1
Other components below rep	portable levels		5 - < 10

4. FIRST-AID MEASURES

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or

persist.

Skin contact Take off immediately all contaminated clothing. Get medical attention if irritation develops and

persists. Wash skin thoroughly with soap and water for several minutes.

Eye contact Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and

persists. Promptly wash eyes with plenty of water while lifting the eye lids.

Ingestion Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if

and pain. May cause an allergic skin reaction. Dermatitis. Rash.

the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low

so that stomach vomit doesn't enter the lungs.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment

needed

General information

Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness

Not available.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media
Unsuitable extinguishing media

Water spray, fog, CO2, dry chemical, or alcohol resistant foam. Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full

facepiece operated in the positive pressure demand mode when fighting fires.

Fire fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

Specific methodsUse water spray to cool unopened containers.

General fire hazards Static charges generated by emptying package in or near flammable vapor may cause flash fire.



502451 AGRUMEN ALDEHYDE LIGHT

Revision Date: 07-28-2015 Page 5 of 18

Version # 01 Print Date: 11-24-2015

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up

Keep unnecessary personnel away. Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.

Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent product from entering drains. Do not allow material to contaminate ground water system. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Collect and dispose of spillage as indicated in section 13 of the SDS.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid release to the environment. Retain and dispose of contaminated wash water. Contact local authorities in case of spillage to drain/aquatic environment.

7. HANDLING AND STORAGE

Precautions for safe handling

Do not handle or store near an open flame, heat or other sources of ignition. All equipment used when handling the product must be grounded. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling. Take precautionary measures against static discharges. Avoid breathing vapor.

Conditions for safe storage, including any incompatibilities

Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
CITRAL (CAS 5392-40-5)	TWA	5 ppm	Inhalable fraction and vapor.
DELTA-3-CARENE (CAS 13466-78-9)	TWA	20 ppm	
PINENE ALPHA (CAS 80-56-8)	TWA	20 ppm	
PINENE BETA (CAS 127-91-3)	TWA	20 ppm	



502451 AGRUMEN ALDEHYDE LIGHT

Revision Date: 07-28-2015 Page 6 of 18

Version # 01 Print Date: 11-24-2015

US. Workplace Environmental Exposure Level (WEEL) Guides

 Components
 Type
 Value

 CARVENE (CAS
 TWA
 165.5 mg/m3

5989-27-5)

30 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US ACGIH Threshold Limit Values: Skin designation

CITRAL (CAS 5392-40-5)

Can be absorbed through the skin.

(typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have

not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

Hand protection Chemical resistant gloves.

Other Use of an impervious apron is recommended.

Respiratory protection Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must

be provided.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations When using do not smoke. Always observe good personal hygiene measures, such as washing

after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not

be allowed out of the workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Refer to Spec Sheet

Physical state Liquid.
Form Liquid.

Color Refer to Spec Sheet

Odor Characteristic.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point 147.0 °F (63.9 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.



502451 AGRUMEN ALDEHYDE LIGHT

Revision Date: 07-28-2015 Page 7 of 18

Version # 01 Print Date: 11-24-2015

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%)

Explosive limit - upper (%)

Vapor pressure

Vapor density

Not available.

Not available.

Not available.

Relative density 0.93 at 20 °C (relation to density of water at 4 °C)

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

10. STABILITY AND REACTIVITY

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

No dangerous reaction known under conditions of normal use.

reactions

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

No hazardous decomposition products if stored and handled as indicated.

products

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Ingestion Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious

chemical pneumonia.

Symptoms related to the physical, chemical and toxicological characteristics

Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness

and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity May be fatal if swallowed and enters airways. May cause an allergic skin reaction.



502451 AGRUMEN ALDEHYDE LIGHT

Revision Date: 07-28-2015 Page 8 of 18

Product	Species	Test Results
AGRUMEN ALDEHYDE	LIGHT	
Acute		
Dermal		
		> 5000 mg/kg Calculation method
Oral		
		> 5000 mg/kg Calculation method
Components	Species	Test Results
2,4-DIMETHYLCYCLOH	IEX-3-ENE-1-CARBALDEHYDE (CAS 68039	9-49-6)
Acute		
Dermal		
LD50	Rabbit	2500 mg/kg
Oral		
LD50	Rat	2500 mg/kg
CARVENE (CAS 5989-2	7-5)	
Acute		
Dermal		
LD50	Rabbit	5 g/kg
Oral		
LD50	Rat	4400 mg/kg
CITRAL (CAS 5392-40-5	5)	
Acute		
Dermal		
LD50	Rabbit	2250 mg/kg
Oral		
LD50	Rat	4950 mg/kg
CITRONELLOL (CAS 10	06-22-9)	
Acute		
Dermal		
LD50	Rabbit	2650 mg/kg
Oral		
LD50	Rat	3450 mg/kg
DELTA-3-CARENE (CAS	S 13466-78-9)	
Acute		
Oral		
LD50	Rat	4800 mg/kg



502451 AGRUMEN ALDEHYDE LIGHT

Revision Date: 07-28-2015 Page 9 of 18

_			
Compo		Species	Test Results
GERAN	IIOL (CAS 106-24-1)		
	Acute		
	Dermal LD50	Dakkii	> 5000 mm m/l/m
	LD50	Rabbit	> 5000 mg/kg
	Oral	D. (0000 #
	LD50	Rat	3600 mg/kg
HYDRO	XYCITRONELLAL (CAS 10	7-75-5)	
	Acute		
	Dermal		
	LD50	Rabbit	> 2000 mg/kg OECD 402: limit
	Oral		
	LD50	Rat	> 5000 mg/kg OECD 401: limit
LINALC	OOL (CAS 78-70-6)		
	Acute		
	Dermal		
	LD50	Rabbit	2000 mg/kg
	Oral		
	LD50	Rat	2790 mg/kg
LINALY	L ACETATE (CAS 115-95-7)		
	Acute		
	Dermal		
	LD50	Rabbit	> 5000 mg/kg
	Oral		
	LD50	Rat	14.55 g/kg Remarks: Behavioral:General anesthetic. Behavioral:Somnolence (general depressed activity). Behavioral:Ataxia.
METHY	L NAPHTHYL KETONE (CA	S 93-08-3)	
	Acute		
	Oral		
	LD50	Rat	> 1985 mg/kg
PHENY	L ETHYL ALCOHOL (CAS 6	0-12-8)	
	Acute		
	Dermal		
	LD50	Rabbit	2500 mg/kg
	Oral		
	LD50	Rat	1610 mg/kg



502451 AGRUMEN ALDEHYDE LIGHT

Revision Date: 07-28-2015 Page 10 of 18

Version # 01 Print Date: 11-24-2015

Components	Species	Test Results
PINENE ALPHA (CAS 80-	56-8)	
Acute		
Dermal		
LD50	Rabbit	> 5000 mg/kg
Oral		
LD50	Rat	3700 mg/kg Remarks: Brain and Coverings:Recordings from specific areas of CNS. Behavioral:Somnolence (general depressed activity). Lungs, Thorax, or Respiration:Other changes.
PINENE BETA (CAS 127-9	91-3)	
Acute		
Oral		
LD50	Rat	4700 mg/kg
PINENE BETA (CAS 1817	2-67-3)	
Acute		
Dermal		
LD50	Rabbit	> 5000 mg/kg
Oral		

4700 mg/kg

Rat

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

LD50

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

ACGIH Carcinogens

CITRAL (CAS 5392-40-5)

DELTA-3-CARENE (CAS 13466-78-9)

PINENE ALPHA (CAS 80-56-8)

PINENE BETA (CAS 127-91-3)

A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

CARVENE (CAS 5989-27-5) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

^{*} Estimates for product may be based on additional component data not shown.



502451 AGRUMEN ALDEHYDE LIGHT

Revision Date: 07-28-2015 Page 11 of 18

Version # 01 Print Date: 11-24-2015

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard May be fatal if swallowed and enters airways.

Chronic effects Prolonged inhalation may be harmful.

Further information This product is a mixture, which has not been tested as a whole. Please refer to derived hazard

classification of the mixture.

12. ECOLOGICAL INFORMATION

CITRAL (CAS 5392-40-5)

Acute Other

Ecotoxicity Toxic to aquatic life with long lasting effects.

EC20

This product is a mixture, which has not been tested as a whole. Please refer to derived hazard

classification of the mixture.

	0.0.0000		
Components		Species	Test Results
2,4-DIMETHYLCYCLO	OHEX-3-ENE-1-CA	RBALDEHYDE (CAS 68039-49-6)	
Aquatic			
Acute			
Algae	EC50	Green algae (Desmodesmus subspicatus)	31 mg/l, 72 hours (based on growth rate - nominal concentration - OECD 201)
Crustacea	EC50	Daphnia magna	22.4 mg/l, 48 hours (measured concentration - similar to OECD 202)
Fish	LC50	Oncorhynchus mykiss (reported as Salmo gairdneri)	7.5 mg/l, 96 hours (measured concentration - OECD 203)
CARVENE (CAS 5989	9-27-5)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	69.6 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	0.619 - 0.796 mg/l, 96 hours
		Rainbow trout,donaldson trout (Oncorhynchus mykiss)	35 mg/l, 4 days
Other	EC50	Activated Sludge	3.94 mg/l

Activated sludge of a predominantly

domestic sewage

68 mg/l, 0.5 hours OECD Guideline 209

aquatic



502451 AGRUMEN ALDEHYDE LIGHT

Revision Date: 07-28-2015 Page 12 of 18

Components		Species	Test Results
Aquatic			
Other	EC50	Bacterium	2100 mg/l, 0.5 hours DIN 38412 Part 27 (draft) aquatic - The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. The details of the toxic effect relate to the nominal concentration.
Acute			
Algae	EC50	Green algae (Chlamydomonas variabilis)	103.8 mg/l, 72 hours DIN 38412 Part 9 static - The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. The details of the toxic effect relate to the nominal concentration.
Crustacea	EC50	Daphnia magna	7 mg/l, 48 hours Directive 79/831/EEC static - The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. The details of the toxic effect relate to the nominal concentration.
Fish	LC50	Ide, silver or golden orfe (Leuciscus idus)	4.6 - 10 mg/l, 96 hours DIN 38415 Part 15 static - The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. The details of the toxic effect relate to the nominal concentration.
CITRONELLOL (CAS	106-22-9)		
Aquatic			
Acute			
Algae	EC50	Algae	2.4 mg/l, 72 hours
Crustacea	EC50	Daphnia	17 mg/l, 48 hours
Fish	LC50	Leuciscus idus (Golden orfe)	10 - 22 mg/l, 96 hours
ERANIOL (CAS 106-	-24-1)		
Other	EC50	Activated sludge of a predominantly domestic sewage	70 mg/l, 0.5 hours
Aquatic			
Algae	EC50	Green algae (Desmodesmus subspicatus)	13.1 mg/l, 72 hours
Crustacea	EC50	Daphnia magna	10.8 mg/l, 48 hours
Fish	LC50	Danio rerio	22 mg/l, 96 hours
		Fathead minnow (Pimephales promelas)	2.7 - 3.8 mg/l, 96 hours



502451 AGRUMEN ALDEHYDE LIGHT

Revision Date: 07-28-2015 Page 13 of 18

Version # 01 Print Date: 11-24-2015

Components		Species	Test Results
LINALOOL (CAS 78-7	(0-6)		
Other	EC10	Activated sludge of a predominantly domestic sewage	> 100 mg/l, 3 hours
Aquatic			
Algae	EC50	Green algae (Chlamydomonas variabilis)	88.3 mg/l, 96 hours DIN 38412 Part 9 static. The details of the toxic effect related to the nominal concentration.
Crustacea	EC50	Daphnia magna	20 mg/l, 48 hours DIN 38412 Part 11 static. The details of the toxic effect related to the nominal concentration.
Fish	LC50	Ide, silver or golden orfe (Leuciscus idus)	22 - 46 mg/l, 96 hours DIN 38412 Part 15 static. The details of the toxic effect related to the nominal concentration.
	LC50-R	Fish	27.8 mg/l, 96 hours
METHYL NAPHTHYL	KETONE (CAS 93-0	08-3)	
Aquatic			
Acute			
Fish	LC50	Danio rerio	9.8 mg/l, 96 hours
PINENE ALPHA (CAS	8 80-56-8)		
Aquatic			
Crustacea	LC50	Daphnia magna	41 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	0.28 mg/l, 96 hours

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Biodegradability

Percent degradation (Aerobic biodegradation)

GERANIOL > 90 % OECD 301A (new version)(aerobic), activatied

sludge, domestic DOC reduction, Readily biodegradable

(according to OECD criteria)

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

CARVENE 4.232

LINALOOL 2.97, (OECD Guideline 107)

PHENYL ETHYL ALCOHOL 1.36
PINENE ALPHA 4.83

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.



502451 AGRUMEN ALDEHYDE LIGHT

Revision Date: 07-28-2015 Page 14 of 18

Version # 01 Print Date: 11-24-2015

13. DISPOSAL CONSIDERATIONS

Disposal instructionsDo not discharge into drains, water courses or onto the ground. Do not allow this material to drain

into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or

used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulationsDispose in accordance with all applicable regulations.

Hazardous waste code Not established.

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. TRANSPORT INFORMATION

ADN

UN number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CITRAL,PINENE BETA)

Transport hazard class(es) 9
Subsidiary class(es) Packing group III
Environmental hazards Yes
Labels required 9

ADR

UN number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CITRAL, PINENE BETA)

Transport hazard class(es) 9
Subsidiary class(es) Packing group III
Environmental hazards Yes
Labels required 9

RID

UN number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CITRAL, PINENE BETA)

Transport hazard class(es) 9
Subsidiary class(es) Packing group III
Environmental hazards Yes
Labels required 9

DOT

BULK

UN number NA1993

Proper shipping name COMBUSTIBLE LIQUID, N.O.S. (PINENE BETA, CARVENE, CITRAL)

Hazard class Combustible liq

Packing group III



502451 AGRUMEN ALDEHYDE LIGHT

Revision Date: 07-28-2015 Page 15 of 18

Version # 01 Print Date: 11-24-2015

Environmental hazards

Marine pollutant Yes Packaging exceptions 150 Packaging bulk 241 Labels required None

DOT

NON-BULK

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

UN number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CITRAL, PINENE BETA) UN proper shipping name

Transport hazard class(es) 9 Subsidiary class(es) Packing group Ш

Environmental hazards

Marine pollutant Yes Labels required

Transport in bulk according to Annex II of MARPOL

Not applicable.

73/78 and the IBC Code

ADN; ADR; IMDG; RID



DOT BULK





502451 AGRUMEN ALDEHYDE LIGHT

Revision Date: 07-28-2015 Page 16 of 18

Version # 01 Print Date: 11-24-2015

Marine pollutant



15. REGULATORY INFORMATION

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous N

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)



502451 AGRUMEN ALDEHYDE LIGHT

Revision Date: 07-28-2015 Page 17 of 18

Version # 01 Print Date: 11-24-2015

US state regulations

US. Massachusetts RTK - Substance List

PINENE ALPHA (CAS 80-56-8)

US. New Jersey Worker and Community Right-to-Know Act

CARVENE (CAS 5989-27-5)
PINENE ALPHA (CAS 80-56-8)

US. Pennsylvania Worker and Community Right-to-Know Law

PINENE ALPHA (CAS 80-56-8)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

 Issue date
 11-24-2015

 Revision date
 07-28-2015

Version # 01

HMIS® ratings Health: 2*

Flammability: 2 Physical hazard: 0

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).



502451 AGRUMEN ALDEHYDE LIGHT

Revision Date: 07-28-2015 Page 18 of 18

Version # 01 Print Date: 11-24-2015

Disclaimer

Vigon cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.