

## 504855 BLACKWOOD BASE

Revision Date: 05-04-2018 Page 1 of 16

Version # 02 Print Date: 05-04-2018

1. IDENTIFICATION

Product Description: BLACKWOOD BASE

CAS # MIXTURE

Other means of identification

**Vigon Item #** 504855

Recommended use Concentrated aromatic ingredient which may be used fragrance compounds according to legal and

IFRA guidelines.

Recommended restrictions For Manufacturing Use Only

<u>Company</u> <u>24 Hour Emergency Response Information</u>

Vigon International, Inc. INFOTRAC (ACCT# 78928);

127 Airport Road 1-800-535-5053 WITHIN THE U.S.A. 1-352-323-3500 OUTSIDE THE U.S.A.

E. Stroudsburg, PA 18301

For information call: 570-476-6300

Web Site: www.vigon.com

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Vigon International, Inc.

Address 127 Airport Road

E. Stroudsburg, PA 18301

**United States** 

**Telephone** For information call: 570-476-6300

Website www.vigon.com E-mail Not available.

Emergency phone number INFOTRAC (ACCT# 78928);

1-800-535-5053 WITHIN THE U.S.A. 1-352-323-3500 OUTSIDE THE U.S.A.

2. HAZARD(S) IDENTIFICATION

Physical hazards Not classified.

Health hazards Acute toxicity, dermal Category 5

Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 1
Sensitization, skin Category 1
Hazardous to the aquatic environment, Category 2

Environmental hazards Hazardous to the aquatic environment,

long-term hazard

Label elements



Signal word Warning



## 504855 BLACKWOOD BASE

Revision Date: 05-04-2018 Page 2 of 16

Version # 02 Print Date: 05-04-2018

**Hazard statement** Causes mild skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention Avoid breathing mist or vapor. Wash thoroughly after handling. Contaminated work clothing

should not be allowed out of the workplace. Avoid release to the environment. Wear eye

protection/face protection. Wear protective gloves.

Response IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse. Collect spillage.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information 30.25% of the mixture consists of component(s) of unknown acute dermal toxicity. 90% of the

mixture consists of component(s) of unknown acute inhalation toxicity. 11.5% of the mixture

consists of component(s) of unknown long-term hazards to the aquatic environment.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthyl) ethan-1-one	patchouli ethanone ambergris ketone methyl cyclomyrcetone timbrone supra	54464-57-2	15 - < 20
(1-ETHOXYETHOXY) CYCLODODECANE	CYCLODODECANE, (1-ETHOXYETHOXY)-	389083-83-4	10 - < 15
HYDROGENATED METHYL ROSINATE		8050-15-5	10 - < 15
2,6-DIMETHYL-7-OCTEN-2-OL	DIMYRCETOL 2,6-DIMETHYL-7-OCTEN-2-OL 7-Octen-2-ol, 2,6-dimethyl- 2,6-Dimethyloct-7-en-2-ol lymolene	18479-58-8	7.5 - < 10
4-CYCLOHEXYL-2- METHYLBUTAN-2-OL	2,2- dimethyl cyclohexane propanol alpha,alpha- dimethyl cyclohexane propanol	83926-73-2	7.5 - < 10
CITRONELLOL	3,7-DIMETHYL-6-OCTEN-1-OL 6-Octen-1-ol, 3,7-dimethyl- 2,6- dimethyl-2-octen-8-ol	106-22-9	7.5 - < 10
(2S)-PROPYL 2- (1,1-DIMETHYLPROPOXY) PROPANOATE	propyl (2S)-2-(1,1-dimethylpropoxy) propanoate Propanoic acid, 2-(1,1-dimethylpropoxy)-, propyl ester, (2S)-	319002-92-1	5 - < 7.5



## 504855 BLACKWOOD BASE

Revision Date: 05-04-2018 Page 3 of 16

Version # 02 Print Date: 05-04-2018

Chemical name	Common name and synonyms	CAS number	%
CYCLOHEXANEPROPANOL, 2,2,6-TRIMETHYL- .ALPHAPROPYL-	6-(2,2,6- trimethyl cyclohexyl) -4-hexanol 2,2,6-TRIMETHYL-A-PROPYL CYCLOHEXANE PROPANOL 1-(2,2,6-Trimethyl cyclohexyl)hexane-3-ol cyclohexanepropanol, 2,2,6-trimethyl-a-propyl-	70788-30-6	5 - < 7.5
[cis-4- (propan-2-yl)cyclohexyl]methanol	cis-tetrahydro perillyl alcohol CIS-P-MENTHAN-7-OL Cyclohexanemethanol, 4-(1-methylethyl)-, cis- cis-4-(Isopropyl)cyclohexanemethanol	13828-37-0	1 - < 2.5
1-Propanol, 2-[1-(3,3-dimethylcyclohexyl) ethoxy]-2-methyl-,propanoate	[2-[1-(3,3-dimethylcyclohexyl)ethoxy] -2-methylpropyl]propanoate	141773-73-1	1 - < 2.5
BENZENEACETONITRILE, .ALPHABUTYLIDENE-, (Z)-		130786-09-3	1 - < 2.5
CYCLOHEXANEPROPANOL, 2,2,3,6-TETRAMETHYL-ALPHA- PROPYL-	2,2,3,6- tetramethyl-a-propylcyclohexane propanol	95851-08-4	1 - < 2.5
SPIRO[5.5]UNDEC-8-EN-1-OL, 2,2,9,11-TETRAMETHYL-, 1-ACETATE		678981-31-2	1 - < 2.5
2-methyl-4-(2,2,3-trimethylcyclo pent-3-en-1-yl)pent-4-en-1-ol	3-CYCLOPENTEN-1-BUTANOL, BETA, 2,2,3-TETRAMETHYL-DELTA- METHYLENE-	104864-90-6	0.5< 1
CEDRENE ALPHA	laevo-alpha- cedrene 1H-3a,7- methanoazulene, 2,3,4,7,8,8a-hexahydro-3,6,8,8-tetrameth yl-, (3R,3aS,7S,8aS)-	469-61-4	0.5< 1
3-CYCLOPENTENE-1-BUTANAL, .ALPHA.,2,2,3-TETRAMETHYL- .GAMMAMETHYLENE	.ALPHA.,2,2,3-TETAMETHYLGAMMA METHYLENE-3-CYCLOPENTENE-1- BUTANAL	166432-53-7	0.1< 0.5
Other components below reportable	Javala		5 - < 10

#### 4. FIRST-AID MEASURES

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or

persist.

Skin contact Take off immediately all contaminated clothing. Get medical attention if irritation develops and

persists. Wash skin thoroughly with soap and water for several minutes.

Eye contact Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and

persists. Promptly wash eyes with plenty of water while lifting the eye lids.

Ingestion Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if

the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low

so that stomach vomit doesn't enter the lungs.



## 504855 BLACKWOOD BASE

Revision Date: 05-04-2018 Page 4 of 16

Version # 02 Print Date: 05-04-2018

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment

needed

General information

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Mild skin irritation. May cause an allergic skin reaction. Dermatitis. Rash.

Not available.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Show this safety data sheet to the doctor in attendance.

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Specific methods

General fire hazards

Water spray, fog, CO2, dry chemical, or alcohol resistant foam.

Do not use a solid water stream as it may scatter and spread fire.

Fire may produce irritating, corrosive and/or toxic gases.

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full

facepiece operated in the positive pressure demand mode when fighting fires.

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

Use water spray to cool unopened containers.

Static charges generated by emptying package in or near flammable vapor may cause flash fire.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up

Keep unnecessary personnel away. Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.

Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent product from entering drains. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Collect and dispose of spillage as indicated in section 13 of the SDS.



## 504855 BLACKWOOD BASE

Revision Date: 05-04-2018 Page 5 of 16

Print Date: 05-04-2018 Version # 02

**Environmental precautions** Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local

authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if

safe to do so. Do not contaminate water.

7. HANDLING AND STORAGE

Precautions for safe handling Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary

> measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged

exposure. Wash thoroughly after handling.

Conditions for safe storage. including any incompatibilities Keep container closed. Handle containers with care. Open slowly in order to control possible

pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls Use explosion-proof ventilation equipment to stay below exposure limits. Adequate ventilation

should be provided so that exposure limits are not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

Hand protection Chemical resistant gloves.

Other Use of an impervious apron is recommended.

Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must Respiratory protection

be provided.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material

> and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Refer to Spec Sheet **Appearance** 

Physical state Liquid. Form Liquid.

Refer to Spec Sheet Color

Odor Characteristic. Odor threshold Not available. Not available. pΗ Melting point/freezing point Not available. Not available.

Initial boiling point and boiling

range

> 200.0 °F (> 93.3 °C) Closed Cup Flash point

**Evaporation rate** Not available.



## 504855 BLACKWOOD BASE

Revision Date: 05-04-2018 Page 6 of 16

Version # 02 Print Date: 05-04-2018

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density 0.94 at d 20/20

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties

Molecular formula

Oxidizing properties

Not applicable

Not oxidizing.

Not oxidizing.

Not oxidizing.

**VOC** < 26 %

#### 10. STABILITY AND REACTIVITY

**Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

ition

No hazardous decomposition products if stored and handled as indicated.

products

#### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

**Inhalation** No adverse effects due to inhalation are expected.

**Skin contact** Causes mild skin irritation. May cause an allergic skin reaction.

**Eye contact** Causes serious eye irritation.

**Ingestion** Expected to be a low ingestion hazard.



## 504855 BLACKWOOD BASE

Revision Date: 05-04-2018 Page 7 of 16

Version # 02 Print Date: 05-04-2018

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Mild skin irritation. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

(2S)-PROPYL 2- (1,1-DIMETHYLPROPOXY) PROPANOATE (CAS 319002-92-1)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat

> 2000 mg/kg

[cis-4- (propan-2-yl)cyclohexyl]methanol (CAS 13828-37-0)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat > 10000 mg/kg

1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthyl) ethan-1-one (CAS 54464-57-2)

Acute

Dermal

LD50 Rabbit > 5000 mg/kg

Oral

LD50 Rat > 5000 mg/kg

1-Propanol, 2-[1-(3,3-dimethylcyclohexyl) ethoxy]-2-methyl-,propanoate (CAS 141773-73-1)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg (OECD 401: limit)

Oral

LD50 Rat > 2000 mg/kg (OECD 402: limit)

2,6-DIMETHYL-7-OCTEN-2-OL (CAS 18479-58-8)

Acute

Dermal

LD50 Rabbit > 5000 mg/kg

Oral

LD50 Rat 3600 mg/kg



## 504855 BLACKWOOD BASE

Revision Date: 05-04-2018 Page 8 of 16

Version # 02 Print Date: 05-04-2018

Components Species Test Results

2-methyl-4-(2,2,3-trimethylcyclo pent-3-en-1-yl)pent-4-en-1-ol (CAS 104864-90-6)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg OECD 402

Oral

LD50 Rat > 5000 mg/kg OECD 401

4-CYCLOHEXYL-2- METHYLBUTAN-2-OL (CAS 83926-73-2)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat > 5000 mg/kg

CITRONELLOL (CAS 106-22-9)

Acute

Dermal

LD50 Rabbit 2650 mg/kg

Oral

LD50 Rat 3450 mg/kg

CYCLOHEXANEPROPANOL, 2,2,6-TRIMETHYL- .ALPHA.-PROPYL- (CAS 70788-30-6)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat > 20000 mg/kg

Skin corrosion/irritation Causes mild skin irritation.

Serious eye damage/eye Causes serious eye irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** May cause an allergic skin reaction.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.



## 504855 BLACKWOOD BASE

Revision Date: 05-04-2018 Page 9 of 16

Version # 02 Print Date: 05-04-2018

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not available.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

Further information This mixture has not been subjected to full toxicological testing. According to available data on the

constituents the health classification criteria are met.

#### 12. ECOLOGICAL INFORMATION

**Ecotoxicity**Toxic to aquatic life with long lasting effects. This mixture has not been subjected to

ecotoxicological testing as an entity. According to available data on the constituents the

environmental classification criteria are met.

Components Species Test Results

(2S)-PROPYL 2- (1,1-DIMETHYLPROPOXY) PROPANOATE (CAS 319002-92-1)

Aquatic

Acute

 Algae
 EC50
 Algae
 > 100 mg/l OECD 201

 Crustacea
 EC50
 Daphnia
 20 mg/l OECD 202

 Fish
 LC50
 Fish
 13 mg/l OECD 203

1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthyl) ethan-1-one (CAS 54464-57-2)

Aquatic

Acute

Algae EC50 Green algae (Desmodesmus > 2.6 mg/l, 72 hours (based on biomass)

subspicatus) - Algae study carried out according to a

method similar to the OECD 201

....

guideline

> 2.6 mg/l, 72 hours (based on growth rate) - Algae study carried out according to a method similar to the OECD 201

quideline

NOEC Green algae (Desmodesmus 2.6 mg/l, 72 hours (based on growth

subspicatus) rate) - Algae study carried out according

to a method similar to the OECD 201

guideline

Crustacea EC50 Daphnia magna 1.38 mg/l, 48 hours Daphnia study

carried out according to a method similar

to the OECD 202 guideline



# 504855 BLACKWOOD BASE

Revision Date: 05-04-2018 Page 10 of 16

Version # 02 Print Date: 05-04-2018

ponents		Species	Test Results
Fish	LC50	Bluegill (Lepomis macrochirus)	1.3 mg/l, 96 hours Fish study carried ou according to a method similar to the OECD 203 guideline
Chronic			
Crustacea	LOEC	Daphnia magna	0.244 mg/l, 21 days (based on body length) - Daphnia study carried out according to the OECD 211 guideline
			0.096 mg/l, 21 days (based on reproduction) - Daphnia study carried out according to the OECD 211 guideline
	NOEC	Daphnia magna	<ul><li>0.448 mg/l, 21 days (based on mortality - Daphnia study carried out according to the OECD 211 guideline</li></ul>
			0.096 mg/l, 21 days (based on body length) - Daphnia study carried out according to the OECD 211 guideline
			0.028 mg/l, 21 days (based on reproduction) - Daphnia study carried out according to the OECD 211 guideline
Fish	LOEC	Danio rerio	0.29 mg/l, 30 days (based on length an weight) - Fish study carried out according to the OECD 210 guideline
	NOEC	Danio rerio	0.54 mg/l, 30 days (based on time to hatch) - Fish study carried out according to the OECD 210 guideline
			0.54 mg/l, 30 days (based on egg survival) - Fish study carried out according to the OECD 210 guideline
			0.3 mg/l, 30 days (based on post hatch survival) - Fish study carried out according to the OECD 210 guideline
			0.16 mg/l, 30 days (based on length an weight) - Fish study carried out according to the OECD 210 guideline

1-Propanol, 2-[1-(3,3-dimethylcyclohexyl) ethoxy]-2-methyl-,propanoate (CAS 141773-73-1)

Aquatic			
Acute			
Algae	EC50	Algae	> 1.1 mg/l, 72 hours (OECD 201)
Crustacea	EC50	Daphnia magna	3.3 mg/l, 48 hours (OECD 202)
Fish	LC50	Fish	3.6 mg/l, 96 hours (OECD 203)



# 504855 BLACKWOOD BASE

Revision Date: 05-04-2018 Page 11 of 16

Version # 02 Print Date: 05-04-2018

		Species	Test Results
,6-DIMETHYL-7-OCT	ΓEN-2-OL (CAS 184	479-58-8)	
Other	EC50	Activated sludge of a predominantly domestic sewage	> 100 mg/l, 3 hours (respiration rate - nominal concentration - OECD 209)
Aquatic			
Algae	EC50	Algae	80 mg/l, 72 hours (based on growth rate – nominal concentration – OECD 201)
			65 mg/l, 72 hours (based on biomass - nominal concentration - OECD 201)
	LOEC	Algae	50 mg/l, 72 hours (nominal concentration – OECD 201)
	NOEC	Algae	25 mg/l, 72 hours (nominal concentration – OECD 201)
Crustacea	LC50	Daphnia magna	38 mg/l, 48 hours (nominal concentratio - OECD 202)
	NOEC	Daphnia magna	9.5 mg/l, 21 day (OECD 211 conducted with a structurally related substance)
Fish	LC50	Oncorhynchus mykiss	27.8 mg/l, 96 hours (measured concentration - OECD 203 conducted with a structurally related substance)
-methyl-4-(2 2 3-trime	ethylcyclo pent-3-er	n-1-yl)pent-4-en-1-ol (CAS 104864-90-6)	
· · · · · · · · · · · · · · · · · · ·			
Aquatic			
	ouryroyolo pom o o.		
Aquatic	ErC50	Algae	> 0.61 mg/l OECD 201
Aquatic Acute			> 0.61 mg/l OECD 201 0.6 mg/l OECD 202
Aquatic Acute Algae	ErC50	Algae	•
Aquatic Acute Algae Crustacea	ErC50 EC50 LC50	Algae Daphnia Fish	0.6 mg/l OECD 202
Aquatic Acute Algae Crustacea Fish	ErC50 EC50 LC50	Algae Daphnia Fish	0.6 mg/l OECD 202
Aquatic Acute Algae Crustacea Fish -CYCLOHEXYL-2- M	ErC50 EC50 LC50	Algae Daphnia Fish	0.6 mg/l OECD 202
Aquatic Acute Algae Crustacea Fish -CYCLOHEXYL-2- M Aquatic	ErC50 EC50 LC50 IETHYLBUTAN-2-0	Algae Daphnia Fish DL (CAS 83926-73-2)	0.6 mg/l OECD 202 > 0.74 mg/l OECD 203
Aquatic Acute Algae Crustacea Fish -CYCLOHEXYL-2- M Aquatic Algae	ErC50 EC50 LC50 IETHYLBUTAN-2-C EC50	Algae Daphnia Fish DL (CAS 83926-73-2) Algae	0.6 mg/l OECD 202 > 0.74 mg/l OECD 203  25 mg/l, 72 hours
Aquatic Acute Algae Crustacea Fish -CYCLOHEXYL-2- M Aquatic Algae Crustacea	ErC50 EC50 LC50 IETHYLBUTAN-2-C EC50 EC50 LC50	Algae Daphnia Fish DL (CAS 83926-73-2) Algae Daphnia	0.6 mg/l OECD 202 > 0.74 mg/l OECD 203  25 mg/l, 72 hours 3.8 mg/l, 48 hours
Aquatic Acute Algae Crustacea Fish -CYCLOHEXYL-2- M Aquatic Algae Crustacea Fish	ErC50 EC50 LC50 IETHYLBUTAN-2-C EC50 EC50 LC50	Algae Daphnia Fish DL (CAS 83926-73-2) Algae Daphnia	0.6 mg/l OECD 202 > 0.74 mg/l OECD 203  25 mg/l, 72 hours 3.8 mg/l, 48 hours
Aquatic Acute Algae Crustacea FishCYCLOHEXYL-2- M Aquatic Algae Crustacea Fish CEDRENE ALPHA (C.	ErC50 EC50 LC50 IETHYLBUTAN-2-C EC50 EC50 LC50	Algae Daphnia Fish DL (CAS 83926-73-2) Algae Daphnia	0.6 mg/l OECD 202 > 0.74 mg/l OECD 203  25 mg/l, 72 hours 3.8 mg/l, 48 hours
Aquatic Acute Algae Crustacea Fish -CYCLOHEXYL-2- M Aquatic Algae Crustacea Fish CEDRENE ALPHA (Ca	ErC50 EC50 LC50 IETHYLBUTAN-2-C EC50 EC50 LC50 AS 469-61-4)	Algae Daphnia Fish DL (CAS 83926-73-2) Algae Daphnia Fish	0.6 mg/l OECD 202 > 0.74 mg/l OECD 203  25 mg/l, 72 hours 3.8 mg/l, 48 hours 13 mg/l, 96 hours
Aquatic Acute Algae Crustacea Fish -CYCLOHEXYL-2- M Aquatic Algae Crustacea Fish CEDRENE ALPHA (C. Aquatic Crustacea	ErC50 EC50 LC50 IETHYLBUTAN-2-C EC50 EC50 LC50 AS 469-61-4)	Algae Daphnia Fish DL (CAS 83926-73-2) Algae Daphnia Fish	0.6 mg/l OECD 202 > 0.74 mg/l OECD 203  25 mg/l, 72 hours 3.8 mg/l, 48 hours 13 mg/l, 96 hours
Aquatic Acute Algae Crustacea Fish -CYCLOHEXYL-2- M Aquatic Algae Crustacea Fish CEDRENE ALPHA (C. Aquatic Crustacea	ErC50 EC50 LC50 IETHYLBUTAN-2-C EC50 EC50 LC50 AS 469-61-4)	Algae Daphnia Fish DL (CAS 83926-73-2) Algae Daphnia Fish	0.6 mg/l OECD 202 > 0.74 mg/l OECD 203  25 mg/l, 72 hours 3.8 mg/l, 48 hours 13 mg/l, 96 hours
Aquatic Acute Algae Crustacea Fish -CYCLOHEXYL-2- M Aquatic Algae Crustacea Fish CEDRENE ALPHA (C. Aquatic Crustacea CITRONELLOL (CAS	ErC50 EC50 LC50 IETHYLBUTAN-2-C EC50 EC50 LC50 AS 469-61-4)	Algae Daphnia Fish DL (CAS 83926-73-2) Algae Daphnia Fish	0.6 mg/l OECD 202 > 0.74 mg/l OECD 203  25 mg/l, 72 hours 3.8 mg/l, 48 hours 13 mg/l, 96 hours



## 504855 BLACKWOOD BASE

Revision Date: 05-04-2018 Page 12 of 16

Version # 02 Print Date: 05-04-2018

ComponentsSpeciesTest ResultsFishLC50Leuciscus idus (Golden orfe)> 10 - < 22 mg/l, 96 hours</td>

HYDROGENATED METHYL ROSINATE (CAS 8050-15-5)

Acute

EL50 Selenastrum capricornutum (new name > 1000 mg/l, 72 hours OECD 201

Pseudokirchnerella subca

Aquatic

Acute

Crustacea EL50 Daphnia magna 27 mg/l, 48 hours OECD 202

Fish LL50 Pimephales promelas > 1000 mg/l, 96 hours OECD 203

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects

The product contains volatile organic compounds which have a photochemical ozone creation

potential.

#### 13. DISPOSAL CONSIDERATIONS

**Disposal instructions**Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain

into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or

used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

Not established.

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

### 14. TRANSPORT INFORMATION

**ADN** 

UN number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-

Octahydro-2,3,8,8- tetramethyl-2- naphthyl) ethan-1-one, (1-ETHOXYETHOXY)

CYCLODODECANE)

Transport hazard class(es) 9
Subsidiary class(es) Packing group III
Environmental hazards Yes
Labels required 9

ADR

UN number 3082



## 504855 BLACKWOOD BASE

Revision Date: 05-04-2018 Page 13 of 16

Version # 02 Print Date: 05-04-2018

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-

Octahydro-2,3,8,8- tetramethyl-2- naphthyl) ethan-1-one, (1-ETHOXYETHOXY)

CYCLODODECANE)

Transport hazard class(es) 9
Subsidiary class(es) Packing group III
Environmental hazards Yes
Labels required 9

**RID** 

UN number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-

Octahydro-2,3,8,8- tetramethyl-2- naphthyl) ethan-1-one, (1-ETHOXYETHOXY)

CYCLODODECANE)

Transport hazard class(es) 9
Subsidiary class(es) Packing Group III
Environmental Hazards Yes
Labels required 9

Special precautions for user

Read safety instructions, SDS and emergency procedures before handling.

DOT

**BULK** 

UN number 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-

Octahydro-2,3,8,8- tetramethyl-2- naphthyl) ethan-1-one, (1-ETHOXYETHOXY)

CYCLODODECANE)

Hazard class 9
Packing group III

**Environmental hazards** 

Marine pollutantYesPackaging exceptions155Packaging bulk241Labels required9

DOT

**NON-BULK** 

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

UN number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-

Octahydro-2,3,8,8- tetramethyl-2- naphthyl) ethan-1-one, (1-ETHOXYETHOXY)

CYCLODODECANE)

Transport hazard class(es) 9
Subsidiary class(es) -



## 504855 BLACKWOOD BASE

Revision Date: 05-04-2018 Page 14 of 16

Version # 02 Print Date: 05-04-2018

Packing group

**Environmental hazards** 


Marine pollutant Yes
Labels required 9

Transport in bulk according

Not applicable.

to Annex II of MARPOL 73/78 and the IBC Code

ADN; ADR; DOT BULK; IMDG; RID



#### Marine pollutant



### 15. REGULATORY INFORMATION

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not available.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.



# 504855 BLACKWOOD BASE

Revision Date: 05-04-2018 Page 15 of 16

Version # 02 Print Date: 05-04-2018

SARA 311/312 Hazardous

Yes

chemical

Classified hazard Acute toxicity (any route of exposure)

categories Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitization

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Proposition 65

California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

 Issue date
 11-18-2015

 Revision date
 05-04-2018

Version # 02

**HMIS® ratings** Health: 3

Flammability: 1 Physical hazard: 0



## 504855 BLACKWOOD BASE

Revision Date: 05-04-2018 Page 16 of 16

Version # 02 Print Date: 05-04-2018

#### Disclaimer

Vigon International, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.