

Certificate of Analysis



Product Name: BLACK AGAR GIVCO 215/2

Lot #: 3340JA

Date of Manufacture: 2019-07-16

Date of Last Analysis: 2019-07-16

Best if Used By: 2020-07-16

Vigon Code: 508127

<u>Characteristic</u>	<u>Result</u>	<u>Specification</u>
GAS CHROMATOGRAPH	PASSES TEST	PASSES TEST
ODOR	PASSES TEST	AMBERY, WOODY ODOR.
REFRACTIVE INDEX (@20C)	1.4914	1.4870 - 1.4970
SPECIFIC GRAVITY (@25C)	0.9941	0.9894 - 0.9994
COLOR/APPEARANCE	PASSES TEST	GOLDEN YELLOW TO BROWNISH YELLOW LIQUID.

Additional Product Information

Flash Point: >200 °F

Shelf Life: 12 Months

Storage Conditions: Stable when stored in its original package, tightly sealed in a cool (46-90°F) and dry location out of direct heat and light.

Sincerely,

Chrissy Campos
Quality Control Supervisor

This Certificate of Analysis does not relieve the purchaser from undertaking their own tests in order to assure the suitability of this product for its application and to comply with all relevant legal requirements for any goods into which this product is incorporated

Vigon International, LLC.

127 Airport Road East Stroudsburg, PA 18301-9629 USA | Tel: +1 570-476-6300 | Fax: +1 570-476-1110 | Email: regulatory@vigon.com | Web: vigon.com