

Page 1 (11) Issue date: 05/09/2022 Version: 1 (03/23/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Chypre No1 1244181

1

Version:

Section 1. Identification of the substance or the mixture and of the supplier

- **1.1 Product Identifier**
- Product identifier: Chypre No1 1244181
- Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

- Product uses: Fragrances
- 1.3 Details of the supplier of the safety data sheet

| Company name: | Aromatic Fragrances International, Inc |
|-----------------------|--|
| Company address: | 85 Wansley Drive SE Cartersville GA 30121 USA |
| Contact: | Regulatory Affairs |
| E-Mail address: | regulatory@afi-usa.com |
| Company phone: | 770-334-3906 |
| 1.4 Emergency telephe | one number |
| Emergency phone: | 770-334-3906 |

Section 2. Hazards identification

2.1 Classification of the substance or mixture

| | Flammable Liquid, Hazard Category 4 |
|--------------------|--|
| danger: | Skin Corrosion / Irritation Category 2 |
| | Eye Damage / Irritation Category 2 |
| | Sensitization - Skin Category 1 |
| | Carcinogenicity Category 2 |
| | Hazardous to the Aquatic Environment - Acute Hazard Category 2 |
| | Hazardous to the Aquatic Environment - Long-term Hazard Category 1 |
| | H227, Combustible liquid. |
| | H315, Causes skin irritation. |
| | H317, May cause an allergic skin reaction. |
| | H319, Causes serious eye irritation. |
| | H351, Suspected of causing cancer (exposure route). |
| | H401, Toxic to aquatic life. |
| | H410, Very toxic to aquatic life with long lasting effects. |
| 2.2 Label elements | |
| Signal word: | Warning |
| Hazard statements: | H227, Combustible liquid. |



Page 2 (11) Issue date: 05/09/2022 Version: 1 (03/23/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

| in accordance with on on a latest edition |
|---|
| Chypre No1 1244181 |
| 1 |
| H315, Causes skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H351, Suspected of causing cancer (exposure route). H401, Toxic to aquatic life. H410, Very toxic to aquatic life with long lasting effects. |
| P202, Do not handle until all safety precautions have been read and understood. P210, Keep away from heat, sparks, open flames and hot surfaces No smoking. P261, Avoid breathing vapour or dust. P264, Wash hands and other contacted skin thoroughly after handling. P272, Contaminated work clothing should not be allowed out of the workplace. P273, Avoid release to the environment. P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water. P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308/313, IF exposed or concerned: Get medical advice/attention. P333/313, If skin irritation or rash occurs: Get medical advice/attention. P337/313, If eye irritation persists: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse. P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391, Collect spillage. P403/235, Store in a well-ventilated place. Keep cool. P405, Store locked up. P501, Dispose of contents/container to approved disposal site, in accordance with local regulations. |
| |
| ards s: None |
| Section 3. Composition / information on ingredients |
| |
| |

Contains:



Page 3 (11) Issue date: 05/09/2022 Version: 1 (03/23/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Chypre No1 1244181

1

Version:

| Name | CAS | % | GHS Classification |
|---|------------|---------|--|
| 1-(1,2,3,4,5,6,7,8-Octahydro- 2,3,8,8-tetramethyl-2- naphthalenyl)ethanone | 54464-57-2 | 20-<50% | Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 1;H315-H317-H401-H410 |
| Linalyl acetate | 115-95-7 | 5-<10% | Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B- Aquatic Acute 3;H227-H315-H317-H320-H402 |
| 2,6-Dimethyl-2-heptanol | 13254-34-7 | 5-<10% | Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 3; H227-H315-H319-H402 |
| Eugenol | 97-53-0 | 1-<5% | Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A-Skin Sens. 1B- Aquatic Acute 2;H303-H316-H317-H319-H401 |
| Isobornyl acetate | 125-12-2 | 1-<5% | Flam. Liq. 4-Skin Irrit. 3-Aquatic Acute 2;H227-H316- H401 |
| 1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8- hexamethylcyclopenta-gamma- 2-benzopyran | 1222-05-5 | 1-<5% | Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316- H410 |
| Coumarin | 91-64-5 | 1-<5% | Acute Tox. 4-Skin Sens. 1B-Aquatic Acute 3;H302- H317-H402 |
| 4-Acetyl-6-t-butyl-1,1- dimethylindan | 13171-00-1 | 1-<5% | Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 1;H313- H410 |
| Amyl salicylate | 2050-08-0 | 1-<5% | Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 1;H302- H410 |
| Benzyl acetate | 140-11-4 | 1-<5% | Acute Tox. 5-Aquatic Acute 2-Aquatic Chronic 3;H303- H401-H412 |
| Methyl dihydrojasmonate | 24851-98-7 | 1-<5% | Aquatic Acute 3;H402 |
| 1-(5,6,7,8-Tetrahydro- 3,5,5,6,8,8-hexamethyl-2- naphthyl)ethan-1-one (Fixolid) | 1506-02-1 | 1-<5% | Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 1;H302- H410 |
| 3 and 4-(4-Hydroxy-4- methylpentyl)-3-cyclohexene-1- carboxaldehyde | 31906-04-4 | 1-<5% | Skin Sens. 1A-Aquatic Acute 3;H317-H402 |
| Musk ketone | 81-14-1 | 1-<5% | Carc. 2-Aquatic Acute 1-Aquatic Chronic 1;H351-H410 |
| Linalool | 78-70-6 | 1-<5% | Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H315-H317- H319-H402 |
| 2,4-Dimethyl-3-cyclohexen-1- carboxaldehyde | 68039-49-6 | 1-<5% | Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H227- H303-H315-H317-H319-H411 |
| Methyl atrarate | 4707-47-5 | 1-<5% | Skin Sens. 1B-Aquatic Acute 2;H317-H401 |
| Eucalyptol | 470-82-6 | 0.1-<1% | Flam. Liq. 3-Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1B- Aquatic Acute 3;H226-H303-H317-H320-H402 |
| beta-Caryophyllene | 87-44-5 | 0.1-<1% | Skin Sens. 1B-Asp. Tox 1-Aquatic Chronic 4;H304- H317-H413 |
| Camphor | 76-22-2 | 0.1-<1% | Flam. Liq. 4-Flam. Sol. 2-Acute Tox. 4-Acute Tox. 4- Skin Irrit. 2-Eye Dam. 1-STOT SE 2-Aquatic Acute 2- Aquatic Chronic 2;H227-H228-H302-H315-H318-H332- H371-H411 |
| Benzyl salicylate | 118-58-1 | 0.1-<1% | Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H303-H317-H320-H401-H412 |
| Benzyl benzoate | 120-51-4 | 0.1-<1% | Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411 |
| Nerolidol (isomer unspecified) | 7212-44-4 | 0.1-<1% | Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H317-H320-H410 |
| Acetyl cedrene | 32388-55-9 | 0.1-<1% | Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H303-H317-H410 |
| 2-Ethyl-4-(2,2,3-trimethyl-3- cyclopenten-1-yl)-2-buten-1-ol | 28219-61-6 | 0.1-<1% | Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 2-Aquatic Chronic 2;H315-H319-H411 |
| Carvone | 99-49-0 | 0.1-<1% | Flam. Liq. 4-Acute Tox. 5-Acute Tox. 5-Skin Sens. 1B- Aquatic Acute 2;H227-H303-H313-H317-H401 |
| Cedrol methyl ether | 19870-74-7 | 0.1-<1% | Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1; H317-H410 |



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Chypre No1 1244181

1

Version:

| alpha-Pinene | 80-56-8 | 0.1-<1% | Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B- Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226- H302-H304-H315-H317-H410 |
|--------------------------------|------------|---------|--|
| Thymol | 89-83-8 | 0.1-<1% | Acute Tox. 4-Skin Corr. 1B-Eye Dam. 1-Aquatic Acute 2-Aquatic Chronic 2;H302-H314-H411 |
| Allyl alpha-ionone | 79-78-7 | 0.1-<1% | Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2; H317-H411 |
| 6-sec-Butylquinoline | 65442-31-1 | 0.1-<1% | Skin Irrit. 2-Aquatic Acute 2-Aquatic Chronic 2;H315- H411 |
| 4-tert-Butylcyclohexyl acetate | 32210-23-4 | 0.1-<1% | Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303- H317-H401 |
| beta-Pinene | 127-91-3 | 0.1-<1% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410 |

Substances with workplace exposure limits, not listed above:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

- **Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Suspected of causing cancer (exposure route).

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.



Page 5 (11) Issue date: 05/09/2022 Version: 1 (03/23/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Chypre No1 1244181

1

Version:

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.



Page 6 (11) Issue date: 05/09/2022 Version: 1 (03/23/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Chypre No1 1244181

1

Version:

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Appearance: | Clear free-flowing liquid without sediment |
|---|---|
| Odour: | Conforms to Standard |
| Odour threshold: | Not determined |
| pH: | Not determined |
| Melting point / freezing point: | Not determined |
| Initial boiling point / range: | Not determined |
| Flash point: | 85 °C |
| Evaporation rate: | Not determined |
| Flammability (solid, gas): | Not determined |
| Upper/lower flammability or explosive lim | its: Product does not present an explosion hazard |
| Vapour pressure: | Not determined |
| Vapour density: | Not determined |
| Relative density: | 0.9500 - 0.9600 |
| Solubility(ies): | Not determined |
| Partition coefficient: n-octanol/water: | Not determined |
| Auto-ignition temperature: | Not determined |
| Decomposition temperature: | Not determined |
| Viscosity: | Not determined |
| Explosive properties: | Not expected |
| Oxidising properties: | Not expected |
| 9.2 Other information: | |
| Refractive Index @ 20C: | 1.4847 - 1.4877 |
| Flash Point (Fahrenheit): | 185 °F |

0.00

| Section 10 | . Stability | and read | <u>tivity</u> |
|------------|-------------|----------|---------------|

10.1 Reactivity:

Calculated VOC:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.



Page 7 (11) Issue date: 05/09/2022 Version: 1 (03/23/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Chypre No1 1244181

Version:

10.5 Incompatible materials:

1

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

| Acute Toxicity: | Based on available data the classification criteria are not met. |
|------------------------------------|--|
| Acute Toxicity Oral | >5000 |
| Acute Toxicity Dermal | >5000 |
| Acute Toxicity Inhalation | Not Available |
| Skin corrosion/irritation: | Skin Corrosion / Irritation Category 2 |
| Serious eye damage/irritation: | Eye Damage / Irritation Category 2 |
| Respiratory or skin sensitisation: | Sensitization - Skin Category 1 |
| Germ cell mutagenicity: | Based on available data the classification criteria are not met. |
| Carcinogenicity: | Carcinogenicity Category 2 |
| Reproductive toxicity: | Based on available data the classification criteria are not met. |
| STOT-single exposure: | Based on available data the classification criteria are not met. |
| STOT-repeated exposure: | Based on available data the classification criteria are not met. |
| Aspiration hazard: | Based on available data the classification criteria are not met. |

Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Very toxic to aquatic life with long lasting effects.

| 12.2 Persistence and degradability: | Not available |
|-------------------------------------|---------------|
| 12.3 Bioaccumulative potential: | Not available |
| 12.4 Mobility in soil: | Not available |
| 12.5 Other adverse effects: | Not available |

Section 13. Disposal considerations

13.1 Waste treatment methods:



Page 8 (11) Issue date: 05/09/2022 Version: 1 (03/23/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Chypre No1 1244181

1

Version:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14.1 UN 14.2 UN Proper Shipping Name: 14.3 Sub Risk: 14.4. Packing number: Transport Group: hazard class(es): **UN Model** UN3082 ENVIRONMENTALLY HAZARDOUS Ш 9 _ Regulations SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8tetramethyl-2-naphthalenyl)ethanone, 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8hexamethylcyclopenta-gamma-2benzopyran) IMDG UN3082 **ENVIRONMENTALLY HAZARDOUS** 9 Ш _ SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8tetramethyl-2-naphthalenyl)ethanone, 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8hexamethylcyclopenta-gamma-2benzopyran) MARINE POLLUTANT **ENVIRONMENTALLY HAZARDOUS** ADR,RID,ADN UN3082 9 Ш _ SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8tetramethyl-2-naphthalenyl)ethanone, 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8hexamethylcyclopenta-gamma-2benzopyran) ICAO TI UN3082 **ENVIRONMENTALLY HAZARDOUS** 9 Ш SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8tetramethyl-2-naphthalenyl)ethanone, 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8hexamethylcyclopenta-gamma-2benzopyran)

Section 14. Transport information

14.5 Environmental hazards:

This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

Section 15. Regulatory information

Components listed on California's Proposition 65:



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Chypre No1 1244181

1

Version:

| Name | CAS | % |
|--|----------|-------|
| Myrcene (Naturally-Occurring) | 123-35-3 | <0.1% |
| Eugenyl methyl ether (Naturally-Occurring) | 93-15-2 | <0.1% |
| Estragole | 140-67-0 | <0.1% |

Essential Oil Components:

| Name | CAS | % |
|-----------------------|---------------|---------|
| PATCHOULI OIL MD | 50-6210-04-01 | 1-<5% |
| ORANGE OIL FLORIDA | 8028-48-6 | 1-<5% |
| CEDARLEAF OIL | 8007-20-3 | 1-<5% |
| ROSEMARY OIL SPAIN | 8000-25-7 | 1-<5% |
| CEDARWOOD OIL ATLAS | 8023-85-3 | 0.1-<1% |
| PERU BALSAM OIL (R) | 8007-00-9 | 0.1-<1% |
| VETIVER OIL HAITI | 8016-96-4 | 0.1-<1% |
| GERANIUM OIL CHINESE | 8000-46-2 | 0.1-<1% |
| CALAMUS OIL | 8015-79-0 | <0.1% |

Additional formulation properties

| Name | CAS | % |
|----------|----------|-------|
| Vanillin | 121-33-5 | <0.1% |

Section 16. Other information

| Concentration % Limits: | EH A2=15.36% EH A3=1.51% EH C1=72.96% EH C2=7.27% EH C3=0. 72688573% EH C4=67.40% SCI 2=23.86% SCI 3=2.25% EDI 2A=31.99% SS 1=4.56% CAR 2=78.13% |
|--------------------------|--|
| Total Fractional Values: | EH A2=6.51 EH A3=66.03 EH C1=1.37 EH C2=13.75 EH C3=137.57 EH C4=1.48 SCI 2=4.19 SCI 3=44.47 EDI 2A=3.13 SS 1=21.94 CAR 2=1.28 |
| Key to revisions: | |

Not applicable

Key to abbreviations:

| Abbreviation | Meaning |
|-------------------|--|
| Acute Tox. 4 | Acute Toxicity - Oral Category 4 |
| Acute Tox. 4 | Acute Toxicity - Inhalation Category 4 |
| Acute Tox. 5 | Acute Toxicity - Oral Category 5 |
| Acute Tox. 5 | Acute Toxicity - Dermal Category 5 |
| Aquatic Acute 1 | Hazardous to the Aquatic Environment - Acute Hazard Category 1 |
| Aquatic Acute 2 | Hazardous to the Aquatic Environment - Acute Hazard Category 2 |
| Aquatic Acute 3 | Hazardous to the Aquatic Environment - Acute Hazard Category 3 |
| Aquatic Chronic 1 | Hazardous to the Aquatic Environment - Long-term Hazard Category 1 |
| Aquatic Chronic 2 | Hazardous to the Aquatic Environment - Long-term Hazard Category 2 |
| Aquatic Chronic 3 | Hazardous to the Aquatic Environment - Long-term Hazard Category 3 |



Page 10 (11) Issue date: 05/09/2022 Version: 1 (03/23/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Chypre No1 1244181

1

Version:

| Asp. Tox 1 Aspiration Hazard Category 1 Carc. 2 Carcinogenicity Category 2 Eye Dam. 1 Eye Damage / Initiation Category 1 Eye Intl. 2A Eye Damage / Initiation Category 2A Eye Intl. 2B Eye Damage / Initiation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 Flam. Sol. 2 Flammable Solid, Hazard Category 2 H226 Flammable Liquid and vapour. H227 Combustib Fiquid. Combustib Fiquid. Flammable Solid. H302 Harmful if svallowed. H303 May be harmful if svallowed. H304 May be fatal if svallowed. H315 Causes swere skin burns and eye damage. H316 Causes swere skin burns and eye damage. H317 May be asserious eye initiation. H318 Causes serious eye initiation. H319 Causes serious eye initiation. H320 Causes serious eye initiation. H314 Causes serious eye initiation. H315 Causes serious eye initiation. H316 Causes serious eye initiation. H317 May cause analergic skin reaction. H318 Causes serious eye initiation. H320 Causes eye initi | Aquatic Chronic 4 | Hazardous to the Aquatic Environment - Long-term Hazard Category 4 |
|--|-------------------|---|
| Eye Dam. 1Eye Damage / Initiation Category 1Eye Imit 2AEye Damage / Initiation Category 2AEye Imit 2BEye Damage / Initiation Category 2AEye Imit 2BEye Damage / Initiation Category 2BFlam. Liq. 3Flammable Liquid, Hazard Category 3Flam. Liq. 4Flammable Equid, Hazard Category 4Flam. Sol. 2Flammable Equid, Hazard Category 2Flam. Sol. 2Flammable Equid And vapour.H226Flammable Equid And vapour.H227Conbustible Iquid.H303Flammable Solid.H304Harmful if swallowed.H305May be harmful if swallowed.H304May be harmful if swallowed.H305Causes serier skin burns and eye damage.H316Causes serier skin burns and eye damage.H317May be harmful in contact with skin.H318Causes series skin initiation.H319Causes series series eye intration.H319Causes series eye intration.H319Causes escious eye damage.H319Causes escious eye damage.H310Causes exerious eye intration.H320Causes exerious eye intration.H332Harmful i finaled.H333Suspected of causing cancer (exposure route).H319Causes exerious eye intration.H320Very toxic to aquatic life.H401Toxic to aquatic life.H402Marmful to aquatic life.H403Very toxic to aquatic life.H404Toxic to aquatic life.H405Nery toxic to aquatic l | Asp. Tox 1 | Aspiration Hazard Category 1 |
| Eye Irit. 2A Eye Damage / Iritation Category 2A Eye Irit. 2B Eye Damage / Iritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 Flam. Sol. 2 Flammable Solid, Hazard Category 2 H226 Flammable Solid, Hazard Category 2 H227 Combustible liquid, and vapour. H228 Flammable Solid, Acting and Vapour. H228 Flammable Solid, Acting and Vapour. H303 May be harmful if swallowed. H304 May be harmful if swallowed. H305 May be harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes severe skin burns and eye damage. H316 Causes serious eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye iritation. H329 Causes serious eye iritation. H320 Causes serious eye iritation. H321 Marmful ir inhaled. H322 Harmful ir inhaled. H320 Causes areious eye iritation. <t< td=""><td>Carc. 2</td><td>Carcinogenicity Category 2</td></t<> | Carc. 2 | Carcinogenicity Category 2 |
| Eye Irrit. 2BEye Damage / Irritation Category 2BFlam. Liq. 3Flammable Liquid, Hazard Category 3Flam. Liq. 4Flammable Liquid, Hazard Category 4Flam. Sol. 2Flammable Solid, Hazard Category 2H226Flammable Solid, Hazard Category 2H227Combustible liquid and vapour.H228Flammable Solid, Hazard Category 2H228Flammable Solid, Hazard Category 2H229Combustible liquid.H302Hammul if swallowed.H303May be harmful if swallowed.H304May be fatal if swallowed.H315Causes severe skin burns and eye damage.H316Causes severe skin burns and eye damage.H317May cause an allergic skin reaction.H318Causes serious eye irritaton.H319Causes serious eye irritaton.H320Causes serious eye irritaton.H318Causes serious eye irritaton.H320Causes serious eye irritaton.H321May cause an allergic skin reaction.H322Harmful if inhaled.H320Causes serious eye irritaton.H321Suspected of causing cancer (exposure route).H400Very toxic to aquatic life.H401Toxic to aquatic life.H411Toxic to aquatic life.H412Harmful to aquatic life with long lasting effects.H413May cause damage to rogans (organs, exposure route).H414Toxic to aquatic life with long lasting effects.H415May cause damage to rogans (organs, exposure route).H416 | Eye Dam. 1 | Eye Damage / Irritation Category 1 |
| Flam. Liq. 3Flammable Liquid, Hazard Category 3Flam. Liq. 4Flammable Liquid, Hazard Category 4Flam. Sol. 2Flammable Solid, Hazard Category 2H226Flammable Iquid and vapour.H227Combustible Iquid.H228Flammable solid.H302Harmful I swallowed.H303May be harmful I swallowed.H304May be harmful I swallowed and enters airways.H313May be harmful I swallowed and enters airways.H314Causes severe skin burns and eye damage.H315Causes severe skin burns and eye damage.H316Causes severe skin burns and eye damage.H317May cause an allergic skin reaction.H318Causes serious eye dramage.H319Causes serious eye airmation.H319Causes serious eye irritation.H320Causes serious eye irritation.H332Harmful I inhaled.H332Suspected of causing cancer (exposure roule).H331May cause damage to organs (organs, exposure roule).H401Toxic to aquatic life.H401Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.H414Toxic to aquatic life with long lasting effects.H415Causes lasting harmful effects to aquatic life.H416Toxic to aquatic life with long lasting effects.H417May cause long lasting harmful effects to aquatic life.H418Causes lasting harmful effects | Eye Irrit. 2A | Eye Damage / Irritation Category 2A |
| Flam. Liq. 4 Flammable Liquid, Hazard Category 4 Flam. Sol. 2 Flammable Solid, Hazard Category 2 H226 Flammable Iquid and vapour. H227 Combustible Iquid. H228 Flammable Solid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be harmful in contact with skin. H314 Causes severe skin burns and enters airways. H315 Causes servere skin burns and enters airways. H316 Causes servere skin burns and enters airways. H317 May be harmful in contact with skin. H318 Causes servere skin burns and eye damage. H317 Causes servere skin burns and eye damage. H318 Causes servere skin servere s | Eye Irrit. 2B | Eye Damage / Irritation Category 2B |
| Flam. Sol. 2Flammable Solid, Hazard Category 2H226Flammable liquid and vapour.H227Combustble liquid.H228Flammable solid.H302Harmful if swallowed.H303May be harmful if swallowed.H304May be harmful if swallowed.H315May be harmful in contact with skin.H314Causes severe skin burns and eye damage.H315Causes severe skin burns and eye damage.H316Causes severe skin burns and eye damage.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye damage.H319Causes serious eye damage.H319Causes serious eye damage.H314May cause an allergic skin reaction.H315Causes serious eye damage.H316Causes serious eye irritation.H317May cause damage to organs (crgans, exposure route).H320Causes eye irritation.H331May cause damage to organs (crgans, exposure route).H411May cause damage to organs (crgans, exposure route).H412Harmful to aquatic life.H4110Very toxic to aquatic life.H412Harmful to aquatic life.H413May cause laquatic life with long lasting effects.H414Toxic to aquatic life with long lasting effects.H415May cause laquatic life with long lasting effects.H416Very toxic to aquatic life with long lasting effects.H417Keep away from heat, sparks, open flames and hot surfaces No | Flam. Liq. 3 | Flammable Liquid, Hazard Category 3 |
| H226Flammable liquid and vapour.H227Combustible liquid.H228Flammable solid.H302Harmful if swallowed.H303May be harmful if swallowed.H304May be harmful if swallowed and enters airways.H313May be harmful in contact with skin.H314Causes severe skin burns and eye damage.H315Causes seviere skin burns and eye damage.H316Causes seviere skin burns and eye damage.H317May cause an allergic skin relation.H318Causes serious eye irritation.H319Causes serious eye irritation.H319Causes serious eye irritation.H320Causes serious eye irritation.H331May cause an allergic skin reaction.H332Harmful if inhald.H332Harmful if inhald.H332Harmful if inhald.H333Suspected of causing cancer (exposure route).H344Toxic to aquatic life.H400Very toxic to aquatic life.H411Toxic to aquatic life.H412Harmful to aquatic life.H413May cause long lasting affects.H414Toxic to aquatic life with long lasting effects.H415Keep away from heat, sparks, open flames and hot surfaces. No smoking.P202Do not handle until all safety precutions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces. No smoking.P233Keep container tightly closed.P240Use onylon-roparking tools.P241Use e | Flam. Liq. 4 | Flammable Liquid, Hazard Category 4 |
| H227Combustible liquid.H228Flammable solid.H302Harmful if swallowed.H303May be harmful if swallowed.H304May be fatal if swallowed and enters airways.H313May be harmful in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H316Causes sevine skin burns and eye damage.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H320Causes serious eye irritation.H331May be datal if fe.H332Harmful if Inhaled.H332Harmful if Inhaled.H332Harmful if if.H401Toxic to aquatic life.H402Harmful to aquatic life.H411Toxic to aquatic life.H412Harmful to aquatic life.H413May cause lange freets.H414Toxic to aquatic life.H415May cause lange freets.H416Toxic to aquatic life.H417Toxic to aquatic life.H418May cause long lasting affects.H419Keep avay from heat, sparks, open flames and hot surfaces No smoking.P240Groundbond container and receiving equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge. | Flam. Sol. 2 | Flammable Solid, Hazard Category 2 |
| H228Flammable solid.H302Harmful if swallowed.H303May be harmful if swallowed.H304May be fatal if swallowed and enters airways.H313May be harmful in contact with skin.H314Causes severe skin burns and eye damage.H315Causes severe skin burns and eye damage.H316Causes serie skin burns and eye damage.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H320Causes serious eye irritation.H321Suspected of causing cancer (exposure route).H332Harmful if inhaled.H332Harmful if inhaled.H332Harmful to aquatic life.H400Very toxic to aquatic life.H411Toxic to aquatic life.H412Harmful to aquatic life.H413May cause and lage gffects.H414Toxic to aquatic life.H415May cause lage harmful to galasting effects.H416Very toxic to aquatic life.H417May cause long lasting harmful effects to aquatic life.H418May cause long lasting harmful effects.H419Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P244Use only non-sparking tools.P243Like procautionary measures against static discharge. | H226 | Flammable liquid and vapour. |
| H302Harmful if swallowed.H303May be harmful if swallowed.H304May be fatal if swallowed and enters airways.H313May be harmful in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H316Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H320Causes serious eye irritation.H331Causes serious eye irritation.H332Harmful if inhaled.H332Harmful if inhaled.H332Harmful if inhaled.H331Suspected of causing cancer (exposure route).H340Very toxic to aquatic life.H401Toxic to aquatic life.H411Toxic to aquatic life.H412Harmful to aquatic life.H413Toxic to aquatic life with long lasting effects.H414Toxic to aquatic life.H415May cause long lasting harmful effects.H416Toxic to aquatic life with long lasting effects.H417Toxic to aquatic life with long lasting effects.H418May cause long lasting harmful effects to aquatic life.H419Do not handle until all safety precautions have been read and understood.P202Do not handle until all safety precautions have been read and understood.P214Keep paray from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly cosed.P244Use explosion- | H227 | Combustible liquid. |
| H333May be harmful if swallowed.H304May be fatal if swallowed and enters airways.H313May be harmful in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H316Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye damage.H319Causes serious eye irritation.H320Causes serious eye irritation.H321May cause an allergic skin reaction.H322Harmful if inhaled.H322Causes serious eye irritation.H332Harmful if inhaled.H331Suspected of causing cancer (exposure route).H331May cause damage to organs (organs, exposure route).H401Toxic to aquatic life.H402Harmful to aquatic life.H403Very toxic to aquatic life.H414Toxic to aquatic life.H415May cause long lasting effects.H416May cause long lasting effects.H417May cause long lasting flects.H418May cause long lasting harmful effects to aquatic life.H419Do not handle until all safety precautions have been read and understood.P202Do not handle until all safety precautions have been read and understood.P214Ground/bord container and receiving equipment.P242Use explosion-proof electrical, ventilating and lighting equipment.P243See using horn-parking tools. | H228 | Flammable solid. |
| H304May be fatal if swallowed and enters airways.H313May be harmful in contact with skin.H314Causes severe skin burns and eye damage.H315Causes severe skin burns and eye damage.H316Causes smild skin initiation.H316Causes smild skin initiation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye initiation.H320Causes serious eye initiation.H332Harmful if inhaled.H334Suspected of causing cancer (exposure route).H371May cause damage to organs (organs, exposure route).H400Very toxic to aquatic life.H410Toxic to aquatic life.H411Toxic to aquatic life.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.H414Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.H414Toxic to aquatic life with long lasting effects.H415May cause long lasting harmful effects to aquatic life.H416Keep container and receiving equipment.P220Do not handle until all safety precautions have been read and understood.P233Keep container ighty closed.P240Ground/bond container and receiving equipment.P242Use explosion-proof electrical, ventilating and lighting equipment.P243Take precautionary measures against static discharge. | H302 | Harmful if swallowed. |
| H313May be harmful in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H316Causes mild skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H320Causes eye irritation.H331Suspected of causing cancer (exposure route).H311May cause damage to organs (organs, exposure route).H400Very toxic to aquatic life.H411Toxic to aquatic life.H412Harmful to aquatic life.H413May cause life with long lasting effects.H414Toxic to aquatic life with long lasting effects.H413May cause long lasting effects.H414Very toxic to aquatic life with long lasting effects.H415May cause long lasting harmful effects to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P200Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge. | H303 | May be harmful if swallowed. |
| H314Causes severe skin burns and eye damage.H315Causes skin irritation.H316Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H320Causes serious eye irritation.H331Causes serious eye irritation.H332Harmful if inhaled.H331Suspected of causing cancer (exposure route).H331May cause damage to organs (organs, exposure route).H400Very toxic to aquatic life.H401Toxic to aquatic life.H411Toxic to aquatic life.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting effects.H414Toxic to aquatic life with long lasting effects.H415May cause long lasting effects.H416Keep away from heat, sparks, open flames and hot surfaces No smoking.P200Ground/bond container and receiving equipment.P242Use enlysion-proof electrical, ventilating and lighting equipment.P243Take precautionary measures against static discharge. | H304 | May be fatal if swallowed and enters airways. |
| H315Causes skin irritation.H316Causes mild skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H320Causes serious eye irritation.H321Causes eye irritation.H322Harmful if inhaled.H331Suspected of causing cancer (exposure route).H371May cause damage to organs (organs, exposure route).H400Very toxic to aquatic life.H401Toxic to aquatic life.H402Harmful to aquatic life.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge. | H313 | May be harmful in contact with skin. |
| H316Causes mild skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H320Causes serious eye irritation.H332Harmful if inhaled.H351Suspected of causing cancer (exposure route).H371May cause damage to organs (organs, exposure route).H400Very toxic to aquatic life.H401Toxic to aquatic life.H402Harmful to aquatic life.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P241Use explosion-proof electrical, ventilating and lighting equipment.P243Take precautionary measures against static discharge. | H314 | Causes severe skin burns and eye damage. |
| H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H320Causes serious eye irritation.H332Harmful if inhaled.H351Suspected of causing cancer (exposure route).H371May cause damage to organs (organs, exposure route).H400Very toxic to aquatic life.H401Toxic to aquatic life.H410Very toxic to aquatic life.H411Toxic to aquatic life.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.H414Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use enly non-sparking tools.P243Take precautionary measures against static discharge. | H315 | Causes skin irritation. |
| H318Causes serious eye damage.H319Causes serious eye irritation.H320Causes eye irritation.H322Harmful if inhaled.H351Suspected of causing cancer (exposure route).H371May cause damage to organs (organs, exposure route).H400Very toxic to aquatic life.H401Toxic to aquatic life.H410Voiry toxic to aquatic life.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P241Use explosion-proof electrical, ventilating and lighting equipment.P243Take precautionary measures against static discharge. | H316 | Causes mild skin irritation. |
| H319Causes serious eye irritation.H320Causes eye irritation.H332Harmful if inhaled.H351Suspected of causing cancer (exposure route).H371May cause damage to organs (organs, exposure route).H400Very toxic to aquatic life.H401Toxic to aquatic life.H402Harmful to aquatic life.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P244Use only non-sparking tools.P243Take precautionary measures against static discharge. | H317 | May cause an allergic skin reaction. |
| H320Causes eye irritation.H332Harmful if inhaled.H351Suspected of causing cancer (exposure route).H371May cause damage to organs (organs, exposure route).H400Very toxic to aquatic life.H401Toxic to aquatic life.H402Harmful to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P244Use enly non-sparking tools.P243Take precautionary measures against static discharge. | H318 | Causes serious eye damage. |
| H332Harmful if inhaled.H351Suspected of causing cancer (exposure route).H371May cause damage to organs (organs, exposure route).H400Very toxic to aquatic life.H401Toxic to aquatic life.H402Harmful to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until al safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P241Use explosion-proof electrical, ventilating and lighting equipment.P243Take precautionary measures against static discharge. | H319 | Causes serious eye irritation. |
| H351Suspected of causing cancer (exposure route).H371May cause damage to organs (organs, exposure route).H400Very toxic to aquatic life.H401Toxic to aquatic life.H402Harmful to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P243Take precautionary measures against static discharge. | H320 | Causes eye irritation. |
| H371May cause damage to organs (organs, exposure route).H400Very toxic to aquatic life.H401Toxic to aquatic life.H402Harmful to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P242Use enly non-sparking tools.P243Take precautionary measures against static discharge. | H332 | Harmful if inhaled. |
| H400Very toxic to aquatic life.H401Toxic to aquatic life.H402Harmful to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge. | H351 | Suspected of causing cancer (exposure route). |
| H401Toxic to aquatic life.H402Harmful to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P243Take precautionary measures against static discharge. | H371 | May cause damage to organs (organs, exposure route). |
| H402Harmful to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P243Take precautionary measures against static discharge. | H400 | Very toxic to aquatic life. |
| H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge. | H401 | Toxic to aquatic life. |
| H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge. | H402 | Harmful to aquatic life. |
| H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge. | H410 | Very toxic to aquatic life with long lasting effects. |
| H413May cause long lasting harmful effects to aquatic life.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge. | H411 | Toxic to aquatic life with long lasting effects. |
| P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge. | H412 | Harmful to aquatic life with long lasting effects. |
| P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge. | H413 | May cause long lasting harmful effects to aquatic life. |
| P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge. | P202 | Do not handle until all safety precautions have been read and understood. |
| P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge. | P210 | Keep away from heat, sparks, open flames and hot surfaces No smoking. |
| P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge. | P233 | Keep container tightly closed. |
| P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. | P240 | Ground/bond container and receiving equipment. |
| P243 Take precautionary measures against static discharge. | P241 | Use explosion-proof electrical, ventilating and lighting equipment. |
| | P242 | Use only non-sparking tools. |
| P260 Do not breathe vapour or dust. | P243 | Take precautionary measures against static discharge. |
| | P260 | Do not breathe vapour or dust. |
| P261 Avoid breathing vapour or dust. | P261 | Avoid breathing vapour or dust. |



Page 11 (11) Issue date: 05/09/2022 Version: 1 (03/23/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Chypre No1 1244181

1

Version:

| P264 | Wash hands and other contacted skin thoroughly after handling. |
|---------------|---|
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/eye protection/face protection. |
| P281 | Use personal protective equipment as required. |
| P301/310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. |
| P301/312 | IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. |
| P301/330/331 | If swallowed: Rinse mouth. Do not induce vomiting. |
| P302/352 | IF ON SKIN: Wash with plenty of soap and water. |
| P303/361/353 | IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304/340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| P305/351/338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308/313 | IF exposed or concerned: Get medical advice/attention. |
| P309/311 | IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician. |
| P310 | Immediately call a POISON CENTER or doctor/physician. |
| P312 | Call a POISON CENTRE or doctor/physician if you feel unwell. |
| P330 | Rinse mouth. |
| P331 | Do not induce vomiting. |
| P332/313 | If skin irritation occurs: Get medical advice/attention. |
| P333/313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P337/313 | If eye irritation persists: Get medical advice/attention. |
| P362 | Take off contaminated clothing and wash before reuse. |
| P363 | Wash contaminated clothing before reuse. |
| P370/378 | In case of fire: Use carbon dioxide, dry chemical, foam for extinction. |
| P391 | Collect spillage. |
| P403/235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container to approved disposal site, in accordance with local regulations. |
| STOT SE 2 | Specific Target Organ Toxicity (Single Exposure) Category 2 |
| Skin Corr. 1B | Skin Corrosion / Irritation Category 1B |
| Skin Irrit. 2 | Skin Corrosion / Irritation Category 2 |
| Skin Irrit. 3 | Skin Corrosion / Irritation Category 3 |
| Skin Sens. 1A | Sensitization - Skin Category 1A |
| Skin Sens. 1B | Sensitization - Skin Category 1B |
| | |

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.