

504110 DARTANOL™

Revision Date: 05-06-2020 Page 1 of 11

Version # 05 Print Date: 05-06-2020

1. IDENTIFICATION

Product Description: DARTANOL™
CAS # 28219-61-6

FEMA Number N/A

Other means of identification

Vigon Item # 504110

Recommended use Concentrated aromatic ingredient which may be used fragrance compounds according to legal and

IFRA guidelines.

Recommended restrictions For Manufacturing Use Only

Company 24 Hour Emergency Response Information

Vigon International, Inc. INFOTRAC (ACCT# 78928);

127 Airport Road 1-800-535-5053 WITHIN THE U.S.A.
E. Stroudsburg, PA 18301 1-352-323-3500 OUTSIDE THE U.S.A.

For information call: 570-476-6300

Web Site: www.vigon.com

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Vigon International, Inc.
Address 127 Airport Road

E. Stroudsburg, PA 18301

United States

Telephone For information call: 570-476-6300

Website www.vigon.com
E-mail regulatory@vigon.com

Emergency phone number INFOTRAC (ACCT# 78928);

1-800-535-5053 WITHIN THE U.S.A. 1-352-323-3500 OUTSIDE THE U.S.A.

2. HAZARD(S) IDENTIFICATION

Physical hazards Not classified.

Health hazardsSerious eye damage/eye irritationCategory 2AEnvironmental hazardsHazardous to the aquatic environment,Category 1

acute hazard

Hazardous to the aquatic environment, Category 1

long-term hazard

Label elements



Signal word Warning



504110 DARTANOL™

Page 2 of 11 Revision Date: 05-06-2020

Print Date: 05-06-2020 Version # 05

Hazard statement Causes serious eye irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting

effects.

Precautionary statement

Prevention Wash thoroughly after handling. Avoid release to the environment. Wear eye protection/face

protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present Response

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Collect

spillage.

Store away from incompatible materials. Storage

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information 100% of the substance consists of component(s) of unknown acute inhalation toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

| Chemical name | Common name and synonyms | CAS number | % |
|--|---|------------|-----|
| 2-ETHYL-4-(2,2,3-TRIMETHYL CYCLOPENT-3-EN-1-YL)BUT-2- | ethyl trimethyl cyclopentene butenol 2- buten-1-ol | 28219-61-6 | 100 |
| EN-1-OL | 2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl) | | |

4. FIRST-AID MEASURES

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or

persist.

Skin contact Take off immediately all contaminated clothing. Get medical attention if irritation develops and

persists. Wash skin thoroughly with soap and water for several minutes.

Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and Eye contact

persists. Promptly wash eyes with plenty of water while lifting the eye lids.

Ingestion Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if

the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low

so that stomach vomit doesn't enter the lungs.

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision

Indication of immediate medical

Not available.

attention and special treatment needed

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, fog, CO2, dry chemical, or alcohol resistant foam.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.



504110 DARTANOL™

Revision Date: 05-06-2020 Page 3 of 11

Version # 05 Print Date: 05-06-2020

Specific hazards arising from

the chemical

Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full

facepiece operated in the positive pressure demand mode when fighting fires.

Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

Specific methods

Use water spray to cool unopened containers.

General fire hazards

Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up

Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.

Collect and dispose of spillage as indicated in section 13 of the SDS.

Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

The product is immiscible with water and will spread on the water surface.

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.

7. HANDLING AND STORAGE

Precautions for safe handling

Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.



504110 DARTANOL™

Revision Date: 05-06-2020 Page 4 of 11

Version # 05 Print Date: 05-06-2020

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

This substance has no PEL, TLV, or other recommended exposure limit.

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Exposure guidelines DNEL (Derived No-Effect Level): Workers - Long-term exposure

Systemic effects dermal: 6 mg/kg body weight/day

Systemic effects inhalation: 21 mg/m³

DNEL (Derived No-Effect Level): General population - Long-term exposure

Systemic effects dermal: 3 mg/kg body weight/day

Systemic effects inhalation: 5.2 mg/m³

Systemic effects oral: 3 mg/kg body weight/day

PNEC (Predicted No-Effect Concentration) aqua (freshwater): 8.8 g/L
PNEC (Predicted No-Effect Concentration) aqua (marine water): 0.88 g/L
PNEC (Predicted No-Effect Concentration) Sewage Treatment Plant: 1 mg/L

PNEC (Predicted No-Effect Concentration) sediment (freshwater): 1.05 mg/kg sediment dry weight PNEC (Predicted No-Effect Concentration) sediment (marine water): 0.105 mg/kg sediment dry

weight

PNEC (Predicted No-Effect Concentration) soil: 0.206 mg/kg soil dry weight

PNEC (Predicted No-Effect Concentration) oral: 20 mg/kg food

should be provided so that exposure limits are not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must

be provided.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Refer to Spec Sheet

Physical state Liquid.
Form Liquid.

Color Refer to Spec Sheet

Odor Characteristic.
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range



504110 DARTANOL™

Revision Date: 05-06-2020 Page 5 of 11

Version # 05 Print Date: 05-06-2020

Flash point > 200.0 °F (> 93.3 °C) Closed Cup

Evaporation rate Not available.
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.0003 mm Hg at 25 °C

Vapor density 7.2

Relative density Not available.

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature 424.4 - 431.6 °F (218 - 222 °C)

Decomposition temperatureNot available. **Viscosity**Not available.

Other information

Explosive properties Not explosive.

Flammability class Combustible IIIB estimated

Molecular formula C14H24O

Molecular weight 208.34 g/mol 208.34 g/mol

Oxidizing properties Not oxidizing.

Specific gravity 0.92 at 25 °C

10. STABILITY AND REACTIVITY

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products if stored and handled as indicated.



504110 DARTANOL™

Revision Date: 05-06-2020 Page 6 of 11

Version # 05 Print Date: 05-06-2020

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Knowledge about health hazard is incomplete.

Skin contact Causes mild skin irritation.

Eye contact Causes serious eye irritation. Causes mild eye irritation.

Ingestion Expected to be a low ingestion hazard.

vision.

Symptoms related to the

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

physical, chemical and

toxicological characteristics

Information on toxicological effects

Acute toxicity Not known.

Product Species Test Results

2-ETHYL-4-(2,2,3-TRIMETHYL CYCLOPENT-3-EN-1-YL)BUT-2- EN-1-OL (CAS 28219-61-6)

Acute

Dermal

LD50 Rabbit > 5000 mg/kg

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritationDue to partial or complete lack of data the classification is not possible.

Irritation (dermal, rabbit)(OECD 404): Non irritant @ 10%

Irritation (dermal, rabbit)(OECD 404): Moderate irritant @ 50% and 100%, non irritant @ 2% and

10%

Irritation (dermal, human)(single patch test): Non irritant @ 2%

Irritation (HRIPT): Irritant effects @ 1% (5/51)

Irritation (HRIPT): Non irritant @ 5%

Irritation (HRIPT): Irritant effects @ 5% (13/50)

Serious eye damage/eye

Causes serious eye irritation.

irritation Irritation (ocular, rabbit)(OECD 405): Mild irritant @ 6.25%

Irritation (ocular, rabbit)(OECD 405): Mild irritant @ 10%

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.



504110 DARTANOL™

Revision Date: 05-06-2020 Page 7 of 11

Version # 05 Print Date: 05-06-2020

Skin sensitization Due to partial or complete lack of data the classification is not possible.

2- ethyl-4-(2,2,3-trimethyl-1-cyclopent-3-enyl)but-2-en-1-ol, tested at 1.0, 5.0 and 10.0%, produced

no sensitization reaction in different human studies.

Sensitization (Guinea pig Maximization)(OECD 406): Non sensitizing @ 75% Sensitization (Guinea pig Maximization)(OECD 406): Non sensitizing @ 5%

Sensitization (Guinea pig Maximization)(OECD 406): 1/10 dermal response @ 1% and 0.1%. Sensitization (Guinea pig Maximization)(OECD 406): @ 10% 6/10 dermal responses, @ 5% 3/10

dermal respones, @ 2% and 1% 1/10 dermal responses.

Sensitization (HRIPT): Non sensitizing @ 10% Sensitization (HRIPT): Non sensitizing @ 5% Sensitization (HRIPT): Non sensitizing @ 1%

Phototoxicity (guinea pig): Effects @ 3, 10%, no effects @ 1%

Photo-allergenicity (guinea pig): No effects @ 1%

Germ cell mutagenicity Mutagenicity (OECD 471): some growth inhibition at top doses (78.1 microg/plate)

Mutagenicity (OECD 471): some growth inhibition at top doses (78.1 microg/plate)

Mutagenicity (OECD 471): Non mutagenic

Mutagenicity (OECD 471): Non mutagenic Due to partial or complete lack of data the classification

is not possible.

Carcinogenicity Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityDue to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Further information A summary of toxicological data is available on request from D. Grell, Firmenich SA, Case Postale

239, 1211 Geneva 8, switzerland.

12. ECOLOGICAL INFORMATION

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Product Species Test Results

2-ETHYL-4-(2,2,3-TRIMETHYL CYCLOPENT-3-EN-1-YL)BUT-2- EN-1-OL (CAS 28219-61-6)

Aquatic

Acute

 Crustacea
 EC50
 Daphnia
 0.63 mg/l, 48 hours

 Fish
 EC100
 Fish
 4 mg/l, 24 hours



504110 DARTANOL™

Revision Date: 05-06-2020 Page 8 of 11

Print Date: 05-06-2020 Version # 05

Persistence and degradability Readily biodegradablility: OECD 301F): non readily biodegradable

Readily biodegradability (OECD 301): 5%

Inherent biodegradability (OECD 302C): 15% (28 days)

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL CONSIDERATIONS

Disposal instructions Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain

into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or

used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code Not established.

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. TRANSPORT INFORMATION

ADN

UN number 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. UN proper shipping name

(2-ethyl-4-(2,2,3-trimethylcyclopenta-3-en-1-yl) buta-2-en-1-ol)

9 Transport hazard class(es) Subsidiary class(es) Ш Packing group Yes **Environmental hazards** 9 Labels required

ADR

UN number 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. UN proper shipping name

(2-ethyl-4-(2,2,3-trimethylcyclopenta-3-en-1-yl) buta-2-en-1-ol)

Transport hazard class(es) 9 Subsidiary class(es) Ш Packing group **Environmental hazards** Yes 9 Labels required

RID

UN number 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. UN proper shipping name

(2-ethyl-4-(2,2,3-trimethylcyclopenta-3-en-1-yl) buta-2-en-1-ol)

Transport hazard class(es)

Subsidiary class(es)

9



504110 DARTANOL™

Revision Date: 05-06-2020 Page 9 of 11

Version # 05 Print Date: 05-06-2020

Packing GroupIIIEnvironmental HazardsYesLabels required9

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

DOT BULK

UN number 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(2-ethyl-4-(2,2,3-trimethylcyclopenta-3-en-1-yl) buta-2-en-1-ol)

Hazard class 9
Packing group III

Environmental hazards

Marine pollutantYesPackaging exceptions155Packaging bulk241Labels required9

DOT

NON-BULK

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

UN number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(2-ethyl-4-(2,2,3-trimethylcyclopenta-3-en-1-yl) buta-2-en-1-ol)

Transport hazard class(es) 9
Subsidiary class(es) Packing group ||||

Environmental hazards

Marine pollutant


Marine pollutant Yes
Labels required 9

Transport in bulk according

Not applicable.

to Annex II of MARPOL 73/78 and the IBC Code

ADN; ADR; DOT BULK; IMDG; RID





504110 DARTANOL™

Revision Date: 05-06-2020 Page 10 of 11

Version # 05 Print Date: 05-06-2020

Marine pollutant



15. REGULATORY INFORMATION

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

Serious eye damage or eye irritation

categories

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

 Issue date
 11-30-2015

 Revision date
 05-06-2020



504110 DARTANOL™

Revision Date: 05-06-2020 Page 11 of 11

Version # 05 Print Date: 05-06-2020

Version # 05

HMIS® ratings Health: 2

Flammability: 1 Physical hazard: 0

Disclaimer

Vigon International, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.