

13 Raritan Road Oakland, NJ 07436 Tel 201-896-3300 regulatory@lermond.com www.lermond.com

For Chemical Emergencies During Transportation: USA and Canada: Call CHEMTREC 24 Hours at 1-800-424-9300 International: Call CHEMTREC 24 Hours at 1-703-527-3887 Account Number: CCN709805

## **1. PRODUCT AND COMPANY INFORMATION**

Product Name: Product Code: CAS # DIPROPYLENE GLYCOL 19624 25265-71-8

Company Name:

The Lermond Company, LLC 13 Raritan Road Oakland, NJ 07436 Phone: 201-896-3300

## 2. HAZARD(S) IDENTIFICATION

Physical hazards	Not classified.	
Health Hazards	Not classified.	
Environmental hazards	Not classified.	
Label elements	None.	
Signal word	None.	
Hazard statement	The substance does not meet the criteria for classification.	
Precautionary statement Prevention	Observe good industrial hygiene practices.	
Response	P264: Wash hands after handling.	
Storage	P420: Store away from incompatible materials.	
Disposal	P501: Dispose of waste and residues in accordance with local authority requirements.	
Hazard(s) not otherwise	None known.	

classified (HNOC)

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name:

DIPROPYLENE GLYCOL

100%

CAS Number: 25265-71-8

## **4. FIRST-AID MEASURES**

Inhalation:	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.	
Skin Contact:	Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.	
Eye Contact:	Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.	
Ingestion:	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.	
Most important symptons/effects, acute and delayed:	Direct contact with eyes may cause temporary irritation.	
Indication of immediate Medical attention and Special treatment		
needed:	Not available.	
General information:	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.	

## **5. FIRE-FIGHTING MEASURES**

Flash Point:	> 200.0 °F (> 93.3 °C) Closed Cup	
Suitable Extinguishing Media:	Water spray, fog, CO2, dry chemical, or alcohol resistant foam.	
Unsuitable Extinguishing Media:	<b>g</b> Do not use a solid water stream as it may scatter and spread fire.	
Specific hazards arising from the Chemical:	Fire may produce irritating, corrosive and/or toxic gases.	
Special protective Equipment and precautions for firefighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Firefighting equipment/ Instructions:	In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.	

<b>Specific methods:</b>
--------------------------

Use water spray to cool unopened containers.

**General fire hazards:** Static charges generated by emptying package in or near flammable vapor may cause flash fire.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up:	Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.	
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.	
	Small Spills: Wipe up with absorbent material (e.g., cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.	
Environmental precautions:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.	

## 7. HANDLING AND STORAGE

Safe Handling:	Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.
Safe Storage:	Store in original tightly closed container. Store away from incompatible materials (see

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 10 of the SDS).

Occupational exposure limits:	This substance has no PEL, TLV, or other recommended exposure limit.	
Biological limit values:	No biological exposure limits noted for the ingredient(s).	
Appropriate engineering controls:	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide easy access to water supply and eye wash facilities.	

Individual protection measures, such as personal protective equipment:

Eye/face protection: Skin protection:	Wear safety glasses with side shields (or goggles) and a face shield.
Hand protection:	Wear appropriate chemical resistant gloves.
Other:	Wear appropriate chemical resistant clothing. Use of an impervious apron recommended.
<b>Respiratory protection:</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards:	Wear appropriate thermal protective clothing, when necessary.
General hygiene Considerations:	Contaminated work clothing should not be allowed out of the workplace

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Colorless Liquid
Vapor density @ 20°C:	4.7
<b>Relative Density @ 25°C:</b>	Not available.
Melting point:	Not available.
Flash point:	> 200.0 °F (> 93.3 °C) Closed Cup
Boiling point:	446 °F (230 °C)

#### **10. STABILITY AND REACTIVITY**

Reactivity:	The product is stable and non-reactive under normal conditions of use, storage and transport.	
Stability:	Material is stable under normal conditions.	
Possibility of hazardous Reactions:	No dangerous reaction known under conditions of normal use.	
Conditions to avoid:	Avoid temperatures exceeding the flash point. Contact with incompatible materials.	
Incompatible materials:	Strong oxidizing agents.	
Hazardous decompositio products:	<b>n</b> No hazardous decomposition products if stored and handled as indicated.	

#### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation: Knowledge about health hazard is incomplete.

Skin contact:	Causes mild skin irritation.
Eye contact:	Knowledge about health hazard is incomplete. Causes mild eye irritation.
Ingestion:	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical, and toxicological Characteristics:	Direct contact with eyes may cause temporary irritation.

Information on toxicological effectsAcute toxicityNot available.

Components	Species	Test Results	
Dipropylene Glycol			
<b>Acute</b> Dermal			
LD50	Rabbit	> 5000 mg/kg 20 ml/kg	
Inhalation LC50	Rat	> 2.34 mg/l, 4 hours	
Oral LD50	Rat	> 5000 mg/kg 14.8 ml/kg	
Skin Corrosion/ irritation:	Due to partial or complete lack of data the classification is not possible.		
Serious eye damage/eye Irritation:	Due to partial or complete lack of data the	e classification is not possible.	
<b>Respiratory or skin sensitization:</b> <b>Respiratory sensitization:</b> Due to partial or complete lack of data the classification is not possible.			
Skin sensitization: :	Due to partial or complete lack of data the	e classification is not possible.	
Germ cell mutagenicity: :	Due to partial or complete lack of data the classification is not possible.		
Carcinogenicity:	Due to partial or complete lack of data the classification is not possible.		
OSHA specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.			
Reproductive toxicity:	Due to partial or complete lack of data the	e classification is not possible.	
Specific target organ toxicity- single exposure:	Due to partial or complete lack of data the classification is not possible.		
Specific target organ toxicity- repeated exposure:	Due to partial or complete lack of data the classification is not possible.		
Aspiration hazard:	Due to partial or complete lack of data the classification is not possible.		
	12. ECOLOGICAL INFORM	ATION	
Ecotoxicity:	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Components	Species	Test Results	
Dipropylene Glycol Aquatic Acute Algae	EC50 Green algae (Desmodesmus subspicatus)	> 100 mg/l, 72 hours (OECD Test Guideline 201)	

Crustacea	EC50 Daphnia magna	> 100 mg/l, 48 hours (OECD Test Guideline 202)
Fish	LC50 Goldfish (Carassius auratus)	> 5000 mg/l, 24 hours
Persistence and degradability:	No data is available on the degradability of this substance.	
Bioaccumulative Potential:	No data available.	
Mobility in soil:	No data available.	
Other adverse effects:	The product contains volatile organic compounds which have a photochemical ozone creation potential.	
13. DISPOSAL CONSIDERATIONS		

Disposal instructions:	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways, or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations:	Dispose in accordance with all applicable regulations.
Hazardous waste code:	The waste code should be assigned in discussion between the user, the producer, and the waste disposal company.
Waste from residues/ unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

#### **14. TRANSPORT INFORMATION**

**Ground Shipping (DOT):** Not regulated as dangerous goods.

Air shipping (IATA): Not regulated as dangerous goods.

**Ocean Shipping (IMDG):** Not regulated as dangerous goods.

## **15. REGULATORY INFORMATION**

#### **US federal regulations**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.
CERCLA Hazardous Substance List (40 CFR 302.4) Not listed.

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Not listed.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Safe Drinking Water Act (SDWA) Not regulated.

## **16. OTHER INFORMATION**

Disclaimer: This information is provided for documentation purposes only.

The complete range of conditions or methods of use are beyond our control therefore we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate however, all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

This safety sheet cannot cover all possible situations that the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or custom