

Product

GALAXOLIDE 50 IPM

Print Date

06/10/2020

Page 1 (8)

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name IFF Code Cust. Material SDS Number Product Use Description	::	GALAXOLIDE 50 IPM 00070302 00070302 R00000222267 Fragrance Ingredient
Company	:	IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG
Telephone	:	+441440715000
Telefax	:	+441440762199
Emergency telephone number	:	+44 1440 7 15000

### SECTION 2 HAZARDS IDENTIFICATION

#### **GHS-Classification**

Not a hazardous substance or mixture.

#### **GHS-Labelling**

#### **Carcinogenicity:**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Version Revision Date : 1 : 04/07/2020

IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG

Telephone: +441440715000

IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG

Telefax: +441440762199



Print Date 06/10/2020	) Page	2 (8)

## SECTION 4. FIRST AID MEASURES

#### First aid procedures

Inhalation	un	emove from exposure site to fresh air and keep at rest. If victim is conscious, remove foreign bodies from the mouth. If victim has opped breathing, give artificial respiration. Obtain medical advice.
Skin contact		emove contaminated clothes. Wash thoroughly with water (and ap). Contact physician if symptoms persist.
Eye contact		ush immediately with water for at least 15 minutes. Contact system of symptoms persist.
Ingestion	: Ri	nse mouth with water and obtain medical advice.

### SECTION 5. FIREFIGHTING MEASURES

<b>Flammable properties</b> Flash point	:	> 212.0 °F (> 100.0 °C)
<b>Fire fighting</b> Suitable extinguishing media	:	Use water spray, dry chemical, carbon dioxide or appropriate foam.
Protective equipment and precautio	ns f	for firefighters
Special protective equipment for firefighters	:	Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use water spray to cool containers exposed to fire.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	: Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Version	: 1
Revision Date	: 04/07/2020

IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG

Telephone: +441440715000

IFF (GB) Limited

DUDDERY HILL

HAVERHILL SuffolkCB9 8LG



Product	GALAXOLIDE 50 IPM		
Print Date	06/10/2020	Page	3 (8)
Environmental precautions Methods for containment / Methods for cleaning up	<ul> <li>Keep away from drains, surface- and groundwater and</li> <li>Clean up spillage promptly. Remove ignition sources. adequate ventilation. Avoid excessive inhalation of va spillages should be contained by use of sand or inert p disposed of according to the local regulations.</li> </ul>	Provide pours. Gr	

### SECTION 7. HANDLING AND STORAGE

Handling	:	Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.
		If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees. Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.
Advice on protection against fire and explosion	:	Keep away from ignition sources and naked flame.
Requirements for storage areas and containers	:	Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Engineering measures			
Engineering measures	: Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under		
Version	: 1		
Revision Date	: 04/07/2020		
IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG	IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG		
Telephone: +441440715000	Telefax: +441440762199		



Product	GALAXOLIDE 50 IPM	
Print Date	06/10/2020 Page	4 (8)
	negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process thi material	S
Personal protective equipment		
Eye protection	: Use tight-fitting goggles, face shield or safety glasses with sic shields if eye contact might occur.	le
Hand protection	: Avoid skin contact. Use chemically resistant gloves.	
Respiratory protection	<ul> <li>Use local exhaust ventilation around open tanks and other oper sources of potential exposures in order to avoid excessive inhibit including places where this material is openly weighed or mea. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations workplace where engineering controls such as adequate ventiletc. are sufficient.</li> <li>If engineering controls and safe work practices are not sufficient approved, properly fitted respirator with organic vapor cartrid canisters and particulate filters should be used:</li> </ul>	alation, asured. o s in a lation, ent, an
	<ul> <li>a) while engineering controls and appropriate safe work practiand/or procedures are being implemented; or</li> <li>b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or</li> <li>c) if normal operational workplace vapor concentration in the increased due to heat;</li> <li>d) during emergencies; or</li> <li>e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupation exposure limit.</li> </ul>	ng air is ficient
Hygiene measures	<ul> <li>To the extent deemed appropriate, implement pre-placement a regularly scheduled ascertainment of symptoms and spirometr testing of lung function for workers who are regularly exposed this material.</li> <li>To the extent deemed appropriate, use an experienced air sam expert to identify and measure volatile chemicals that could b present in the workplace air to determine potential exposures</li> </ul>	ry d to pling e
Version Revision Date	: 1 : 04/07/2020	

IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG

Telephone: +441440715000



## **SAFETY DATA SHEET SAFETY DATA SHEET** INTERNATIONAL FLAVORS & FRAGRANCES

Product	GALAXOLIDE 50 IPM	
Print Date	06/10/2020	Page 5 (8)
	ensure the continuing effectiveness of engineering co operational practices to minimize exposure.	ontrols and
Protective measures	<ul> <li>In December 2003, the National Institute for Occupation and Health ("NIOSH") published an Alert on prevent disease in workers who use or make flavorings [NION Number 2004-110].</li> <li>In August 2004, the United States Flavor and Extract Association (FEMA) issued a report entitled "Respiration the Flavor Manufacturing Workplace".</li> <li>Both of these reports provide recommendations for reemployee exposure and for medical surveillance in the The recommendations in these reports are generally a use of any chemical in the workplace and you are stroreview both of these reports.</li> <li>The report published by FEMA also contains a list of chemicals. If any of these chemicals are present in the concentration &gt;= 1.0% due to an intentional addition chemical(s) will be identified in this safety data sheet</li> </ul>	ing lung SH Publication Manufacturers atory Safety in educing ne workplace. applicable to the ongly urged to f "high priority" is product at a by IFF, the

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Physical state Appearance Colour	: liquid : CLEAR LIQUID : colorless
Odour	: conforms to standard
Safety data	
Flash point	: $> 212.0 \text{ °F} (> 100.0 \text{ °C})$
Vapour pressure	: < .01 hPa (< 0.01 hPa) Note: Calculated
Relative density (20 °C)	: 0.9420 - 0.9480
Version	: 1
Revision Date	: 04/07/2020
IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG	IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG
Telephone: +441440715000	Telefax: +441440762199



Product	GALAXOLIDE 50 IPM		
Print Date	06/10/2020	Page	6 (8)

Partition coefficient: n-octanol/water : log Pow: 5.920

### SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	:	Remarks: Direct sources of heat.
Chemical stability	:	Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.
Hazardous decomposition products	:	Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### **Toxicological information**

Further information : There is no data available for this product. The health hazards are assessed based on the ingredients in this preparation and their concentrations.

## SECTION 12. ECOLOGICAL INFORMATION

#### **Ecological information**

Additional ecological information : Avoid contamination of soil, ground and surface water.

### SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging : Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

Version Revision Date : 1 : 04/07/2020

IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG

Telephone: +441440715000

IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG



Product GALAXOLIDE 50 IPM

Print Date

06/10/2020

Page 7 (8)

### SECTION 14. TRANSPORT INFORMATION

DOT	Not dangerous goods	
ΙΑΤΑ	UN number Description of the goods	<ul> <li>3082</li> <li>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPYRAN)</li> </ul>
	Class Packing group ICAO-Labels	: 9 : III : 9
IMDG	UN number Description of the goods Class Packing group	<ul> <li>3082</li> <li>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPYRAN)</li> <li>9</li> <li>III</li> </ul>
	IMDG-Labels EmSNumber 1 EmSNumber 2 Marine pollutant	: 9 : F-A : S-F : yes (HEXAMETHYLINDANOPYRAN)

### SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	: No SARA Hazards
Reportable Quantity	:
HMIS Classification	: Health hazard: 1 Chronic Health Hazard: / Flammability: 1 Physical and chemical hazards: 0

Version Revision Date : 1 : 04/07/2020

IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG

Telephone: +441440715000

IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG

Telefax: +441440762199

Product	GALAXOLIDE 50 IPM		
Print Date	06/10/2020	Page	8 (8)

### SECTION 16. OTHER INFORMATION

#### **Further information**

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date : 1 : 04/07/2020

IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG

Telephone: +441440715000

IFF (GB) Limited DUDDERY HILL HAVERHILL SuffolkCB9 8LG